Attachment 2

Hill &



To

Carl Piercy

June 26, 1984

MHKesson

From

Subject

Location/Tel.

Intra Company

Paul Marshall

Environmental Services

Correspondence

Dublin Copies To

85518

Santa Fe Springs,

Solvent Dike Area Assessment A.M. McMahon

D.A. Davis

W.B. Westrope

D.L. Wettstead

The project scope, schedule and cost estimate for the soil sampling and analysis requested in your June 25 memo is summarized below.

The objective of this project is to sample select locations within the solvent dike area and assess potential subsurface contamination.

This will involve the following tasks:

- MES will collect soil samples with a portable 2-inch auger at 4 locations inside an above-ground tank storage area. Samples will be collected at approximate depths of 1, 3, and 6 feet.
- For each location, samples at 1 and 6-foot depths will be analyzed by GC/MS, purge and trap US EPA Method 624 for volatile priority pollutant organics. A total of 8 samples will be analyzed. Intermediate samples at 3-foot depths will be available for analysis if we mutually agree K on their informational value.

The present schedule to accomplish the above scope is as follows:

- 1) Collect samples by June 29, 1984.
- 2) Provide final report by July 20, 1984.

The cost estimate for this project is summarized as follows:

1) Engineering, time and materials, labor

\$2,100

Other direct cost, travel, etc.

250

2) Analytical

1,600

TOTAL COST ESTIMATE

\$3,950

If you have any questions or changes to this proposal, please call.

# SAMPLE RESULTS RECAP (Parts per Million)

Sample	B-2	) -	B-3	}	В-	4	B-5
Location	Dik	.e	Dik	<u>.e</u>	Di	ke	Ditch
Depth, ft.	_1_	6	_1	6	_1_	6	3
Components Found							0,00/
Benzene			,				0,000
Chloroform	1	0.75	0.80		1.0		
1,2-Dichloroethane				0.02		0.8	0.004
1,1-Dichloroethene						0.8	0.002
Ethyl Benzene		0.06		0.03		0.85	. *
Methylene Chloride				1.1		2.5	0.10
Tetrachloroethene		0.89	0.22	0.67		64	.085
Toluene	0.12	0.1		0.07		2.0	•
1,1,1-Trichloroethane	0.20	0.2		0.18		10.0	0.085
1,1,2-Trichloroethane			<i>:</i>				
Acetone	50	1.5	0.80	0.24	7.0		0.03
Isopropanol	45			0.2			
2-Butanone	36			2.10			
Xylenes	·	0.32		0.09		5.8	•
tucklost lase		0.03		0.07			OOOE
1, 1, - de chlorosthane							0.002

Lab I.D.: 14707

7154-QD

Sample I.D.: B2-1 ft.

Santa Fe Springs

<u>C</u>	ONCENTRATION	•	CONCENTRATION
VOLATILES	ng/g(ppb)	OTHER COMPOUNDS FOUND	ng/g(ppb)
benzene	ND	Acetone	<b>~</b> 50,000
bromodichloromethane	ND	IPA	√ 45,000
bromoform	ND	2-Butanone	~ 36,000
bromomethane	ND		
carbon tetrachloride	ND		
chlorobenzene	ND		
chloroethane	ND		
2-chloroethylvinyl ether	ND		
chloroform	1000		
chloromethane	ND		
dibromochloromethane	ND_		
1,2-and/or 1,4-dichlorober	nzene ND		
1,3-dichlorobenzene	ND		
1,1-dichloroethane	ND		
1,2-dichloroethane	ND		
1,1-dichloroethene	ND	N. N.	
trans-1,2,-dichloroethene	ND	X.N Ohm	
1,2-dichloropropane	ND	N. W. Flynn, Laborato	ry Manager
cis-1,3,-dichloropropene	ND		•
rans-1,3 -dichloropropene	ND		-
ethyl benzene	ND	Detection Limits: 100-	-1000 ng/g
nethylene chloride	ND	ND = Not Detected	
,1,2,2-tetrachloroethane	ND	* = Compound detected	d; concentratio
etrachloroethene	ND	below level for a tation.	ccurate quanti
coluene	120		
.,1,1-trichloroethane	200	** = Estimated value; saturated detector	compound or.
.1.2-trichloroet.ane	ND		
richloroethene	ND		
invl chloride	ND		

Lab I.D.: 14709

7154-QD

Sample I.D.: B2-6 ft.

Santa Fe Springs

CONCE	NTRATION		CONCENTRATION
VOLATILES	ng/g(ppb)	OTHER COMPOUNDS FOUND	
benzene	ND	Xylenes	320
bromodichloromethane	ND	Acetone	~ 1,500
bromoform	ND		
bromomethane	ND		
carbon tetrachloride	ND		
chlorobenzene	ND		
chloroethane	ND		1 200
2-chloroethylvinyl ether	ND		
chloroform	750		
chloromethane	ND		
libromochloromethane	ND		
.,2-and/or 1,4-dichlorobenzene	ND		
,3-dichlorobenzene	ND		
,1-dichloroethane	ND		
,2-dichloroethane	ND_		
,1-dichloroethene	ND	Wal Va	
rans-1,2,-dichloroethene	ND	F. M. Mynn	
,2-dichloropropane	ND	N. W. Flann, Laborator	y Manager
is-1,3,-dichloropropene	ND		
rans-1,3 -dichloropropene	ND		
thyl benzene	55	Detection Limits: 25-2	250 ng/g
ethylene chloride		ND = Not Detected	0. 0
,1,2,2-tetrachloroethane	ND	* = Compound detected	; concentratio
etrachloroethene	890	below level for a tation.	ccurate quanti
oluene	98		
,1,1-trichloroethane	200	<pre>** = Estimated value;     saturated detecto</pre>	compound r.
.1.2-trichloroethane	ND		
richloroethene	29		
inyl chloride	ND		

Lab I.D.: <u>14710</u>

7154-QD

Sample I.D.: <u>B3-1 ft.</u>

Santa Fe Springs

CONCE	NTRATION		CONCENTRATION
<u>VOLATILES</u>	ng/g(ppb)	OTHER COMPOUNDS FOUND	ng/g(ppb)
benzene	ND	Acetone	~ 800
bromodichloromethane	ND		
bromoform	ND		
bromomethane	ND		
carbon tetrachloride	ND		
chlorobenzene	ND		
chloroethane	ND		
2-chloroethylvinyl ether	ND		
chloroform	800		
chloromethane	ND		
dibromochloromethane	ND_		
1,2-and/or 1,4-dichlorobenzene	ND		
1,3-dichlorobenzene	ND		
1,1-dichloroethane	ND		
1,2-dichloroethane	ND		
1,1-dichloroethene	ND <	Vantha	
trans-1,2,-dichloroethene	ND	J. M. Olyn-	
1,2-dichloropropane	ND	N. W. Flynn, Laborator	y Manager
cis-1,3,-dichloropropene	ND		
trans-1,3 -dichloropropene	ND		
ethyl benzene	ND	Detection Limits: 25-2	250 ng/g
methylene chloride		ND = Not Detected	<i>3. 3</i>
1,1,2,2-tetrachloroethane	ND	* = Compound detected	; concentration
tetrachloroethene	220	below level for a tation.	ccurate quanti
toluene	ND		
1,1,1-trichloroethane	ND	** = Estimated value; saturated detecto	compound r.
1,1,2-trichloroethane	ND		
trichloroethene	ND		
vinyl chloride	ND		

Lab I.D.:

14712

7154-QD

Sample I.D.: B3-6 ft.

Santa Fe Springs

CONC	ENTRATION		CONCENTRATION
VOLATILES	ng/g(ppb)	OTHER COMPOUNDS FOUND	
benzene	ND	Xylenes	92
bromodichloromethane	ND	Acetone	~ 240
bromoform	ND	IPA	~ 200
bromomethane	ND	2-Butanone	<b>~</b> 2100
carbon tetrachloride	ND		
chlorobenzene	ND		
chloroethane	ND		
2-chloroethylvinyl ether	ND		
chloroform	ND		
chloromethane	ND		
dibromochloromethane	ND		
1,2-and/or 1,4-dichlorobenze	ne ND		
1,3-dichlorobenzene	ND		
1,1-dichloroethane	ND		
1,2-dichloroethane	17		
1,1-dichloroethene	ND N	and Va	
trans-1,2,-dichloroethene	ND (	HI Olyn	
1,2-dichloropropane	ND	N. W. Flynn, Laborato	ry Manager
cis-1,3,-dichloropropene	ND		
trans-1,3 -dichloropropene	ND		
ethyl benzene	25	Detection Limits: 1-	10 ng/g
methvlene chloride	1100	ND = Not Detected	
1,1,2,2-tetrachloroethane	ND	* = Compound detected	d; concentration
tetrachloroethene	670	below level for a tation.	accurate quanti-
toluene	65		o o mar o u m d
1,1,1-trichloroethane	180	** = Estimated value; saturated detector	compound or.
1,1,2-trichloroethane	ND		
richloroethene	70		
vinyl chloride	ND		•

Lab I.D.: <u>14713</u>

7154-QD

Sample I.D.: <u>B4-1 ft.</u>

Santa Fe Springs

CONC	ENTRATION		CONCENTRATION
<u>VOLATILES</u>	ng/g(ppb)	OTHER COMPOUNDS FOUND	ng/g(ppb)
benzene	ND	Acetone	~ 7000
bromodichloromethane	ND		
bromoform	ND		
bromomethane	ND		
carbon tetrachloride	ND		
chlorobenzene	ND	· · · · · · · · · · · · · · · · · · ·	
chloroethane	ND		
2-chloroethylvinyl ether	ND		
chloroform	1000		m.n.
chloromethane	ND		
dibromochloromethane	ND		
1,2-and/or 1,4-dichlorobenze	ne ND	- In the second	
1,3-dichlorobenzene	ND		
1.1-dichloroethane	ND		
1,2-dichloroethane	ND		
1,1-dichloroethene	ND N	N~M	
trans-1,2,-dichloroethene	ND (	M. M. Dhyu	
1,2-dichloropropane	ND	N. W. Flynn, Laborator	ry Manager
cis-1,3,-dichloropropene	ND		
trans-1,3 -dichloropropene	ND		
ethyl benzene	ND	Detection Limits: 100	-1000 ng/g
methylene chloride	ND	ND = Not Detected	
1,1,2,2-tetrachloroethane	ND	* = Compound detected	d; concentration
tetrachloroethene	ND	below level for a tation.	accurate quant:
toluene	ND	** = Estimated value;	compound
1,1,1-trichloroethane	ND	saturated detector	or.
1,1,2-trichloroethane	ND		
trichloroethene	ND		
vinyl chloride	ND		

Lab I.D.: 14715

7154-QD

Sample I.D.: <u>B4-6 ft.</u>

Santa Fe Springs

CON	NCENTRATION		CONCENTRATION		
VOLATILES	ng/g(ppb	OTHER COMPOUNDS FOUND	ng/g(ppb)		
benzene	ND	m-xylene	3300		
bromodichloromethane	ND	p-xylene	2500		
bromoform	ND				
bromomethane	ND				
carbon tetrachloride	ND				
chlorobenzene	ND		. •		
chloroethane	ND				
2-chloroethylvinyl ether	ND				
chloroform	ND				
chloromethane	ND				
dibromochloromethane	ND				
1,2-and/or 1,4-dichlorobenz	ene ND				
1,3-dichlorobenzene	ND				
1,1-dichloroethane	ND				
1,2-dichloroethane	800				
1,1-dichloroethene	800	12/20			
trans-1,2,-dichloroethene	ND	C. M. Olyan			
1,2-dichloropropane	ND	W. Flyn, Laborato	ry Manager		
cis-1,3,-dichloropropene	ND				
trans-1,3 -dichloropropene	ND				
ethyl benzene	850	Detection Limits: 500	-5000 ng/g		
methylene chloride	2500	ND = Not Detected			
1,1,2,2-tetrachloroethane	ND	* = Compound detected	d; concentratio		
tetrachloroethene	64,000	below level for a tation.	accurate quanti		
toluene	2000	** = Estimated value;	compound		
1,1,1-trichloroethane	10,000	saturated detector			
1,1,2-trichloroethane	ND				
trichloroethene	ND				
vinyl chloride	ND				

Lab I.D.:

14716

7154-QD

Sample I.D.: <u>B5-3 Ditch</u>

Santa Fe Springs

CONCEN	TRATION	CONCENTRATION
<u>VOLATILES</u>	ng/g(ppb)	OTHER COMPOUNDS FOUND ng/g(ppb)
benzene	1	Acetone ~ 30
bromodichloromethane	ND	
bromoform	ND	
bromomethane	ND	
carbon tetrachloride	ND	
chlorobenzene	ND	
chloroethane	ND	
2-chloroethylvinyl ether	ND	
chloroform	ND	
chloromethane	ND	
dibromochloromethane	ND	
1,2-and/or 1,4-dichlorobenzene	ND	***************************************
1,3-dichlorobenzene	ND	
1,1-dichloroethane	2	
1,2-dichloroethane	4	
1,1-dichloroethene		NUM
trans-1,2,-dichloroethene	ND	Millian
1,2-dichloropropane	ND	N. W. Flynn, Laboratory Manager
cis-1,3,-dichloropropene	ND	
trans-1,3 -dichloropropene	ND	
ethyl benzene	ND	Detection Limits: 1-10 ng/g
methylene chloride	_100	ND = Not Detected
1,1,2,2-tetrachloroethane	ND	* = Compound detected; concentratio
tetrachloroethene	85	below level for accurate quantitation.
toluene	ND	** = Estimated value; compound
1,1,1-trichloroethane	<u>85</u>	saturated detector.
1,1,2-trichloroethane	ND	
trichloroethene	<u>8</u>	
vinyl chloride	ND	

Attachment 3

MAY 2 2 HANGELES

LOS ANGELES

LOS ANGELES

### M-Kesson

7514-UD

\_\_\_\_May 21, 1986\_\_

Mr. Kenneth Hughes
Waste Management Specialist
California Department of Health Services
Toxic Substance Control Division
107 South Broadway, Room 7011
Los Angeles, CA 90012

Subject: Site Investigation Results

McKesson Chemical, Sorensen Street Facility

Santa Fe Springs, California

CADØ6Ø395753

Dear Mr. Hughes:

This letter presents the results of the subject investigation since March 18, 1986.

The investigation entails the following items:

- completion of 3 slant soil borings (SB1, SB2, and SB3)
- o completion of 4 monitoring wells (MW1, MW2, MW3, and MW4)
- o laboratory analysis of 6 soil samples and 3 water samples
- o groundwater level survey and movement analysis.

Figure 1 shows the location of soil borings and monitoring wells.

Attachment A includes soil boring logs and well schematic diagrams for SB1, SB2, SB3, MW1, MW2, MW3, and MW4.

Table 1 shows the depth intervals where soil samples were taken and selected for laboratory analysis.

Attachment B includes laboratory analysis of soil samples and water samples

Figure 2 shows the results of the groundwater level survey and groundwater movement analysis.

It appears that detectable concentrations of various products were found in the shallow perched groundwater located at about 25 feet below land surface. Monitor well MW2 was found to be

MCK0008051

Mr. Kenneth Hughes May 16, 1986

wet but not enough to produce water for laboratory analysis.

Instead a wet soil sample taken at 25 feet was selected for

Taboratory analysis.

Significantly reduced concentrations of products were detected in the clayey layer immediately underlying the perched groundwater.

The groundwater level survey conducted on April 9, 1986, showed a southwest movement in the perched groundwater (see Figure 2).

McKesson is currently preparing a plan for further site investigation and also is conducting a well survey up-gradient and down-gradient of the subject facility.

If you have any questions, please contact me.


Very truly yours,

Jun 3

Nick K. Gardner Regional Regulatory Manager

NKG/kdr

Attachments






#### LEGEND

SLANT SOIL BORING AT 25° ANGLE AND ASSOCIATED SAMPLING POINTS

GROUNDWATER MONITORING SWELL

SLANT MONITORING WELL AT 45° ANGLE AND SAMPLING POINTS

LOCATION MAP OF BORINGS AND WELLS AT McKESSON CHEMICAL
COMPANY'S SANTA FE SPRING FACILITY
FIGURE 1



0 SLANT BORING • GROUNDWATER MONITORING WELL AND ELEVATION f121,631 OF GROUNDWATER LEVEL (IN FEET-MSL) - 4/9/86 GROUNDWATER FLOW DIRECTION GROUNDWATER LEVEL ELEVATION (IN FEET-MSL) [] [121.62] IN WELL MW4 - 4/9/86

ANALYSIS OF GROUNDWATER MOVEMENT

FIGURE 2

#### 

<u>581 \_ 5, 10, 15, 20, 25, 30, 33.5, 35, 36, 37, 38</u>

SB2 5; 10, 15, 20, 25, 30, 33, 34, <u>35</u>

SB3\_\_5, 10, 15, 20, 25, 30, 33, 34, 35, <u>36</u>

MW1 5, 10, 15, 20, 26

MW2 5, 10, 15, 20, 25, 27, 28

MW3 5, 10, 15, 20, 25, 27

MW4<sup>\*</sup> 11, 16, 21, 26, 31, 36, 41

NOTE: The depths underlined are the soil samples that have been analyzed in the laboratory.

\*: Water sample has been analyzed in the laboratory.

#### Attachment A

Soil Boring Logs
SB1, SB2, SB3, MW1, MW2, MW3, MW4

Well Schematic Diagrams
MW1, MW2, MW3, MW4

		(	GEOL	OGICAL B	ORING LO	G		во	REHOLE N	0. :	SB1	
DEPTH (FEET)		SAMP	LE	STANDARD Soil Color	LITHOL	OGICAL DESCRI	PTION	TEXTURE		E	MOISTURE	uscs
Vert. S1	ant	CUTTING	CORE	CODE	ROUNDNESS LITHOLOGY % OF COARSE GRAIN				CEMENTATION PLASTICITY & MIN	NERAL	CONTENT	0303
4.5	5		X	10 YR 4/2 Dark Yellow Brown	Very fine sand and silt Coarse grain: less than 1%				Dense Slightly plas Odor	stic	Mod.dry	ML
9.1 1	0		Х	10 YR 4/4 Moderate Yellow Brown	Coarse to fine sand Coarse grain, gravel 1% Max. size 10 mm  Dense Cohesionless non-plastic Odor							SW
13.6 1.	5		х	10 YR 4/4 Moderate Yellow Brown	Coarse grain	Coarse sand with little fine grains Coarse grains: gravel 10% Max. size - 12mm  Co Oc					Moist	SP
18.1 2	0		х	10 Y 4/4 Light olive	Coarse to me Coarse grain Max. size 3m	<del></del>	d		Dense Loose Cohesionless non-plastic Odor		Moist	SW
22.7 2	5		Х	10 YR 4/2 Dark yellow Brown	Coarse sand 0% grains	and gravel			Cohesionless Odor weakene	ed	Satur- ated	GW-SP
		NOTE: SOIL	COLOR	CODE FOLLOWS T	HE STANDARD IN	ROCK COLOR CHART	• PUBLISH	ED BY	GSA.	1	I	
McKES:	SON	ENVIR	ONME	NTAL SERVI	CES, INC.	PROJECT	<b>NO.:</b> 75	514 UI	)	LOGG I-Sen	ED BY: Wang	
PROJE	CT I	NAME &	LOC	ATION: McKe	esson Chemical	- Santa Fe Spri	ngs D	ATE:	3/18/86	JITLE Geohyd	irologist	
										PAGE	<sup>1</sup> OF	3

		GEOL	OGICAL B	ORING LO	G			ВО	REHOLE NO	D. :	SB 1	
DEPTH (FEET)	SAMP	LE	STANDARD	LITHOL	OGICAI	DESCRI	PTION		TEXTURE COMPACTNESS		MOISTURE	uscs
Vert. Slant	CUTTING	CORE	SOIL COLOR Code	ROUNDNESS GRAIN SIZE	LIT	HOLOGY	% OF CO		CEMENTATION PLASTICITY & MINI	ERAL	CONTENT	0303
27.2 30		Х	5 YR 4/6 Light brown	Clay 0% coarse					Dense, stiff moderately pl	astic.	Moist	CL
<u>.</u>									Slight odor			
30.4 33.5 34.5		Х	5 YR 4/6 Light brown	Clay					Dense Moderately pl Micaceous	astic	Moist	CL
-									Slight odor			
31.7 35		Х	5 YR 4/6 Light brown	Clayey silt less than 1		e grains			Dense Slight odor		Moist	ML
-				·								
32.6 36 _		X	5 YR 4/6 Light brown	Clayey silt Less than 1		e grains			Dense Slight odor		Moist	ML
33.5 37		Х	5 YR 4/6 Light brown	Clayey silt Less than 1		e grains			Dense Slight odor		Moist	ML
	NOTE: SOIL	COLOR	CODE FOLLOWS T	HE STANDARD IN	*ROCK C	OLOR CHART	T" PUBLIS	SHED BY	r GSA,			<del></del>
McKESS0	<del> </del>		NTAL SERVI			ROJECT		7514			ED BY: Wang	<u>`</u>
PROJECT	NAME 8	LOC	ATION: McKe	sson Chemical	- Sant	a Fe Spri	ngs	DATE	3/18/86	TITLE Geohy	: drologist	
			_		_					PAGE	2 OF	3

		GEOL	OGICAL B	ORING LO	G		BO	REHOLE NO. :	SB1	
DEPTH (FEET)	SAMP	LE	STANDARD	LITHOL	OGICAL DESCRI	PTION		TEXTURE COMPACTNESS	MOISTURE	uscs
145517	CUTTING	CORE	SOIL COLOR Code	ROUNDNESS Grain Size	LITHOLOGY	% OF CO. GRAII		CEMENTATION PLASTICITY & MINERAL	CONTENT	0303
34.4 38		X	5 YR 4/6 Light brown	Clayey silt Less than 1%	coarse grains			Dense, soft Odor	Moist	ML
							-			
	NOTE: SOII	COLOR	CODE FOLLOWS T	HE STANDARD IN	ROCK COLOR CHART	PUBLISI	HED BY			
McKESS0	N ENVIR	ONME	ENTAL SERV	ICES, INC.	PROJECT	NO.:	7514	UD LOC	GED BY: Sen Wang	
PROJECT	NAME 8	R LOC	ATION: McK	esson Chemical	. – Santa Fe Spri	ngs C	ATE:	3/18/86 TIT	E: hydrologist	
	<u></u>						-	PAG	E 3 OF	3

DEP	тн	SAMP		OGICAL B		OGICAL DESCRI	PTION	ВО	REHOLE NO.	SB2	
(FE	ET)		CORE	STANDARD SOIL COLOR CODE	ROUNDNESS GRAIN SIZE	LITHOLOGY	% OF COA		COMPACTNESS CEMENTATION PLASTICITY, & MINER	MOIST!	I USC
7.5	5		Х	10 YR 3/2 Dark yellow Brown	Clayey silt Less than 1% coarse grains				Dense Cohesionless Slight odor	Moist	ML
9.1	10		Х	10 YR 5/4 Moderate Yellow Brown	Clayey silt 5% coase gra Max. size 4m	ins (gravel)		Dense Cohesive, and Slighly plastic	Moist	ML-SC	
13.6	15		Х	10 YR 5/4 Moderate Yellow Brown	5% coarse gr	Coarse to medium-grained sand 5% coarse grains Max. size 5mm				Moist	SP-SW
18.9	20		Х	10 YR 5/4 Moderate Yellow Brown		dium-grained same ain (gravel)	nd		Loose No odor	Moist	SP-SW
22.7	25		Х	10 YR 5/4 Moderate Yellow Brown	Coarse-grain 5% coase-gra Max. size 5m	ins (gravel)			Loose No odor	Moist	SW
		NOTE: SOIL	COLOR	CODE FOLLOWS T	HE STANDARD IN	ROCK COLOR CHAR	T. PUBLISH	IED BY		<u> </u>	
McKl	ESSO!	N ENVIR	ONME	NTAL SERV	ICES, INC.	PROJECT	NO.:	7514 1	UD I	LOGGED BY: I-Sen Wang	
PRO	JECT	NAME 8	LOC	ATION: McKe	sson Chemical	- Santa Fe Spri	ngs D	ATE:		TITLE: Geohydrolog	ist
									Į s	PAGE 1	OF 2

	(	GEOL	OGICAL B	ORING LO	3		BO	REHOLE NO	D. :	SB2	
DEPTH (FEET)	SAMP	LE	STANDARD SOIL COLOR	LITHOL	OGICAL DESCRI	PTION		TEXTURE COMPACTNESS		MOISTURE	uscs
,, 22,,	CUTTING	CORE	CODE	ROUNDNESS Grain Size	LITHOLOGY	% OF CO		CEMENTATION PLASTICITY & MIN	ERAL	CONTENT	
27.2 30		XA	10 YR 5/4 Moderate Yellow Brown	Coarse-grain 20% coarse g Max. size 5m	rain (gravel)					Satur- ated	SP/ML
30		Х	10 YR 6/6 Dark yellow Orange	Clayey silt Less than 1%	Less than 1% coarse grain					Moist	ML-CL
29.9 33		Х	10 YR 6/6 Dark yellow Orange	Clayey silt Less than 1%	Clayey silt Less than 1% coarse grain				·	Moist	ML-CL
30.8 34		X	10 YR 6/6 Dark yellow Orange	Clayey silt Less than 1%	coarse grain			Dense Micaceous No odor		Moist	ML
31.7 35		X	10 YR 6/6 Dark yellow Orange	Medium to fi	ne-grained sand	and si	lt -	Dense Cohesionless Slightly plas Micaceous Slight odor	tic		ML
	NOTE: SOI	L COLOR	CODE FOLLOWS T	THE STANDARD IN 'ROCK COLOR CHART' PUBLISHED BY GS.			Y GSA.				
McKESS0	N ENVIR	RONME	ENTAL SERV	VICES, INC. PROJECT NO.: 7514 UD				UD		ED BY: n Wang	
PROJECT	NAME 8	& LOC	ATION: McKe	esson Chemical - Santa Fe Springs DATE: 3/18/86					TITLE Geoh	: ydrologis	t
								PAGE	2 OF	2	

DEI	PTH	SAMP			ORING LO				REHOLE N		SB3	l
	ET)		<del></del>	STANDARD SOIL COLOR	ļ	OGICAL DESCRI	PTION		COMPACTNESS	C	MOISTURE	USC
	Slant	CUTTING	CORE	CODE	ROUNDNESS GRAIN SIZE	LITHOLOGY /	% OF CO		CEMENTATION PLASTICITY & MI	NERAL	CONTENT	030
4.5	5 -		X	10 YR 3/2 Dark yellow Brown	Fine-grained, Less than 1%	silty clay coarse grain	i		Micaceous Strong odor		Moist	CL
9.1	10		Х	10 YR 4/4 Moderate Yellow brown	Coarse to med 7-10% coarse	lium-grained cla grains	yey sand		Well graded Odor .		Moist	SC
13.6	15		X	10 YR 5/4 Moderate Yellow Brown	Coarse to med 10% coarse gr	lium-grained cains	·		Poorly graded	l	Moist	SP
18.1	20		х	10 YR 4/4 Moderate Yellow brown	Medium-graine 0% coarse gra				Moderately gr	aded	Moist	SW
22.7	25		X	10 YR 5/4 Moderate Yellow brown	Coarse to med 10% coarse gr Max. size 2-3	ium-grained gra ains (gravel) cm	velly sa	ind	No odor		Moist	SP
H	1	NOTE: SOIL	COLOR	CODE FOLLOWS TH	E STANDARD IN .	ROCK COLOR CHART	PUBLISH	ED BY	GSA.	L		***************************************
McKE	SSON	ENVIR	ONME	NTAL SERVI	CES, INC.	PROJECT	NO.: 7	514 บ	D		D BY: LaPensee	
PRO.	IECT I	NAME &	LOCA	TION: McKes	son Chemical -	Santa Fe Sprin	gs D/	ATE:	3/19/86	TITLE: Hydro	geologist	
					-					PAGE	<sup>l</sup> OF	2

			GEOL	OGICAL B	ORING LO	G		ВО	REHOLE NO	). :	SB3	
DEP (FEE		SAMP	LE	STANDARD SOIL COLOR	LITHOL	OGICAL DESCR	IPTION		TEXTURE COMPACTNESS	•	MOISTURE	uscs
		CUTTING	CORE	CODE	ROUNDNESS Grain Size	LITHOLOGY	% OF CO GRAI		CEMENTATION PLASTICITY & MINI	ERAL	CONTENT	
27.2	30		Х	10 YR 6/2 Pale yellow Brown	Slightly sil Less than 1%	ty clay coarse grains			Plastic Slight odor		Mod. dry	CL
30	33		Х	10 YR 5/4 Moderately Yellow brown	Slightly sil Less than 1%	ty clay coarse grains			Moderately pl	astic	Wet	CL
30.8	34		X	10 YR 5/4 Moderately Yellow Brown		coarse grain			Moderately pl	astic	Wet	ML
31.7	35		Х	10 YR 5/4 Moderately Yellow Brown		coarse grains		-	Plastic Slight odor		Wet	CL
32.6	36		х	10 YR 5/4 to 10 YR 4/2 Mod Dark Yellow Brown		% coarse grains			Very plastic		Satur- ated	CL
		NOTE: SOI	COLOR	CODE FOLLOWS T	HE STANDARD IN	ROCK COLOR CHA	RT" PUBLIS	HED 8	Y GSA.			
McKE	ESS0	N ENVIR	ONME	ENTAL SERV	ICES, INC.	PROJEC	Г NO.:	7514	UD		ED BY: LaPensee/	L. Dudus
PRO.	JECT	NAME 8	<u>,</u> LOC	ATION: McK	esson Chemica	l - Santa Fe Sp	rings	DATE	3/19/86	TITLE Hydro	: geologists	3
									,	PAGE	2 OF	2

	(	GEOL	OGICAL B	ORING LO	3		BO	REHOLE NO	). :	MW 1	
DEPTH (FEET)	SAMP	LE	STANDARD	LITHOL	OGICAL DESCRI	PTION		TEXTURE COMPACTNESS		MOISTURE	uscs
(1.551)	CUTTING	CORE	SOIL COLOR CODE	ROUNDNESS GRAIN SIZE	LITHOLOGY	% OF COA		CEMENTATION PLASTICITY & MINE	RAL	CONTENT	
5		Х	10 YR 3/2 Dark yellow Brown	Silty clay Less than 1%	coarse grains			Slightly plast	tic	Mod. Dry	CL
10		X	10 YR 4/4 Moderate Yellow brown	Minor clay		-		Non-plastic Strong odor		Moist Slightly	SC
15 .		х	10 YR 4/4 Moderate Yellow brown	Coarse-grain 10% coarse g Max. size lo	grains			Non-plastic Stron odor		Moist Slightly	SP
20		X	10 YR 4/2 Dark yellow Brown	gravel	to coarse-grain grain (gravel) Omm	ed sand v	with	Strong odor		Satur- ated	SP/CL-ML
26		Х	10 YR Yellow brown	Silty clay				Dense, modera plastic, cohe			CL
_	NOTE: SOI	L COLOR	R CODE FOLLOWS T	HE STANDARD IN	ROCK COLOR CHAR	T. PUBLISI	HEO B	Y GSA.			
McKESS0	N ENVI	RONM	ENTAL SERV	ICES, INC.	PROJECT	NO.:	7514	UD	Lar	SED BY: ry Dudus	
PROJECT	NAME	& LOC	ATION: M	cKesson Chemi	cal - Santa Fe S	prings	DATE	3/19/86	Geold	E: ogist	
			The state of the s						PAGE	1 OF	1

DEPTH (FEET)	SAMP	LE	STANDARD	LITHOL	OGICAL DESCRI	PTION		TEXTURE	······································	MW 2	
ruee!!	CUTTING	CORE	SOIL COLOR Code	ROUNDNESS GRAIN SIZE	LITHOLOGY	% OF COA		COMPACTNESS CEMENTATION PLASTICITY & MINE	ERAL	MOISTURE CONTENT	USC
5 .		. Х	5 GY 3/2 Gray Olive Green	Coarse to fir clay. 25% co Max. size - 1	ne-grained, grav parse grains (pe cm.	elly, si bbles)	ilty	Moderately pla		Moist	CL
10		X	10 YR 4/4 Moderately Yellow Brown	Coarse to fir 7% coarse gra	ne-grained sandy ins	clay	•	Dense, stiff Micaceous (No odor)		Moist	CL-MH
15		Х	10 YR 5/6 Dark Yellow Orange	Coarse to fir 5% coarse gra Max. diameter	ne-grained, grav ins (pebbles) - 1 cm.	elly san	ıd -	(Odor)		Moist	SW
20 _		X	10 YR 5/4 Moderately Yellow Brown	33% coarse gr	dium-grained sar rain (gravel) mm.	d		Slightly loose (Odor)		Moist	SW
25		X	10 YR 5/4 Moderately Yellow Brown	40% coarse gr Max. size - 5	mm			Slightly cohes	ive	Moist	SW
	NOTE: SOIL	COLOR	CODE FOLLOWS TH	IE STANDARD IN 1	GSA.		L				
	The second second		NTAL SERVI		PROJECT		14 UD	L	LOGGE Larry	D BY: Dudus	
ROJECT	NAME &	LOCA	TION: McKe	sson Chemical	- Santa Fe Spri	ngs DA	ATE:	3/20/86	TITLE: Geolog	ist	
•								F	PAGE	1 OF	2

DEPTH (FEET)  TO TITINO CORE  SOIL COLOR CODE COLOR CODE OCCUPANT CODE CONTROL COLOR CODE CONTROL CODE CODE CODE CODE CODE CODE CODE CODE		. (	GEOL	OGICAL B	ORING LO	G		во	REHOLE NO.	: M'	W 2	
CUTTING CORE CODE GRAIN SIZE LITHOLODY SOF COARSE CHEMITATION CONTENT CONTENT CORREST		SAMPI	LE		LITHOL	OGICAL DESCRI	PTION		1		1 1	USCS
Rown Brown (Top 1/2" - coarse grains (Top 1/2" - coarse sand with 40% gravel; (Slight odor) (Slight	(, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CUTTING	CORE			LITHOLOGY				AL	CONTENT	.000
McKESSON ENVIRONMENTAL SERVICES, INC.  PROJECT NAME & LOCATION: McKesson Chemical - Santa Fe Springs    Carry Square   Carry Square	27 .		XA	Gray-Yellow	Less than 1% (Top 1/2" -	coarse sand with	ı 40% gr	avel;	(Slight odor)	ľ	Dry	CL
McKESSON ENVIRONMENTAL SERVICES, INC.  PROJECT NO.: 7514 UD  Logged ex Larry Dudyer  PROJECT NAME & LOCATION: McKesson Chemical - Santa Fe Springs  DATE: 3/20/86	28		ХВ	Gray-Yellow	Silty clay Less than 1%	s coarse grains						CL
McKESSON ENVIRONMENTAL SERVICES, INC.  PROJECT NO.: 7514 UD  Logged ex Larry Dudyer  PROJECT NAME & LOCATION: McKesson Chemical - Santa Fe Springs  DATE: 3/20/86									and the second			
McKESSON ENVIRONMENTAL SERVICES, INC.  PROJECT NO.: 7514 UD  Logged ex Larry Dudyer  PROJECT NAME & LOCATION: McKesson Chemical - Santa Fe Springs  DATE: 3/20/86												
McKESSON ENVIRONMENTAL SERVICES, INC.  PROJECT NO.: 7514 UD  Logged ex Larry Dudyer  PROJECT NAME & LOCATION: McKesson Chemical - Santa Fe Springs  DATE: 3/20/86												
McKESSON ENVIRONMENTAL SERVICES, INC. PROJECT NO.: 7514 UD Larry Dudy PROJECT NAME & LOCATION: McKesson Chemical - Santa Fe Springs DATE: 3/20/86		NOTE: SOIL	L COLOR	CODE FOLLOWS	THE STANDARD IN	ROCK COLOR CHAR	T. PUBLIS	HED B		1.000		
PROJECT NAME & LOCATION. McKesson chemical - Santa Te Spi Tigs   DATE.	McKESSO	N ENVIR	ONME	ENTAL SERV	ICES, INC.	PROJECT	NO.:	7514 L	JD	Larry	Dudus	
PAGE 2 PAGE 2	PROJECT	NAME 8	& LOC	ATION: McKes	son Chemical	- Santa Fe Sprir	gs	DATE				
									:-	PAGE	2   OF	2


DEPTH (FEET)	SAMP	LE	STANDARD	LITHOL	OGICAL DESCRI	PTION		REHOLE NO	, ,		
	CUTTING	CORE	SOIL COLOR CODE	ROUNDNESS GRAIN SIZE	LITHOLOGY	% OF COA		COMPACTNESS CEMENTATION! PLASTICITY & MINE	col	STURE NTENT	usc
5		X	5 Y 2/2 Dark Olive Gray	Fine-grained Less than 1%	silty clay coarse grains			Moderately pla Micaceous Poorly graded (Odor)		ist	CL-MH
10		X	10 YR 4/4 Moderately Yellow Brown	Fine to medi Less than 2% pebbles. Max	um-grained sandy coarse grains, x. size 1 cm	clay largely		Poorly graded Low plasticity (Slight odor)	Mo	ist	SC
15 - - -		X	10 YR 5/4 Moderately Yellow Brown	Coarse to med 15% coarse gr Max. size - 1	dium-grained san rains (pebbles). cm	d		Moderately gra (Slight odor)	ded ; Mo	(A)	SW:
20 <u>-</u> -		X	10 YR 5/6 Dark Yellow Orange	Fine to media	um-grained silty	sand		Poorly graded Low Plasticity (Slight odor)	A A	<b>1</b>	SM .
25			10 YR 5/4 Moderately Yellow Brown	Medium-graine				Poorly graded (Slight odor)	S at a	ur-	SP
					ROCK COLOR CHART	PUBLISHE	ED BY	GSA.			
· · · · · · · · · · · · · · · · · · ·			NTAL SERVIO	· · · · · · · · · · · · · · · · · · ·	PROJECT		7514 L	ם פנ	LOGGED B Earl LaPen	': see	
ROJECT	NAME &	LOCA	TION: McKes	son Chemical -	Santa Fe Sprin	gs DA	ATE:	3/20/86	Tydrogeo1o	gist	·


DEPTH (FEET)	SAMP	LE	STANDARD	LITHOLOGICAL	DESCRIF	<del></del>	DREHOLE NO. :	MOISTURE	
	CUTTING	CORE	SOIL COLOR CODE	ROUNDNESS GRAIN SIZE LITHO	LOGY	% OF COARSE GRAIN	COMPACTNESS CEMENTATION PLASTICITY & MINERAL	CONTENT	USCS
5		X	5 Y 2/2 Dark Olive Gray	Fine-grained silty c Less than 1% coarse (	lay grains		Moderately plastic Micaceous Poorly graded (Odor)	Moist	CL-MH
10 - -		X	10 YR 4/4 Moderately Yellow Brown	Fine to medium-graine Less than 2% coarse of pebbles. Max. size	irains.	clay argely	Poorly graded Low plasticity (Slight odor)	Noist	SC
15 - -		X	10 YR 5/4 Hoderately Yellow Brown	Coarse to medium-gra 15% coarse grains (pe Max. size - 1 cm	ined sand ebbles).		Moderately graded (Slight odor)	HO St	SW
20		X	10 YR 5/6 Dark Yellow Orange	Fine to medium-graine	ed silty	sand	Poorly graded Low Plasticity (Slight odor)	MO	SM
25			10 YR 5/4 Moderately Yellow Brown	Medium-grained sand	· ·		Poorly graded (Slight odor)	Satur	SP
			NTAL SERVI	E STANDARD IN ROCK COLO		*	Loggi	D BY:	
				son Chemical - Santa F	DJECT N		UD Earl 1	aPensee Jeologist	·


		GEOL	OGICAL B	ORING LO	G		во	REHOLE	NO. :	MV 3	
DEPTH (FEET)	SAMP	LE	STANDARD	LITHOL	OGICAL DESCRI	PTION		TEXT		MOISTURE	
· _	CUTTING	CORE	SOIL COLOR CODE	ROUNDNESS GRAIN SIZE	LITHOLOGY	% OF CO GRAI		CEMENTATION PLASTICITY &	t . , .	CONTENT	USCS
27		Х	10 YR 4/4 Moderate Yellow Brown	Fine-grained	silty clay		-	Plastic Micaceous (Slight od	or)	Wet	CL
			·								
÷								:			
	NOTE: SOII	COLOR	CODE FOLLOWS T	HE STANDARD IN	*ROCK COLOR CHAR	T' PUBLIS	HED B	Y GSA.	Loca	GED BY:	
McKESS(	ON ENVIR	ONME	NTAL SERV	ICES, INC.	PROJECT	NO.:	7514 (	UD	Earl	LaPensee	·····
PROJECT	NAME 8	LOC	ATION: McKe	esson Chemical	- Santa Fe Spr	ings [	DATE	: 3/20/86	TITL Hydro	E: ogeologist	
-									PAGE	2 OF	2


		GEO	OGICAL B	ORING LO	G			во	REHOLE NO. :	MW 4	
DEPTH (FEET)	SAMP	LE	STANDARD SOIL COLOR	LITHOL	OGICAL	DESCRI	PTION		TEXTURE COMPACTNESS	MOISTURE	USCS
Vert. Slan <u>t</u>	CUTTING	CORE	CODE	ROUNDNESS GRAIN SIZE	LITHO	OGY	% OF CO.		CEMENTATION PLASTICITY & MINERAL	CONTENT	0000
0-3.5 0-5	X		5 Y 3/2 Olive Gray	Fine-grained Less than 1%	, silty o	ay rains			Soft, cohesive Moderately plastic Micaceous (Odor)	Moist	CL
3.5-7.1 5-10 -	X		5 Y 4/2 Light Olive Gray	Fine-grained Less than 1%	silty cl coarse g	ay rains			Soft, cohesive Plastic, micaceous	Moist	CL.
7.8 11 <u>.</u>		X ∧&B	10 YR 4/2 Dark Yellow Brown	Coarse to fi 5% gravel	ne-graine	d grave	lly clay	,	Soft, cohesive Moderately plastic Micaceous	Moist	CL-MH
11.3 16		X	10 YR 4/4 Moderately Yellow Brown	Fine-grained 7% medium gr			mm .		Dense, soft, Cohesive Poorly graded (Odor)	Moist	CL-MH
14.8 21 .		X	10 YR 5/4 Mod. Yellow Brown	Coarse to fi 10% coarse g Sub-angular Max. size -	rain (pe to round	ples)	y sand	· ·	Loose Well graded (Strong odor)	Moist	SW
	NOTE: SOI	COLOR	CODE FOLLOWS T	HE STANDARD IN	ROCK COL	RCHAR	r. babrizi	IED BY	GSA.		
McKESS0	N ENVIR	ONME	NTAL SERVI	CES, INC.	PR	JECT	NO.:	7414	4 UD LOGO	ED BY: LaPensee	
PROJECT	NAME 8	R LOC	ATION: McKess	son Chemical -	Santa F	Spring	s C	ATE:	3/21/86 TITLE	geologist	
	-							-	PAGE	ll of	2

			CEO	LOCICAL	ODINO LOG					<u> </u>
		- <b>T</b>	GEU	LUGICAL B	ORING LOG			BOREHOLE I	VO. : MI 4	i Įį
	PTH ETI	SAMP	LE	STANDARD	LITHOLOGICAL	DESCRI	PTION	TEXTU		:
ų. c		CUTTING	CORE	SOIL COLOR	ROUNDNESS LITE	DLOGY	% OF COAF	COMPACTNESS RSE CEMENTATION PLASTICITY & M	CONTENT	usc
18.4	26		Х	10 YR 5/4	Coarse to fine-grai	ed sand	<u> </u>	Loose	oist	1
				Mod. Yellow Brown	10% coarse grains ( to rounded Max. size - 1 cm	ebbles)	sub-angul	ar (Odor)		
21.9	31	-	Х	10 YR 5/4 Mod. Yellow	Coarse sand			Loose	Moist S	<u> </u>
				Brown	5% coarse grain(peb Max. size - 8 mm	les)		(Odor)		
	_									ļi .
25.5	36		Х	10 YR 4/4 Mod. Yellow Brown	Coarse to medium-gra 10% coarse grains ( Max. size - 1cm	ined grav ebbles),	velly sand	d Loose	Moist S	P
					11ux. 312e - 1CIII			(Strong odor		
29	4.1				- Water Table -					
							· · · · · · · · · · · · · · · · · · ·			
		NOTE: SOIL	COLOR	CODE FOLLOWS TH	IE STANDARD IN 'ROCK CO			:		
Wave	-CCO	•				OR CHART	PUBLISHED	BY GSA.		
MCVC	:22U	N ENVIR	JNME	NTAL SERVI	CES, INC. PR	OJECT I	<b>VO.:</b> 7514	UD ;	LOGGED BY: Larry Dudus	
PROJ	JECT	NAME &	LOCA	ATION: McKes	sson Chemical - Santa	Fe Sprin	igs DA	TE: 3/21/86	dellegist	
					<u>-</u>				PAGE 2 OF 2	<del></del>
					Å/:			•		









Attachment B

Laboratory Analysis Results of Soil and Water Samples

#### RECEIVED

MAY - 8 1986

To

Walter Loo

Date

May 1, 1986

M-Kesson

From

Location Tel.

Intra Company

Karen Bankert

Environmental Services

Correspondence

426-2661

Subject

Copies To

7520-QD

Analytical Results Santa Fe Springs

Attached are results for three (3) water and six (6) soil from two groups of samples received March 20 and 25, 1986. The samples were analyzed in the following way:

EPA 624/8240 for purgeable organic priority pollutants plus acetone, isopropanol, hexane, heptane; glycols and cellosolves by direct injection

EPA 610/8100 for total hydrocarbons - Mineral Spirits, Naphthalene, Stoddard Solvent, PX-2 and PX-3

EPA 8015 for methanol (water extraction for soil)


HPLC analysis for Sorbitol EPA 8270 (1 Soil) extractable organics

Results for mineral spirits, stoddard solvent, PX-2 and PX-3 are reported as Total Hydrocarbons. Because these chemicals are multicomponent hydrocarbon mixtures, we are not able to identify them individually in these samples. It appears that "diesel" was found in one of the water samples.

If you have questions, please call.

Attch.

SAMPLES NOT DESTROYED IN TESTING ARE RETAINED A MAXIMUM OF 30 DAYS UNLESS OTHERWISE REQUESTED.



O SLANT BORING

GROUNDWATER MONITORING WELL AND ELEVATION

OF GROUNDWATER LEVEL (IN FEET-MSL) - 4/9/86

GROUNDWATER FLOW DIRECTION

GROUNDWATER LEVEL ELEVATION (IN FEET-MSL)

IN WELL MW4 - 4/9/86

ANALYSIS OF GROUNDWATER MOVEMENT

FIGURE 2

# M-KESSON ENVIRONMENTAL SERVICES

# PRIORITY POLLUTANT ANALYSIS

7520-QD Santa Fe Springs McKesson Chemical

Lab Number: Sample I.D.: 8603123-18

Date Received:
Date Analyzed:

MW-1 03-25-86 04-15-86

Detection Limit Factor: 500

CONCE	NTRATION
VOLATILES .	μg/L
benzene	ND ·
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenz	ene ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	2,500
	ND
1,2-dichloroethane	32,000
1,1-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND ND
ethyl benzene	430,000
methylene chloride	· ND
1,1,2,2-tetrachloroethane	
tetrachloroethene	110,000
toluene	18,000
1,1,1-trichloroethane	
1,1,2-trichloroethane	4,500
trichloroethene	
vinyl chloride	ND

	CONCENTRATION
THER COMPOUNDS FOUND	uo/L
reon 113	500
cetone	430,000
sopropanol	130,000
ethyl ethyl ketone	210,000
exane	NDND
eptane	<b>N</b> D
utyl cellosolve	130.000
ellosolve acetate	ND
thylene glycol	ND
ropylene glycol	ND_
methyl ethyl ketone mexane meptane mutyl cellosolve mellosolve acetate mthylene glycol	210,000 ND ND 130,000 ND ND

Laboratory Supervisor

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

#### KESSON ENVIRONMENTAL SERV

#### ΞS

#### 7520-QD Santa Fe Springs McKesson Chemical

## PRIORITY POLLUTANT ANALYSIS

Lab Number: Sample I.D.: 8603123-19 MW-3

Date Received: Date Analyzed:

03-25-86 04-15-86

Detection Limit Factor:\_\_\_\_

500

CONC	ENTRATION
VOLATILES	μα/1
benzene	ND.
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenz	ene ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND
1,2-dichloroethane	· ND
1,1-dichloroethene	7,500
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND :
ethyl benzene	ND
methylene chloride	67,000
1,1,2,2-tetrachloroethane	, ND
tetrachloroethene	22,000
toluene .	ND
1,1,1-trichloroethane	220,000
1,1,2-trichloroethane	ND
trichloroethene	1,500
vinyl chloride	ND

•	CONCENTRATION
OTHER COMPOUNDS FOUND	ua/L
<u>acetone</u>	23,000
<u>isopropanol</u>	ND ND
methyl ethyl ketone	NDND
hexane	ND_
heptane	ND
butyl cellosolve	ND ND
cellosolve acetate	ND
ethylene glycol	ND ND
propylene glycol	ND

Laboratory Supervisor

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

# PRIORITY POLLUTANT ANALYSIS

Lab Number:

8603123-20

Sample I.D.:
Date Received:

Date Analyzed:

MW-4 03-25-86 04-15-86

Detection Limit Factor: 500

	Pip
CONCE	ENTRATION
VOLATILES	μg/L
benzene	ND
bromodichloromethane	ND_
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenz	ene ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	5,000
1,2-dichloroethane	11,000
1,1-dichloroethene	34,000
trans-1,2-dichloroethene	<b>N</b> D
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND
ethyl benzene	ND
methylene chloride	730,000
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	96,000
toluene	38,000
1,1,1-trichloroethane	740,000
1,1,2-trichloroethane	ND
trichloroethene	31,000
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	μg/L
m-xylene	2,000
o-,p-xylenes	1,000
acetone	160,000
isopropanol	ND
methyl ethyl ketone	. ND
hexane	ND
heptane	ND
butyl cellosolve	270,000
cellosolve acetate	ND
ethylene glycol	ND
propylene glycol	ND
· · · · · · · · · · · · · · · · · · ·	

Laboratory Supervisor

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

## MCKESSON ENVIRONMENTAL SERVICES

## PRIORITY POLLUTANT ANALYSIS

7520-QD Santa Fe Springs McKesson Chemical

#### 624 DETECTION LIMITS = Detection Limit Factor X Concentration

5ml Water Sample

	CONCENTRATION
VOLATILES	μg/L
benzene	1
bromodichloromethane	1
bromoform	1
bromomethane	1
carbon tetrachloride	1
chlorobenzene	1
chloroethane	
2-chloroethylvinyl ether	1_
chloroform	1
chloromethane	11
dibromochloromethane	1
1,2-and/or 1,4-dichlorobenzene	e 3_
1,3-dichlorobenzene	2
1,1-dichloroethane	1
1,2-dichloroethane	1
1,1-dichloroethane	1
trans-1,2-dichloroethene	1
1,2-dichloropropane	1
cis-1,3-dichloropropene	1
trans-1,3-dichloropropene	1
ethyl benzene	2
methylene chloride	2
1,1,2,2-tetrachloroethane	1_
tetrachloroethene	1
toluene	1
1,1,1-trichloroethane	1_
1,1,2-trichloroethane	1
trichloroethene	11
vinyl chloride	]

	CONCENTRATION
OTHER COMPOUNDS FOUND	μg/L
Freon 113	1
m-xylene	1
o-,p-xylene	
acetone	. 5
isopropanol	10
methyl ethyl ketone	. 5
hexane	. 1
heptane	1
butyl cellosolve	2,000
cellosolve acetate	3,000
ethylene glycol	125,000
propylene glycol	10,000

Laboratory Supervisor

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

# ! "ESSON ENVIRONMENTAL SERVI 3

# PRIORITY POLLUTANT ANALYSIS

7520-QD Santa Fe Springs McKesson Chemical

Lab Number: Sample I.D.: 8603103-01 \$B1-\$30

Date Received: Date Analyzed: 03-2-86 04-21-86

Detection Limit Factor: 0.025

·	
CONCENT	RATION
VOLATILES	mg/k
benzene	ND
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzene	ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	0.20
1,2-dichloroethane	ND
1,1-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND
ethyl benzene	ND
methylene chloride	4.3
1,1,2,2-tetrachloroethane	ND
	2.2
toluene	0.20
1,1,1-trichloroethane	2.0
1,1,2-trichloroethane	ND
trichloroethene	0.10
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	mg/kg
<u>acetone</u>	200
<u>isopropanol</u>	ND_
methyl ethyl ketone	130
hexane	ND
heptane	ND ND
butyl cellosolve	390
cellosolve acetate	ND ND
ethylene glycol	ND
propylene glycol	ND ND

Laboratory Supervisor

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

## PRIORITY POLLUTANT ANALYSIS

Lab Number: Sample I.D.: Date Received: Date Analyzed: 8603103-06 SB1-S37 03-20-86 04-21-86

Detection Limit Factor: 0.025

CONCENTE	RATION
VOLATILES	mg/kg
benzene	ND
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzene	ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND
1,2-dichloroethane	ND
1,1-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND
ethyl benzene	ND
methylene chloride	1.8
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	0.13
toluene	ND
1,1,1-trichloroethane	0.08
1,1,2-trichloroethane	ND
trichloroethene	ND
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	_mg/kg
acetone	60
isopropanol	ND_
methyl ethyl ketone	51
hexane	ND_
heptane	ND
butyl cellusolve	87
cellosolve acetate	ND_
ethylene glycol	ND_
propylene glycol	ND ND

Laboratory Supervisor

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

## ICKESSON ENVIRONMENTAL SER. CES

7520-QU Santa Fe Springs McKesson Chemical

## PRIORITY POLLUTANT ANALYSIS

Lab Number: Sample I.D.: 8603103-11

Date Received: Date Analyzed: SB2-S35 03-20-86 04-21-86

Detection Limit Factor: 0.025

CONCEN	TRATIO
VOLATILES	_mg/
benzene	ND
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	NĐ
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzer	ne ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND
1,2-dichloroethane	ND
1,1-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND
ethyl benzene	ND
methylene chloride	2.2
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	0.05
toluene	ND
1,1,1-trichloroethane	0.03
1,1,2-trichloroethane	ND
trichloroethene	ND
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	mg/kg
acetone	2.7
isopropanol	ND
methyl ethyl ketone	2.0
hexane	ND
heptane	ND
butyl cellosolve	ND
cellosolve acetate	ND
ethylene glycol	ND
propylene glycol	ND

Laboratory Supervisor

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

## 1ckesson environmental ser ices

#### PRIORITY POLLUTANT ANALYSIS

Lab Number: Sample I.D.: Date Received: Date Analyzed: \_\_8603103-15 \_\_SB3-S36 \_\_03-20-86

04-21-86

– De

Detection Limit Factor: 0.025

CONCENT	RATION
VOLATILES	mg/kg
benzene	ND
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
<u>chlorobenzene</u>	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzene	e ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND
1,2-dichloroethane	ND
1,1-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND
ethyl benzene	ND
methylene chloride	3.5
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	0.18
toluene	ND
1,1,1-trichloroethane	1.1
1,1,2-trichloroethane	ND
trichloroethene	ND
vinyl chloride	ND

	CONCENTRATION	
OTHER COMPOUNDS FOUND	mg/kg	
acetone	1.4	
isopropanol	<b>N</b> D	
methyl ethyl ketone	ND_	
hexane	ND_	
heptane	ND ND	
butyl cellosolve	ND	
cellosolve acetate	ND	
ethylene glycol	ND	
propylene glycol	ND	
p. opj. toc. g., y oo .		

Bay Coetley me

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

## PRIORITY POLLUTANT ANALYSIS

Lab Number: Sample I.D.:

<u>8603103-21</u>

Date Received: Date Analyzed: SB1-S25 03-20-86 04-22-86

Detection Limit Factor: 0.025

CONCEN	TRATION
VOLATILES	mq/kg
benzene	ND
bromodichloromethane	ND_
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzer	ne ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND_
1,2-dichloroethane	ND
1,1-dichloroethene	0.93
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	- ND
ethyl benzene	0.63
methylene chloride	0.20
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	94
toluene	3.7
1,1,1-trichloroethane	56
1,1,2-trichloroethane	ND
trichloroethene	0.55
vinyl chloride	ND

	CONCENTRATION	
OTHER COMPOUNDS FOUND	mg/kg	
freon 113	0.78	
m-xylene	1.8	
o-,p-xylenes	0.9	
acetone	2.3	
isopropanol	ND	
methyl ethyl ketone	ND	
hexane	ND ND	
heptane	ND	
butyl cellosolve	ND	
cellosolve acetate	ND	
ethylene glycol	ND	
propylene glycol	ND	

Laboratory Supervisor
ND = Not detected.

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

# PRIORITY POLLUTANT ANALYSIS

Lab Number: Sample I.D.: Date Received:

Date Analyzed:

8603123-05 OW2-25' 03-25-86

04-22-86

Detection Limit Factor: 0.025

CONCENT	RATION
VOLATILES	mg/kg
benzene	ND_
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND -
1,2-and/or 1,4-dichlorobenzene	ND_
1,3-dichlorobenzene	ND_
1,1-dichloroethane	ND_
1,2-dichloroethane	ND
1,1-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND_
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND .
ethyl benzene	ND
methylene chloride	ND.
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	0.05
toluene	ND
1,1,1-trichloroethane	ND
1,1,2-trichloroethane	ND
trichloroethene	ND
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	_mg/kg
acetone	5.4
isopropanol	ND.
methyl ethyl ketone	ND
hexane	. ND
heptane	ND.
butyl cellosolve	ND ND
cellosolve acetate	ND
ethylene glycol	ND
propylene glycol	ND

Laboratory Supervisor

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

#### MCKESSON ENVIRONMENTAL SET CES

#### PRIORITY POLLUTANT ANALYSIS

# 8240 DETECTION LIMITS = Detection Limit Factor X Concentration

	CONCENTRATION
VOLATILES	mg/kg
benzene	1
bromodichloromethane	1
bromoform	1_
bromomethane	
carbon tetrachloride	1
chlorobenzene	1_
chloroethane	1
2-chloroethylvinyl ether	1_
chloroform	1_
chloromethane	11
dibromochloromethane	. 1
1,2-and/or 1,4-dichlorobenzen	e <u>3</u>
1,3-dichlorobenzene	2_
1,1-dichloroethane	<u> </u>
1,2-dichloroethane	1_
1,1-dichloroethane	1
trans-1,2-dichloroethene	1
1,2-dichloropropane	1_
cis-1,3-dichloropropene	1
trans-1,3-dichloropropene	1
ethyl benzene	2
methylene chloride	2_
1,1,2,2-tetrachloroethane	1
tetrachloroethene	1
toluene	1_
1,1,1-trichloroethane	1
1,1,2-trichloroethane	1
trichloroethene	1
vinyl chloride	1

	CONCENTRATION
OTHER COMPOUNDS FOUND	mg/kg
Freon 113	1
m-xylene	1
o-,p-xylene	1
acetone	5
isopropanol	10
methyl ethyl ketone	5
hexane	1
heptane	1
butyl cellosolve	2000
cellosolve acetate	3000
ethylene glycol	125,000
propylene glycol	10,000

Laboratory Supervisor

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

240

#### ANALYTICAL RESULTS

#### SANTA FE SPRINGS

Date Received: 3-25-86		
Lab No.: Sample I.D.:	8603123-19 MW-3	8603123-20 MW-4
	Concentration in µg	<u>/L</u>
Total Hydrocarbons * (low to medium boiling point range)	51	7,000
Total Hydrocarbons as Diesel	250	ND

ND = Not Detected

Naphthalene

Detection Limits: Low to Medium Boiling Point Range:

Diesel: 100 µg/L halene: 10 µg/L Naphthalene:

ND

\* - Includes PX-2, PX-3, Mineral Spirits, Stoddard Solvent, and gasoline

#### ANALYTICAL RESULTS

#### SANTA FE SPRINGS

Date Received: 3-20 and 3-25-86

Lab No.: Sample I.D.:	8603103-01 SB1 S30	8603103 <b>-</b> 06 SB1 S37	8603103-11 SB2 S35	8603103-15 SB3 S36	8603103-21 SB1 S25	8603123-05 OW-2
		Concentration	in mg/kg			
Total Hydrocarbons * (low to medium boiling point range)	37	ND	ND	ND	14	ND
Total Hydrocarbons as Diesel	ND	ND	ND	ND	ND	ND
Naphthalene	0.2	ND	ND	ND	ND	ND

ND = Not Detected

Detection Limits: Low to Medium Boiling Point Range: 1 ppm

Diesel: 2 ppm

Naphthalene: 0.2 ppm

 $\star$  - Includes PX-2, PX-3, Mineral Spirits, Stoddard Solvent, and gasoline

Michael Larson may

### ANALYTICAL RESULTS

### SANTA FE SPRINGS

Date Received: MES Batch 8603103, 3-20-86

MES Batch 8603123, 3-25-86

Lab No.: Sample I.D.:	8603103-01 SB1-S30	8603103-06 SB1-S37	8603103-11 SB2-S35	8603103-15 SB3-S36	8603103-21 SB1-S25	8603103-05 OW2-25'
PARAMETER		<u>C</u>	oncentration in	mg/kg		
Methanol	11	Ś	9	8 .	* <b>2</b>	ND

ND = Not Detected

Detection Limits = 1 ppm

Michael Jaren mo

### McKESSON ENVIRONMENTAL SERVICES

#### ANALTYTICAL RESULTS

#### SANTA FE SPRINGS

Date Received: 03-25-86

Lab No.:

8603123-19

8603123-20

Sample I.D.:

MW-3

MW-4

PARAMETER

CONCENTRATION IN MG/L

Sorbitol

ND

ND

ND = Not Detected

Detection Limits = 100 ppm

Michael Larson man

#### ANALYTICAL RESULTS

#### SANTA FE SPRINGS

Date Received: MES Batch 8603103, 03-20-86

MES Batch 8603123, 03-25-86

Lab No.:

8603103-06

8603103-11

8603103-15

8603103-21

8603103-05

Sample I.D.:

SB1-S37

SB2-S35

SB3-S36

SB1-S25

OW2-S25'

PARAMETER

CONCENTRATION IN mg/kg

Sorbito1

ND

ND

ND

ND

ND

ND = Not Detected

Detection Limits = 100 ppm

Laboratory Supervisor

#### McKESSON ENVIRONMENTAL SERVICES

#### PLIORITY POLLUTANT ANALYSIS

Lab Number: Sample I.D.:

8603103-01 SB1-S30

7520-QD SANTA FE SPRINGS McKESSON CHEMICAL

> mg/kg ND ND ND ND NDND 0.2 NDND ND ND ND · ND ND

Date Received: Date Analyzed:

Laboratofy Supervisor

03-20-86 04-23-86

Detection Limit Factor = 0.2

ACII	COMPOUNDS	mg/kg	BASE/NEUTRAL COMPOUNDS
21A	2,4,6-trichlorophenol	ND ND	41B 4-bromophenyl phenyl ether
22A	p-chloro-m-cresol	ND	42B bis-(2-chloroisopropyl) ethe
24A	2-chlorophenol	_ND	43B bis-(2-chloroethoxy) methane
31A	2,4-dichlorophenol	ND	52B hexachlorobutadiene
34A	2,4-dimethylphenol	ND	53B hexachlorocyclopentadiene
57A	2-nitrophenol	ND	54B isophorone
58A	4-nitrophenol	ND	55B naphthalene
59A	2,4-dinitrophenol	ND	56B nitrobenzene
60A	4,6-dinitro-o-cresol	ND	61B N-nitrosodimethylamine
64A	pentachlorophenol	ND	62B N-nitrosodiphenylamine
65A	phenol	ŃD	63B N-nitrosodi-n-propylamine
	·		66B bis-(2-ethylhexyl) phthalate
			67B butyl benzyl phthalate
BASE	/NEUTRAL COMPOUNDS		68B di-n-butyl phthalate
<u>1B</u>	acenaphthene	ND	69B di-n-octyl phthalate
ξ. <del>τ.</del>	benzidine	ND	70B diethyl phthalate
نتن	1,2,4-trichlorobenzene	ND	71B dimethyl phthalate
9B	hexachlorobenzene	ND	72B benzo(a)anthracene
12B	hexachloroethane	ND	73B benzo(a)pyrene
18B	bis(2-chloroethyl)ether	ND	74B 3,4-benzofluoranthene
20B	2-chloronaphthalene	ND	75B benzo(k) fluoranthene
25B	1,2-dichlorobenzene	ND	76B chrysene
26B	1,3-dichlorobenzene	ND	77B acenaphthylene
27B	1,4-dichlorobenzene	ND	78B anthracene
28B	3,3'-dichlorobenzidine	ND	79B benzo(ghi)perylene
35B	2,4-dinitrotoluene	ND	80B fluorene
36B	2,6-dinitrotoluene	<b>N</b> D	81B phenanthrene
<u>37B</u>	1,2-diphenylhydrazine(azobenze	ene) <sub>ND</sub>	82B dibenzo(a,h)anthracene
39B	fluoranthene	ND	83B indeno(1,2,3-cd)pyrene
<u>40B</u>	4-chlorophenyl phenyl ether	ND	84B pyrene
21	as a Custle mas		NID = Not Detected

<sup>\* =</sup> Compound detected; concentration below level for accurate quantitation.

#### McKESSON ENVIRONMENTAL SERVICES

7520-QD SANTA FE SPRINGS MCKESSON CHEMICAL

#### ANALYTICAL RESULTS

Tentative Identification of Non-Priority Pollutants

Lab No. 86	03103-01	Sample I.D	SB1-S30
Scan Number	Compound	Conce	Approximate atration, <u>mg/kg</u>
243	Unknown		78
325	1-(2-Methoxy-1-Methy	/lethoxy)-2-Propan	
329	1-(2Methoxy-1-Meth	ylethoxy)-2-Propa	nol 10
476	2-(2-Butoxyethoxy)-E	thanol	44
503	2-Phenoxy Ethanol	-	49
·			:
	-		
	•		
stimated conc	entration = peak height/are	a compound x I.S.	conc. x D.F.

# McKESSON ENVIRONMENTAL S' ICES

## PRIORITY POLLUTANT ANALYSIS

8270 DETECTION LIMITS = Detection Limit Factor X Concentration

ACII	O COMPOUNDS	mg/kg	BASE	:/NEUTRAL COMPOUNDS	mg/kg
<u> 21A</u>	2,4,6-trichlorophenol	1	41B	4-bromophenyl phenyl ether	1
<b>2</b> 2A	p-chloro-m-cresol	1	42B	bis-(2-chloroisopropyl) ether	1
<b>2</b> 4A	2-chlorophenol	1	43B	bis-(2-chloroethoxy) methane	1
31A	2,4-dichlorophenol	1	<u>52B</u>	hexachlorobutadiene	1
34A	2,4-dimethylphenol	1	<b>5</b> 3B	hexachlorocyclopentadiene	1
57A	2-nitrophenol	1	54B	isophorone	1
58A	4-nitrophenol	1	<u>55B</u>	naphthalene	1
59A	2,4-dinitrophenol	5	56B	nitrobenzene	1
60A	4,6-dinitro-o-cresol	1_	61B	N-nitrosodimethylamine	5
64A	pentachlorophenol	1	62B	N-nitrosodiphenvlamine	1
65A	phenol	1	63B	N-nitrosodi-n-propylamine	1
			66B	bis-(2-ethylhexyl) phthalate	9
			67B	butyl benzyl phthalate	1
BASE	NEUTRAL COMPOUNDS		68B	di-n-butyl phthalate	1
1B	acenaphthene	1	69B	di-n-octyl phthalate	1
<b>5</b> B	benzidine	27	70B	diethyl phthalate	1
8B	1,2,4-trichlorobenzene	1	71B	dimethyl phthalate	8
<b>9</b> B	hexachlorobenzene	1	72B	benzo(a)anthracene	1
12B	hexachloroethane	1	73B	benzo(a)pyrene	1
18B	bis(2-chloroethyl)ether	1	74B	3,4-benzofluoranthene	2
<b>20</b> B	2-chloronaphthalene	1	75B	benzo(k)fluoranthene	2
<b>25</b> B	1,2-dichlorobenzene	1_	76B	chrysene	2
<b>26</b> B	1,3-dichlorobenzene	1	<u>77B</u>	acenaphthylene	1
27B	1,4-dichlorobenzene	1	78B	anthracene	1
28B	3,3'-dichlorobenzidine	38	79B	benzo(ghi)pervlene	1
35B	2,4-dinitrotoluene	1	80B	fluorene	1
36B	2,6-dinitrotoluene	1	81B	phenanthrene	1
37B	1,2-diphenylhydrazine(azobenz	zene) 3	82B	dibenzo(a,h)anthracene	1
39B	fluoranthene	1	83B	indeno(1,2,3-cd)pyrene	1
40B	4-chlorophenyl phenyl ether	1	84B	pyrene	1

Hu Law Coolly mos

# McKESSON ENVIRONMENTAL SERVICES

7520-QD Santa Fe Springs

# SURROGATE RECOVERY

# VOA FRACTION

Date:	04/15/86
Date:	04/13/00

Lab No.	Sample I.D.	Benzene-d6	Toluene-d8	Ethyl Benzene-d <sub>10</sub>	Bromofluoro- Benzene
8603123-18	MW-1	113	139	128	146
8603123-19	MW-3	114	145	139	158
8603123-20	MW-4	114	134	123	144
				·	
	··				

Lacy Cottley
Laboratory Supervisor

## MCKESSON ENVIRONMENTAL SERVICES

## SURROGATE RECOVERY

# VOA FRACTION

Date: 04-21 - 04-22-86

Lab No.	Sample I.D.	Benzene-d <sub>6</sub> -	Toluene-d <sub>8</sub>	Ethyl Benzene-d <sub>10</sub>	Bromofluoro- Benzene
VBM 4/21/86		97	100	100	100
8603103-01	SB1-S33-5	94	822	80	87
8603103-06	SB1-S37	92	78	78	85
8603103-11	SB2-S35	90	78	77	87
8603103-15	SB3-S36	92	79	76	85
8603103-21	SB1-S25	79	80	80	98
VBM 4/22/86		127	161	180	153
8603123-05	OW2-25'	129	159	176	151

Laboratory Supervisor

### McKESSON ENVIRONMENTAL SERVICES

#### MATRIX SPIKE RECOVERY

7520-QD > McKESSON CHEMICAL

M.E.S. No	8603103-11
Sample I.D.	SB2-S35
Date Received	03-20-86
MATRIX	SOTI

### SANTA FE SPRINGS

Units of Concentration (circle), ug/kg ug/L (mg/kg) mg/L

FRACTION	COMPOUND	CONC. OF MATRIX	CONC. OF SPIKE ADDED	CONC. OF SPIKE RECOV.	% . RECOVERY	COMMENTS
·	Sorbitol	ND	700	579	83	
				·		
-						
						-

Laboratory Supervisor

MCK0008099

10/84

Attachment 4



Carl Piercy

Date · July 5, 1984

**Messon** Intra Company

From

Paul Marshall

Environmental Services/Dublin Correspondence

Subject

June Status Report Santa Fe Springs Soil Sampling

Bob Carlson

Location, Tel.

7154-QD (2)

On Wednesday June 27, I traveled to the McKesson Chemical Santa Fe Springs Bulk Distribution Center in the Los Angeles Area. The purpose of the trip was to sample the solvent tank storage area as described in Carl Piercy's 25 June memo.

#### Soil Sampling Description

I arrived at the site about 10 am and met the Laboratory Chemist and Assistant Manager. Equipment had been delivered intact. I reviewed the plans with the personnel assigned to assist with the sampling.

My assessment of the diked area ruled out sampling in the Northeast corner, my plot drawing boring No. 1. There was a considerable volume of solvent in the gravel covering of the clay natural soil. I estimate an area 10' x 20' about 6 inches deep. Since this free liquid would flow down the boring, I recommended a delay in sampling that location until the liquid could be removed. I agreed to and have shipped by UPS sample containers for compline and returning the liquid could be removed. sample containers for sampling and returning the liquid for analysis by MES laboratory.

Soil samples were collected at locations No. 2,3, and 4 at the (1) foot depth, then drilled to about 2.5 feet with the auger at each location, and sampled at the 3 feet depth. The sequence was repeated for samples at 6 feet depth. Fouled threads prevented use of the Veihmeyer soil sampler at the 6 feet depth, instead an available piece of pipe was used with success.

In addition to the diked area, a soil sample was collected at the edge of a drainage ditch just north of the dike, and McKesson fence. The sample depth was 3 feet and approximately 7 feet below grade of the diked area.


The samples were packaged in the insulated cooler with "blue ice" and hand carried on my return flight. The samples were refrigerated over-night and logged in at MES the next morning. A volatile organics analysis (VOĀ) by GC/MS was requested.

I will provide a report as soon as analytical results are available, 2 to 3 weeks. Expenditures for the month of June include \$120 Analytical and \$1,610 Engineering for a total of \$1,730.

AN Paul Marshall

PM/bh

MK070400



Attachment 5

M-Kesson

7154-QD

2,300

GC/MS ANALYSIS

SANTA FE SPRINGS

Lab No.:

15265

Sample I.D.:

Dike Surface Liquid

Date Received: Date Analyzed:

Phenyl Cellosolve

07/20/84 08/22/84

Concentration Chemical Compound Common Name in ug/ml (ppm) Butyl Cellosolve 2-Butoxy Ethanol 2,700 Hexylene Glycol 2-Methyl-2,4-pentanediol 1,100 Diethylene Glycol Oxybis Ethanol 11,000 Butyl Carbitol Butoxyethoxy Ethanol 9,400

2-Phenoxy Ethanol

[Ethanediyl bis(oxy)]bis-ethanol 23,000

Methyl Carbitol Acetate Methoxyethoxy Ethanol Acetate 110

Phenyl Carbitol Phenoxyethoxy Ethanol 1,500

Unknowns were detected at scan numbers of 338, 360 and 461 with a total concentration estimated to be 2,400 ppm.

N. W. Flynn, Laboratory Manager

CERTIFICATION OF REPRESENTATIVE SAMPLE OR SAMPLE INTEGRITY IS NOT MADE BY McKESSON ENVIRONMENTAL SERVICES (MES) FOR SAMPLES NOT TAKEN BY MES.

MKD00386

Attachment 6

Table 2. McKesson Environmental Data October 1984

Soil

			······································	Concentration	(mg/kg)	
	Sample No. Depth (inches)	<u>1A</u> 0-6	<u>1B</u> 12-18	2A 0-6	<u>2B</u> 12-18	3A 0-6
<u>Pesticides</u>						
Y-BHC		(0.26)	(0.26)	(0.26)	(0.26)	(0.26)
Endrin		(0.26)	(0.26)	(0.26)	0.26	(0.26)
2,4-D		(0.05)	(0.05)	(0.05)	(0.05)	(0.05)
2,4,5-TP		(0.025)	(0.025)	(0.025)	(0.025)	(0.025)
Toxaphene		(12)	(12)	(12)	(12)	(12)
<u>Metal</u>						
Arsenic		(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
Barium		(0.5)	(0.5)	(0.5)	(0.5)	(0.5)
Cadmium		(0.02)	(0.02)	(0.02)	(0.02)	(0.5)
Chromium		(0.1)	(0.1)	(0.1)	(0.1)	(0.1)
Lead		(0.5)	(0.5)	(0.5)	(0.5)	(0.5)
Mercury		(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Selenium		(0.02)	(0.02)	(0.02)	(0.02)	(0.02)
Silver		(0.05)	(0.05)	(0.05)	(0.05)	(0.05)

#### Notes:

Samples collected from corrosive storage area Samples analyzed for EP toxic compounds

mg/kg = milligrams per kilogram

() indicates not detected below enclosed detection limit

Data source: McKesson Corporation (1984b)

Attachment 7

McKesson Chaming

OCT 3 1 1984

Nestern Region

M-Kesson

October 25, 1984

Mr. Jim Smith
California Department of Health Services
Toxic Substances Control Division
Southern California Section
107 S. Broadway, Room 7128
Los Angeles, California 90012

TD-85142

RE: EPA #CAD 060395753

Dear Mr. Smith:

In your letter of October 5, 1984 you requested a number of items from us. These included our immediate clean up of surface and subsurface contamination to the levels specified in the California Assessment Manual (CAM), a site investigation plan, and information on spill incidents and the now removed storage tank.

The standing liquid Ms. Robinson noted in her April 13, 1984 report has been removed. The liquid was a mixture of rainwater, glycols, and glycol ethers, none of which is a CAM identified compound. The results of our analysis of this liquid are summarized in Table I.

When Mr. Landry and I met with Ms. Robinson on October 3, 1984 we advised her that we had already sampled the soil in the solvent dike area but that the results were not yet available. These samples were collected at the 1, 3, and 6 foot depths in each location using a Veihmeyer soil sampler, auger, or pipe as appropriate. All samples were collected, stored, and transported according to EPA-recommended protocol. The location of each soil boring is shown on Figure 1.

The soil samples were analyzed by McKesson Environmental Services, a laboratory certified by DOHS for these analyses. The only CAM identified compound detected was trichloroethylene, and its concentration was only about 14% of the CAM STLC limit. The actual trichloroethylene concentrations are summarized in Table II.



MR. JIM SMITH
OCTOBER 25, 1984
PAGE TWO
TD-85142

The results presented in Table II and our knowledge that the other CAM compounds are not handled at this facility indicate to us that further investigation and extensive excavation are unwarranted. However, we do plan to place a concrete floor in this storage area. We propose to remove and properly dispose of the upper 12-18 inches of soil and lay a concrete floor. We trust this plan meets with your approval.

Concerning the spill incidents, there has been only one significant incident since the plant was built 10 years ago. In 1979 we released approximately 10,000 gal of sulfuric acid due to a faulty value. This acid was entirely contained within the corrosive dike and the release was reported as required to the US Coast Guard. We recovered approximately 7000 gal by vacuum, diluted the balance with water, and pumped the more dilute solution to the on-site neutralization pit where it was neutralized. We then twice flooded the soil with a soda ash slurry and pumped that mixture to the neutralization pit. Finally, we replaced the upper 24 inches of soil with virgin fill and rock.

Ms. Robinson also asked about the circumstances surrounding the removal of one storage tank from the solvent storage diked area. This tank contained 37% formaldehyde. In 1982 we moved this tank into the corrosive diked area merely for reasons of chemical compatibility. The tank was not leaking at that time and indeed, is still in service.

We trust this information is satisfactory. Mr. Landry and I would be happy to meet with you and Ms. Robinson to answer any further questions you may have.

Sincerely,

Douglas L. Eisner Technical Director

Donglas fermen

DLE:da

cc: L. D. Landry

TABLE I. ANALYSIS OF STANDING LIQUID

CHEMICAL COMPOUND	COMMON NAME	CONCENTRATION,
2-Butoxy Ethanol	Butyl Cellosolve	2,700
2-Methyl-2,4-pentanediol	Hexylene Glycol	1,100
Oxybis Ethanol	Diethylene Glycol	11,000
Butoxyethoxy Ethanol	Butyl Carbitol	9,400
2-Phenoxy Ethanol	None	2,300
<pre>Ethanediyl bis(oxy) bis-ethanol</pre>	None	23,000
Methoxyethoxy Ethanol Acetate	Methyl Carbitol Acetate	110
Phenoxyethoxy Ethanol	None	1,500

Unknowns were detected at scan numbers of 338, 360 and 461 with a total concentration estimated to be 2,400 ppm.

# TABLE II. TRICHLOROETHYLENE CONCENTRATIONS

#### TRICHLOROETHYLENE CONCENTRATION, ppm

BORING 2 BORING 3 BORING 4 BORING 5  $\frac{1 \text{ ft}}{\text{nd}} \quad \frac{3 \text{ ft}}{4.0} \quad \frac{6 \text{ ft}}{0.03} \quad \frac{1 \text{ ft}}{\text{nd}} \quad \frac{3 \text{ ft}}{\text{nd}} \quad \frac{6 \text{ ft}}{0.07} \quad \frac{1 \text{ ft}}{\text{nd}} \quad \frac{3 \text{ ft}}{33.0} \quad \frac{6 \text{ ft}}{\text{nd}} \quad \frac{3 \text{ ft}}{0.008}$ 

"nd" means not detected above a detection limit of 0.100 - 1.00ppm




Figure 1. McKesson Chemical Company Site Plan

Attachment 8

McKesson Chemical Co

DEC 101984

Messon

western Region

6 December 1984

Ms. Megan Robinson
California Department of Health Services
Toxic Substances Control Division
107 S. Broadway, Room 7128
Los Angeles, CA 90012

TD 85171

re: Santa Fe Springs Facility

EPA CAD060395753

Dear Ms. Robinson:

You requested we perform EP Toxicity tests on the soil within the corrosive dike area at this facility. On October 4, 1984 Mr. Dwight Landry and I collected soil samples from this area. We used a Viehmeyer soil sampler and we collected samples from two locations within the dike surrounding the sulfuric acid tanks. At each location we collected one sample from the surface to 6 inch depth and one from the 12 - 18 inch depth. In addition, we collected a background sample from a location away from the corrosive diked area.

The samples were analyzed by McKesson Environmental Services, a DOHS-approved laboratory. The results are attached. The samples identified by "A" represent the 0-6 inch depth and the "B" samples represent the 12 - 18 inch depth. The data indicate this soil is free of EP Toxic components.

We trust this information is satisfactory.

Douglas Giner

Sincerely,

Douglas L. Eisner

Technical Director

DLE:md Attachment

cc: Mr. Dwight Landry



# Analytical Results McKesson Technical Services

Date Received: 10/11/84 Date Reported: 10/29/84

Lab No.:	17143	17144	17145	17146	17147	DETECTION
Sample I.D.:	1A	1B	2A	2B	3A	LIMITS
Compound		Concent	tration :	in µg/L		
<b>Y-</b> ВНС	ND	ND	ND	ND	ND	0.26
Endrin	ND	ND	ND	ND	ND	0.26
Toxaphene	ND	ND	ND	ND	ND	12
wp						

ND = Not Detected

N. W. Flynn, Laboratory Manager

CERTIFICATION OF REPRESENTATIVE SAMPLE OR SAMPLE INTEGRITY IS NOT MADE BY McKESSON ENVIRONMENTAL SERVICES (MES) FOR SAMPLES NOT TAKEN BY MES.

**M**≓(esson

#### Analytical Results McKesson Technical Services HERBICIDE ANALYSIS: EP TOXICITY

Samples Received: 10/11/84

Lab No.:	17143	17144	17145	17146	17147
Sample I.D.:	1A	1B	2A	2B	3A

<u>Parameter</u>		Concer	tration in	μg/L	
2,4-D	ND	ND	ND	ND	ND
2,4,5-TP	ND	ND	ND	ND	ND

ND = Not Detected

Detection Limits: 2,4-D:

2,4-D: 0.05 µg/L 2,4,5-TP: 0.025 µg/L

Laboratory Manager

CERTIFICATION OF REPRESENTATIVE SAMPEL OR SAMPLE INTEGRITY IS NOT MADE BY McKESSON ENVIRONMENTAL SERVICES (MES) FOR SAMPLES NOT TAKEN BY MES.

ılts	Services	EP TOXICITY
Analytical Results	McKesson Technical	METAL ANALYSIS: EP

7164-QD

Lab No.:	17143	17144	17145	17146	17147	MAXIMUM
Sample I.D.:	1.4	1B	2A	2B	3A	CONCENTRATION, mg/L
Analysis		Conc	Concentration, mg/L	<u>1/3</u>		
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	5.0
Barium	<0.5	(0,5	(0.5	<0.5	<0.5	100.0
Cadmium	<0.02	<0.02	(0.05	<0.02	<0.02	1.0
Chromium	<0.1	(0.	(0.1	<0.1	<0.1	5.0
Lead	<0.5	(0.5	<0.5	<0.5	<0.5	5.0
Mercury	<0.004	<0.004	(0.004	<0.004	<0.004	0.2
Selenium	<0.02	<0.02	(0.02	<0.02	<0.02	1.0
Silver	<0.05	<0.05	(0.05	<0.05	<0.05	5.0

N. W. Flynn, Laboratory Manager

CERTIFICATION OF REPRESENTATIVE SAMPLE OR SAMPLE INTEGRITY IS NOT MADE BY MCKESSON ENVIRONMENTAL SERVICES (MES) FOR SAMPLES NOT TAKEN BY MES.

Attachment 9

FILE PRF EMUIRONMENTAL

TO DISTRIBUTION SEE ATTACHED

Date March 19, 1985

M-Kesson

From Shri Nandan Location Tel.

McKesson Environmental Correspondence
Services Correspondence

Copies To

SANTA FE SPRINGS-PRF SITE INSPECTION/PVC PIPE LEAK

#### OBSERVATIONS

- 1. In early March it was observed that liquid was bubbling through asphalt above underground PVC pipe connecting the drum filling station to the neutralization pit.
- 2. Concurrently, the existing water line has been leaking 15' from fill station.

#### REMEDIAL ACTIONS

Friday March 15, 1985 Actions

- Excavation was done to the underground PVC pipe to trace source of leak; all the way to the neutralization pit.
- 2. pH of leaked material was checked to be approximately 2.0.
- 3. On further excavation a small puddle approximately 2' below grade was found at the "T" in the 4" line (see attached sketch). Puddle pH 2.0, approximate volume 1/2 gallon. This was pumped to neutralization pit which is lined with 1/8" vinyl bag liner.
- 4. Excavation continued to a total depth of 10' 12'. Subsurface material was found to be of neutral pH and "hard pan" layers encountered at 3' and 6'. A second "puddle" of no more than a quart in volume of accumulated liquids was found above the lower "hard pan" layer. This was also acidic and could not be removed by pumping due to insufficient quantity.
- 5. The underground PVC piping was discovered to be leaking at the glued joints. The entire line will be replaced with schedule 80 CPVC pipe with glued and welded joints. The piping will be pressure checked prior to operation.


March 19, 1985

SANTA FE SPRINTS-PRF SITE INSPECTION/PVC PIPE LEAK

- 6. The new underground pipe will be installed in a concrete trench with a grating. This trench will drain into a catch basin. Any accumulated material in the catch basin will be checked and pumped into the neutralization pit.
- 7. Remedial action around the neutralization pit will be formulated on inspection below the liner, scheduled for March 20, 1985.
- 8. No physical evidence of moisture (or wetness) was observed subsurface in the vicinity of the neutralization pit in the excavation hole.
- 9. Some liquid was believed to be trapped between the vinyl bag liner and the concrete shell. This liquid was pressured out when the neutralization pit was filled with water on March 19th.
- 10. The liquid puddled in the freshly dug pit and was sampled and checked for pH. pH was neutral. The liquid egressed through gaps between the inlet fill line and the concrete wall of the neutralization pit. This was physically observed.
- 11. This does not constitute to be "reportable incident" because of the small quantity of material involved. Proper documentation of all activities should be maintained at the facility.

Shri Nandan

SN:sw



#### DISTRIBUTION:

- A. M. McMahon WRO
- J. F. Lacey WRO
- L. D. Landry WRO M. K. Peterson WRO
- C. Kussler PRF-SFS
- B. R. Crumm L. A. Area M. D. Sands MES G. N. Butter MES

Attachment 10

See Attachment 3

Attachment 11

MAY - 8 1986

To

Date

Walter Loo

May 1, 1986

M-Kesson

From

Location, Tel.

Intra Company

Karen Bankert

Environmental Services 426-2661

Correspondence

Subject

Copies To

7520-QD

Analytical Results Santa Fe Springs

Attached are results for three (3) water and six (6) soil from two groups of samples received March 20 and 25, 1986. The samples were analyzed in the following way:

EPA 624/8240 for purgeable organic priority pollutants plus acetone, isopropanol, hexane, heptane; glycols and cellosolves by direct injection

EPA 610/8100 for total hydrocarbons - Mineral Spirits, Naphthalene, Stoddard Solvent, PX-2 and PX-3

EPA 8015 for methanol (water extraction for soil)

HPLC analysis for Sorbitol EPA 8270 (1 Soil) extractable organics

Results for mineral spirits, stoddard solvent, PX-2 and PX-3 are reported as Total Hydrocarbons. Because these chemicals are multi-component hydrocarbon mixtures, we are not able to identify them individually in these samples. It appears that "diesel" was found in one of the water samples.

If you have questions, please call.

KEB/pf Attch.

SAMPLES NOT DESTROYED IN TESTING ARE RETAINED A MAXIMUM OF 30 DAYS UNLESS OTHERWISE REQUESTED.

#### PR. AITY POLLUTANT ANALYSIS

Lab Number:

8603123-18

Sample I.D.:

MW-1 03-25-86

Date Received: Date Analyzed:

03-25-86 04-15-86

Detection Limit Factor: 500

	TRATION	
VOLATILES .	<u>μg/L</u>	
benzene	ND_	•
bromodichloromethane	<u>ND</u>	
bromoform	ND	
bromomethane	ND_	
carbon tetrachloride	ND	
chlorobenzene	ND	
chloroethane	ND	
2-chloroethylvinyl ether	ND	
chloroform	ND	
chloromethane	ND	
dibromochloromethane	ND	
1,2-and/or 1,4-dichlorobenz	ene ND	
1,3-dichlorobenzene	ND	
1,1-dichloroethane	2,500	
1,2-dichloroethane	ND	
l,l-dichloroethene	32,000	
trans-1,2-dichloroethene	ND	
1,2-dichloropropane	ND	
cis-1,3-dichloropropene	ND	-
trans-1,3-dichloropropene	ND	ŀ.
ethyl benzene	ND	· .·
methylene chloride	430,000	•
1,1,2,2-tetrachloroethane	. ND	-
tetrachloroethene	110,000	-
toluene	18,000	_
1,1,1-trichloroethane	880,000	
1,1,2-trichloroethane	· ND	•
	4,500	• '
trichloroethene	ND	-
vinyl chloride		-

	CONCENTRATION
OTHER COMPOUNDS FOUND	ug/L
freon 113	500
acetone	430,000
isopropanol	130,000
methyl ethyl ketone	210,000
hexane	ND
heptane	ND
butyl cellosolve	130,000
cellosolve acetate	ND
ethylene glycol	ND
propylene glycol	ND

Laboratory Supervisor

ND = Not detected.

\* = Compound detected; concentration below level for accurate quantitation.

\*\* = Estimated value; compound saturated detector.

Lab Number:

8603123-19

Sample I.D.: Date Received:

Date Analyzed:

MW-3 03-25-86 04-15-86

Detection Limit Factor:\_\_

•	
CONCEN	TRATION
VOLATILES	<u>μq/L</u>
benzene	ND_
bromodichloromethane	ND_
bromoform	ND
bromomethane	ND_
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenze	ene ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND
1,2-dichloroethane	ND
1,1-dichloroethene	7,500
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND
ethyl benzene	ND
methylene chloride	67,000
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	22,000
toluene	ND
1,1,1-trichloroethane	220,000
1,1,2-trichloroethane	ND
trichloroethene	1,500
vinyl chloride	ND
ATHAT CHIOLIGE	

•	CONCENTRATION
OTHER COMPOUNDS FOUND	ug/L_
acetone	23,000
<u>isopropanol</u>	ND
methyl ethyl ketone	ND
hexane	ND
heptane	ND
butyl cellosolve	ND
cellosolve acetate	ND_
ethylene glycol	ND ·
propylene glycol	ND

Laboratory Supervisor

ND = Not detected.

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

#### Mc 'ESSUN ENVIRONMENTAL SERVICES

/ɔzu-yu Santa Fe Springs McKesson Chemical

#### PRIORITY POLLUTANT ANALYSIS

Lab Number:

8603123-20

Sample I.D.:

MW-4 03-25-86

Date Received: Date Analyzed:

03-25-86 04-15-86

Detection Limit Factor: 500

CONCEN	TRATION
VOLATILES	μg/L
benzene	ND
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenze	ne ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	5,000
1,2-dichloroethane	11,000
1,1-dichloroethene	34,000
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND
ethyl benzene	ND
methylene chloride	730,000
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	96,000
toluene	38,000
1,1,1-trichloroethane	740,000
1,1,2-trichloroethane	ND
trichloroethene	31,000
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	μg/L
m-xylene	2,000
o-,p-xylenes	1,000
acetone	160,000
isopropanol	ND
methyl ethyl ketone	ND
hexane	ND
heptane	ND
butyl cellosolve	270,000
cellosolve acetate	ND
ethylene glycol	ND
propylene glycol	ND

Laboratory Supervisor

ND = Not detected.

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

#### 624 DETECTION LIMITS = Detection Limit Factor X Concentration

#### 5ml Water Sample

	CONCENTRATION
VOLATILES	 μg/L
benzene	1
bromodichloromethane	1_
bromoform	<u> </u>
bromomethane	•
carbon tetrachloride	1_
chlorobenzene	1
chloroethane	1
2-chloroethylvinyl ether	1
chloroform	1
chloromethane	1
dibromochloromethane	1_
1,2-and/or 1,4-dichlorobenzen	ie 3
1,3-dichlorobenzene	2_
1,1-dichloroethane	11_
1,2-dichloroethane	1_
1,1-dichloroethane	11
trans-1,2-dichloroethene	11_
1,2-dichloropropane	1
cis-1,3-dichloropropene	. 1_
trans-1,3-dichloropropene	1_
ethyl benzene	2_
methylene chloride	2_
1,1,2,2-tetrachloroethane	1_
tetrachloroethene	1_
toluene	11
1,1,1-trichloroethane	11_
1,1,2-trichloroethane	1_
trichloroethene	1_
vinyl chloride	1_

	CONCENTRATION
OTHER COMPOUNDS FOUND	<u>μg/L</u>
Freon 113	1
m-xylene	11_
o-,p-xylene	1_
acetone	5
isopropanol	10
methyl ethyl ketone	5
hexane	1
heptane	1
butyl cellosolve	2,000
cellosolve acetate	3,000
ethylene glycol	125,000
propylene glycol	10.000

Laboratory Supervisor

ND = Not Detected

\* = Compound detected; concentration below level for accurate quantitation.

\*\* = Estimated value; compound saturated detector.

#### Mck SON ENVIRONMENTAL SERVICES

#### Santa Fe Springs McKesson Chemical

#### PRIORITY POLLUTANT ANALYSIS

Lab Number: 8603103-01

 Sample I.D.:
 SB1-S30

 Date Received:
 03-2-86

 Date Analyzed:
 04-21-86

Detection Limit Factor: 0.025

•	
CONCENTRA	TION
VOLATILES	mg/kg
benzene	ND
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzene	ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	0.20
1,2-dichloroethane	ND
1,1-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND
ethyl benzene	ND
methylene chloride	4.3
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	2.2
toluene	0.20
1,1,1-trichloroethane	2.0
1,1,2-trichloroethane	ND
trichloroethene	0.10
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	mg/kg
acetone	200
isopropanol	ND_
methyl ethyl ketone	130
hexane	ND
heptane	ND_
butyl cellosolve	390
cellosolve acetate	ND_
ethylene glycol	ND_
propylene glycol	NDND

Day Coelly notes

Laboratory Supervisor

ND = Not detected.

\* = Compound detected; concentration below level for accurate quantitation.

\*\* = Estimated value; compound saturated detector.

#### McKF"SUN ENVIRUNMENTAL SERVICES

#### ו שבט-עט Santa Fe Springs McKesson Chemical

#### PRIORITY POLLUTANT ANALYSIS

Lab Number: Sample I.D.: Date Received:

Date Analyzed:

8603103-06

SB1-S37

03-20-86 04-21-86

Detection Limit Factor: 0.025

CONCENTRA	TION
VOLATILES	ng/kg
benzene	ND
bromodichloromethane	ND_
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzene	ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND
1,2-dichloroethane	ND
l,1-dichloroethene	ND
trans-1,2-dichloroethene	ND_
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND_
ethyl benzene	ND
methylene chloride	1.8
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	0.13
toluene	ND
1,1,1-trichloroethane	0.08
1,1,2-trichloroethane	ND
trichloroethene	ND
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	<u>mg/kg</u>
acetone	60
isopropanol	ND
methyl ethyl ketone	51
hexane	ND
heptane	ND
butyl cellusolve	87
cellosolve acetate	ND
ethylene glycol	ND_
propylene glycol	ND_

Laboratory Supervisor

ND = Not detected.

\* = Compound detected; concentration below level for accurate quàntitation.

\*\* = Estimated value; compound saturated detector.

Lab Number:

8603103-11

Sample I.D.: Date Received: Date Analyzed: SB2-S35 03-20-86 04-21-86

Detection Limit Factor: 0.025

CONCENTRA	ATION
VOLATILES	mg/kg
benzene	ND
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzene	ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND
1,2-dichloroethane	ND
l,l-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND
ethyl benzene	ND
methylene chloride	2.2
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	0.05
toluene	ND
1,1,1-trichloroethane	0.03
1,1,2-trichloroethane	ND
trichloroethene	ND
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	mg/kg
acetone	2.7
isopropanol	ND
methyl ethyl ketone	2.0
hexane	ND
heptane	ND
butyl cellosolve	ND
cellosolve acetate	ND
ethylene glycol	ND
propylene glycol	ND

Laboratory Supervisor

ND = Not detected.

\* = Compound detected; concentration below level for accurate quantitation.

\*\* = Estimated value; compound saturated detector.

Lab Number:

.\_8603103-15

Sample I.D.:

SB3-S36

Date Received: Date Analyzed:

03-20-86

Detection Limit Factor: 0.025

CONCENTRA	ATION
<u>VOLATILES</u> <u>m</u>	g/kg
benzene	ND
bromodichloromethane	ND
bromoform	ND
bromomethane	ND
carbon tetrachloride	ND
chlorobenzene	ND_
chloroethane	ND
2-chloroethylvinyl ether	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzene	ND_
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND
1,2-dichloroethane	ND
1,1-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND_
ethyl benzene	ND
methylene chloride	3.5
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	0.18
toluene	ND
1,1,1-trichloroethane	1.1
1,1,2-trichloroethane	ND
trichloroethene	ND
vinyl chloride	ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	mg/kg
acetone	1.4
isopropanol	ND_
methyl ethyl ketone	ND
hexane	ND
heptane	ND
butyl cellosolve	ND_
cellosolve acetate	ND
ethylene qlycol	ND
propylene glycol	ND

ND = Not detected.

- \* = Compound detected; concentration below level for accurate quantitation.
- \*\* = Estimated value; compound saturated detector.

Lab Number: Sample I.D.: 8603103-21

Date Received: Date Analyzed: SB1-S25 03-20-86 04-22-86

Detection Limit Factor: 0.025

VOLATILESmq/kqbenzeneNDbromodichloromethaneNDbromoformNDbromomethaneNDcarbon tetrachlorideNDchlorobenzeneNDchloroethaneND2-chloroethylvinyl etherNDchloroformNDchloromethaneNDdibromochloromethaneND1,2-and/or 1,4-dichlorobenzeneND1,3-dichlorobenzeneND1,1-dichloroethaneND1,1-dichloroethaneND1,1-dichloroethene0.93trans-1,2-dichloroetheneND1,2-dichloropropaneNDcis-1,3-dichloropropeneNDtrans-1,3-dichloropropeneNDethyl benzene0.63methylene chloride0.201,1,2,2-tetrachloroethaneNDtetrachloroethene94toluene3.71,1,1-trichloroethane561,1,2-trichloroethaneNDtrichloroethene0.55vinyl chlorideND		CONCENTRATION
bromodichloromethane ND bromoform ND bromomethane ND carbon tetrachloride ND chlorobenzene ND chloroethane ND chloroform ND chloroform ND chloromethane ND dibromochloromethane ND 1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,2-dichloroethane ND 1,2-dichloroethane ND 1,2-dichloropropene ND cis-1,3-dichloropropene ND cis-1,3-dichloropropene ND cis-1,3-dichloropropene ND ctrans-1,2-tetrachloroethane ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethane 94 toluene 3.7 1,1,1-trichloroethane ND trichloroethane ND trichloroethane ND	VOLATILES	mg/kg
bromoform ND bromomethane ND carbon tetrachloride ND chlorobenzene ND chloroethane ND chloroethylvinyl ether ND chloroform ND chloromethane ND chloromethane ND dibromochloromethane ND dibromochloromethane ND 1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,1-dichloroethane ND 1,1-dichloroethene ND 1,2-dichloropropane ND cis-1,3-dichloropropene ND cis-1,3-dichloropropene ND ctrans-1,2-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane ND trichloroethene ND trichloroethene ND trichloroethene ND	benzene	ND_
bromomethane ND carbon tetrachloride ND chlorobenzene ND chloroethane ND 2-chloroethylvinyl ether ND chloroform ND chloromethane ND dibromochloromethane ND 1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,1-dichloroethane ND 1,1-dichloroethene ND 1,1-dichloropropene ND 1,2-dichloropropene ND cis-1,3-dichloropropene ND cis-1,3-dichloropropene ND ctrans-1,2-dichloropropene ND ctrans-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane ND trichloroethene ND trichloroethene ND	bromodichloromethane	ND_
carbon tetrachloride ND chlorobenzene ND chloroethane ND 2-chloroethylvinyl ether ND chloroform ND chloromethane ND dibromochloromethane ND 1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,1-dichloroethane ND 1,1-dichloroethene ND 1,1-dichloroethene ND 1,2-dichloropropane ND 1,2-dichloropropane ND cis-1,3-dichloropropene ND trans-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane ND trichloroethene ND trichloroethene ND	bromoform	ND
chlorobenzene ND chloroethane ND 2-chloroethylvinyl ether ND chloroform ND chloromethane ND dibromochloromethane ND 1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,1-dichloroethane ND 1,1-dichloroethene ND 1,1-dichloroethene ND 1,2-dichloropropane ND cis-1,3-dichloropropene ND cis-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane ND trichloroethene ND trichloroethene ND	bromomethane	ND
chloroethane ND  2-chloroethylvinyl ether ND chloroform ND chloromethane ND dibromochloromethane ND  1,2-and/or 1,4-dichlorobenzene ND  1,3-dichlorobenzene ND  1,1-dichloroethane ND  1,2-dichloroethane ND  1,1-dichloroethene ND  1,2-dichloroethene ND  1,2-dichloropropane ND  cis-1,3-dichloropropene ND cis-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20  1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7  1,1,1-trichloroethane ND trichloroethene ND  trichloroethene ND	carbon tetrachloride	ND
2-chloroethylvinyl ether ND chloroform ND chloromethane ND dibromochloromethane ND 1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,2-dichloroethane ND 1,1-dichloroethene ND 1,1-dichloroethene ND 1,2-dichloropropane ND cis-1,3-dichloropropene ND cis-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane ND trichloroethene ND trichloroethene ND	chlorobenzene	. <u>ND</u>
chloroform ND chloromethane ND dibromochloromethane ND 1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,2-dichloroethane ND 1,1-dichloroethene ND 1,1-dichloroethene ND 1,2-dichloropropane ND cis-1,3-dichloropropene ND ctrans-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane 56 1,1,2-trichloroethane ND trichloroethene ND trichloroethene ND	chloroethane	. ND
chloroform ND chloromethane ND dibromochloromethane ND 1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,2-dichloroethane ND 1,1-dichloroethene ND 1,1-dichloroethene ND 1,2-dichloropropane ND cis-1,3-dichloropropene ND ctrans-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane 56 1,1,2-trichloroethane ND trichloroethene ND	2-chloroethylvinyl eth	ner ND
dibromochloromethane 1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,2-dichloroethane ND 1,1-dichloroethene 0.93 trans-1,2-dichloroethene ND 1,2-dichloropropane ND cis-1,3-dichloropropene ND trans-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane 56 1,1,2-trichloroethane ND trichloroethene ND	chloroform	ND_
1,2-and/or 1,4-dichlorobenzene ND 1,3-dichlorobenzene ND 1,1-dichloroethane ND 1,2-dichloroethane ND 1,1-dichloroethene 0.93 trans-1,2-dichloroethene ND 1,2-dichloropropane ND cis-1,3-dichloropropene ND trans-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane 56 1,1,2-trichloroethane ND trichloroethene ND	chloromethane	ND
1,3-dichlorobenzene ND  1,1-dichloroethane ND  1,2-dichloroethane ND  1,1-dichloroethene 0.93  trans-1,2-dichloroethene ND  1,2-dichloropropane ND  cis-1,3-dichloropropene ND  trans-1,3-dichloropropene ND  ethyl benzene 0.63  methylene chloride 0.20  1,1,2,2-tetrachloroethane ND  tetrachloroethene 94  toluene 3.7  1,1,1-trichloroethane ND  trichloroethene ND  trichloroethene ND	dibromochloromethane	ND
1,3-dichlorobenzene ND  1,1-dichloroethane ND  1,2-dichloroethane ND  1,1-dichloroethene 0.93  trans-1,2-dichloroethene ND  1,2-dichloropropane ND  cis-1,3-dichloropropene ND  trans-1,3-dichloropropene ND  ethyl benzene 0.63  methylene chloride 0.20  1,1,2,2-tetrachloroethane ND  tetrachloroethene 94  toluene 3.7  1,1,1-trichloroethane ND  trichloroethene ND  trichloroethene ND	1,2-and/or 1,4-dichlor	robenzene ND
1,1-dichloroethaneND1,2-dichloroethaneND1,1-dichloroethene0.93trans-1,2-dichloroetheneND1,2-dichloropropaneNDcis-1,3-dichloropropeneNDtrans-1,3-dichloropropeneNDethyl benzene0.63methylene chloride0.201,1,2,2-tetrachloroethaneNDtetrachloroethene94toluene3.71,1,1-trichloroethane561,1,2-trichloroethaneNDtrichloroethene0.55		
1,2-dichloroethaneND1,1-dichloroethene0.93trans-1,2-dichloroetheneND1,2-dichloropropaneNDcis-1,3-dichloropropeneNDtrans-1,3-dichloropropeneNDethyl benzene0.63methylene chloride0.201,1,2,2-tetrachloroethaneNDtetrachloroethene94toluene3.71,1,1-trichloroethane561,1,2-trichloroethaneNDtrichloroethene0.55		ND
1,1-dichloroethene0.93trans-1,2-dichloroetheneND1,2-dichloropropaneNDcis-1,3-dichloropropeneNDtrans-1,3-dichloropropeneNDethyl benzene0.63methylene chloride0.201,1,2,2-tetrachloroethaneNDtetrachloroethene94toluene3.71,1,1-trichloroethane561,1,2-trichloroethaneNDtrichloroethene0.55		ND
trans-1,2-dichloroethene ND  1,2-dichloropropane ND  cis-1,3-dichloropropene ND  trans-1,3-dichloropropene ND  ethyl benzene 0.63  methylene chloride 0.20  1,1,2,2-tetrachloroethane ND  tetrachloroethene 94  toluene 3.7  1,1,1-trichloroethane ND  trichloroethene ND  trichloroethene ND		0.93
1,2-dichloropropaneNDcis-1,3-dichloropropeneNDtrans-1,3-dichloropropeneNDethyl benzene0.63methylene chloride0.201,1,2,2-tetrachloroethaneNDtetrachloroethene94toluene3.71,1,1-trichloroethane561,1,2-trichloroethaneNDtrichloroethene0.55		ene ND
cis-1,3-dichloropropene ND  trans-1,3-dichloropropene ND  ethyl benzene 0.63  methylene chloride 0.20  1,1,2,2-tetrachloroethane ND  tetrachloroethene 94  toluene 3.7  1,1,1-trichloroethane ND  trichloroethene ND		
trans-1,3-dichloropropene ND ethyl benzene 0.63 methylene chloride 0.20 1,1,2,2-tetrachloroethane ND tetrachloroethene 94 toluene 3.7 1,1,1-trichloroethane 56 1,1,2-trichloroethane ND trichloroethene 0.55		ne ND_
ethyl benzene 0.63  methylene chloride 0.20  1,1,2,2-tetrachloroethane ND  tetrachloroethene 94  toluene 3.7  1,1,1-trichloroethane 56  1,1,2-trichloroethane ND  trichloroethene 0.55		
methylene chloride 0.20  1,1,2,2-tetrachloroethane ND  tetrachloroethene 94  toluene 3.7  1,1,1-trichloroethane 56  1,1,2-trichloroethane ND  trichloroethene 0.55		_
1,1,2,2-tetrachloroethaneNDtetrachloroethene94toluene3.71,1,1-trichloroethane561,1,2-trichloroethaneNDtrichloroethene0.55		0.20
tetrachloroethene94toluene3.71,1,1-trichloroethane561,1,2-trichloroethaneNDtrichloroethene0.55		hane ND
toluene 3.7  1,1,1-trichloroethane 56  1,1,2-trichloroethane ND  trichloroethene 0.55		
1,1,1-trichloroethane 56  1,1,2-trichloroethane ND  trichloroethene 0.55		3.7
1,1,2-trichloroethane ND trichloroethene 0.55		56
trichloroethene 0.55		ND
		ND

	CONCENTRATION
OTHER COMPOUNDS FOUND	mg/kg
freon 113	. 0.78
m-xylene	1.8_
o-,p-xylenes	0.9
acetone	2.3
isopropanol	ND_
methyl ethyl ketone	ND
hexane	ND
heptane	ND
butyl cellosolve	ND
cellosolve acetate	ND
ethylene glycol	ND
propylene glycol	ND

Laboratory Supervisor
ND = Not detected.

\* = Compound detected; concentration below level for accurate quantitation.

\*\* = Estimated value; compound saturated detector.

Lab Number: 8603123-05
Sample I.D.: 0W2-25'

Date Received: 03-25-86

Date Analyzed: 04-22-86

Detection Limit Factor: 0.025

benzene bromodichloromethane bromoform bromomethane carbon tetrachloride chlorobenzene chloroethane 2-chloroethylvinyl ether	ND ND ND ND ND ND ND ND
benzene bromodichloromethane bromoform bromomethane carbon tetrachloride chlorobenzene chloroethane	ND ND ND ND
bromodichloromethane bromoform bromomethane carbon tetrachloride chlorobenzene chloroethane	ND ND ND
bromoform bromomethane carbon tetrachloride chlorobenzene chloroethane	ND ND ND
bromomethane carbon tetrachloride chlorobenzene chloroethane	ND ND
carbon tetrachloride chlorobenzene chloroethane	ND
chlorobenzene chloroethane	
chloroethane	ND
	ND
chloroform	ND
chloromethane	ND
dibromochloromethane	ND
1,2-and/or 1,4-dichlorobenzene	ND
1,3-dichlorobenzene	ND
1,1-dichloroethane	ND
1,2-dichloroethane	ND
1,1-dichloroethene	ND
trans-1,2-dichloroethene	ND
1,2-dichloropropane	ND
cis-1,3-dichloropropene	ND
trans-1,3-dichloropropene	ND_
ethyl benzene	ND
methylene chloride	ND.
1,1,2,2-tetrachloroethane	ND
tetrachloroethene	0.05
toluene	ND
1,1,1-trichloroethane	ND
1,1,2-trichloroethane	ND
trichloroethene	ND
vinyl chloride	

	CONCENTRATION
OTHER COMPOUNDS FOUND	_mg/kg
acetone	5.4
isopropanol	ND.
methyl ethyl ketone	ND
hexane	, ND
heptane	ND
butyl cellosolve	ND ND
cellosolve acetate	ND
ethylene glycol	ND
propylene glycol	ND

Laboratory Supervisor

ND = Not detected.

- \* = Compound detected; concentration below level for accurate
  quantitation.
- \*\* = Estimated value; compound saturated detector.

# 8240 DETECTION LIMITS = Detection Limit Factor X Concentration

	CONCENTRATION
VOLATILES	mg/kg
benzene	1
bromodichloromethane	1
bromoform	1
bromomethane	11
carbon tetrachloride	]
chlorobenzene	11
chloroethane	1
2-chloroethylvinyl ether	1.
chloroform	1_
chloromethane	1_
dibromochloromethane	1_
1,2-and/or 1,4-dichlorobenze	ne 3_
1,3-dichlorobenzene	2_
1,1-dichloroethane	1
1,2-dichloroethane	1
1,1-dichloroethane	1_
trans-1,2-dichloroethene	·
1,2-dichloropropane	1
cis-1,3-dichloropropene	1_
trans-1,3-dichloropropene	11_
ethyl benzene	22
methylene chloride	2_
1,1,2,2-tetrachloroethane	1_
tetrachloroethene	11_
toluene	1_
1,1,1-trichloroethane	11_
1,1,2-trichloroethane	11
trichloroethene	111
vinyl chloride	1_

CONCENTRATION
mg/kg
1
1_
1
5
10
5
1_
1_
2000
3000
125,000
10,000

Bacy Cuttery muss Laboratory Supervisor

ND = Not Detected

\* = Compound detected; concentration below level for accurate quantitation.

\*\* = Estimated value; compound saturated detector.

#### ANALYTICAL RESULTS

#### SANTA FE SPRINGS

Date Received: 3-25-86

Lab No.: Sample I.D.:	8603123-19 MW-3	8603123-20 MW-4
	Concentration in yg	<u>/L</u>
Total Hydrocarbons * (low to medium boiling point range)	51	7,000
Total Hydrocarbons as Diesel	250	ND
Naphthalene	ND	240

ND = Not Detected

Detection Limits: Low to Medium Boiling Point Range: 50 µg/L

Diesel: 100 yg/L

Naphthalene:

10 µg/L

\* - Includes PX-2, PX-3, Mineral Spirits, Stoddard Solvent, and gasoline

7520-QD McKESSON CHEMICAL

# ANALYTICAL RESULTS

# SANTA FE SPRINGS

. Date Received: 3-20 and 3-25-86					٠	
Lab No.: Sample I.D.:	8603103-01 SB1 S30	8603103-06 SB1 S37	8603103-11 SB2 S35	8603103-15 SB3 S36	8603103-21 SB1 S25	8603123- 0W-2
		Concentration in mg/kg	in mg/kg		, i	
Total Hydrocarbons * (low to medium boiling point range)	37	Ø.	Œ.	ĆN.	14	ę,
Total Hydrocarbons as Diesel	Ø	QN.	CN	QN	ES.	QN QN
Naphthalene	0.2	CN C	CN CN	EX	CN C	8
ND - Not Detected						
Detection Limits: Low to Medium Boiling	ing Point Range: 1 Diesel: 2 Naphthalene: 0.2	ge: 1 ppm el: 2 ppm ne: 0.2 ppm				

 $\star$  - Includes P.M-2, P.M-3, Mineral Spirits, Stoddard Solvent, and gasoline

Muhal Lauen, Laboratory Supervisor

MCKESSON ENVIRONMENTAL SERVICES	MENTAL SERVICES					7520-QD McKESSON CHEMICAL
			ANALYTICAL RESULTS	LTS		
			SANTA FE SPRINGS	SS		
Date Received:	MES Batch 8603103, 3-20-86 MES Batch 8603123, 3-25-86	-20-86 -25-86				
Lab No.: Sample I.D.:	8603103-01 SB1-S30	8603103-06 SB1-S37	8603103-11 SB2-S35	8603103-15 SB3-S36	8603103-21 SB1-S25	8603103-05 0W2-25'
PARAMETER			Concentration in mg/kg	mg/kg		
Methanol	11	Ŋ	6	ω	2	N
ND = Not Detected	ָּיִּם					

Michael Laner 2018

Detection Limits = 1 ppm

#### ANALTYTICAL RESULTS

#### SANTA FE SPRINGS

Date Received: 03-25-86

Lab No.:

8603123-19

8603123-20

Sample I.D.:

MW-3

MW-4

**PARAMETER** 

CONCENTRATION IN MG/L

Sorbitol

ND

ND

ND = Not Detected

Detection Limits = 100 ppm

i

7520-QD MCKESSON CHEMICAL			:	
7520 <u>MCK1</u>		8603103-05 0W2-S25'		ND
		8603103-21 SB1-S25	g/kg	QN
ANALYTICAL RESULTS SANTA FE SPRINGS		8603103-15 SB3-S36	CONCENTRATION IN mg/kg	QN
SAN	3-20-86 3-25-86	8603103-11 SB2-S35	00	QN
MCKESSON ENVIRONMENTAL SERVICES	Date Received: MES Batch 8603103, 03-20-86 MES Batch 8603123, 03-25-86	8603103-06 SB1-S37		ND
MCKESSON ENVIRO	Date Received:	Lab No.: Sample I.D.:	PARAMETER	Sorbitol

Mehal Karan maps of aboratory Supervisor

Detection Limits = 100 ppm

ND = Not Detected

7520-QD

SANTA FE SPRINGS McKESSON CHEMICAL

8603103-01 Lab Number: SB1-S30 Sample I.D.: Date Received: 03-20-86 Date Analyzed:

04-23-86

Detection Limit Factor = 0.2

ACTO COMPONENTO	/l	PACE	NEUTRAL COMPOUNDS	/1·-
ACID COMPOUNDS	mg/kg			mg/kg
21A 2,4,6-trichlorophenol	ND	41B	4-bromophenyl phenyl ether	ND
22A p-chloro-m-cresol	ND	42B	bis-(2-chloroisopropyl) ether	ND
24A 2-chlorophenol	ND_	43B	bis-(2-chloroethoxy) methane	ND
31A 2,4-dichlorophenol	ND_	52B	hexachlorobutadiene	ND
34A 2,4-dimethylphenol	ND	<u>53B</u>	hexachlorocyclopentadiene	ND
57A 2-nitrophenol	ND	<u>54B</u>	isophorone	ND
58A 4-nitrophenol	ND	55B	naphthalene	0.2
59A 2,4-dinitrophenol	ND_	<u>56B</u>	nitrobenzene	ND
60A 4,6-dinitro-o-cresol	ND	61B	N-nitrosodimethylamine	ND
64A pentachlorophenol	ND	62B	N-nitrosodiphenylamine	ND
65A phenol	ND_	63B_	N-nitrosodi-n-propylamine	ND
		66B	bis-(2-ethylhexyl) phthalate	ND :-
		67B	butyl benzyl phthalate	ND
BASE/NEUTRAL COMPOUNDS		68B	di-n-butyl phthalate	ND
1B acenaphthene	ND	69B	di-n-octyl phthalate	ND
5B benzidine	ND	70B	diethyl phthalate	ND
8B 1,2,4-trichlorobenzene	ND	71B	dimethyl phthalate	ND
9B hexachlorobenzene	ND	72B	benzo(a)anthracene	ND
12B hexachloroethane	ND	73B	benzo(a)pyrene	ND
18B bis(2-chloroethyl)ether	ND	74B	3,4-benzofluoranthene	ND
20B 2-chloronaphthalene	ND	75B	benzo(k) fluoranthene	ND
25B 1,2-dichlorobenzene	ND	76B	chrysene	ND
26B 1,3-dichlorobenzene	ND	77B	acenaphthylene	ND
27B 1,4-dichlorobenzene	ND	78B	anthracene	ND
28B 3,3'-dichlorobenzidine	_ ND	79B	benzo(ghi)perylene	ND
35B 2,4-dinitrotoluene	ND	80B		ND
36B 2,6-dinitrotoluene	ND	81B		ND
37B 1,2-diphenylhydrazine(azo		82B		ND
39B fluoranthene		83B		ND
	ND ND	84B		ND
Laboratofy Supervisor		ND ·	<ul> <li>Pyrene</li> <li>Not Detected</li> <li>Compound detected; concentrate below level for accurate quantitation.</li> </ul>	_

quantitation.

#### ANALYTICAL RESULTS

Tentative Id	lentification of Non-	Priority Pollutants
Lab No. <u>8603</u>	103-01	Sample I.D. SB1-S30
Scan Number	Compound	Approximate Concentration, <u>mg/kg</u>
243	Unknown	
325	1-(2-Methoxy-1-Met	nylethoxy)-2-Propanol 10
329	1-(2Methoxy-1-Me	chylethoxy)-2-Propanol 10
476	2-(2-Butoxyethoxy)	Ethanol 44
503	2-Phenoxy Ethanol	49

Estimated concentration	_	peak height area	compound	X	I.S. conc.	v D F
Estimated concentration	=	peak height/area	I.S.	X	(RRF=1)	X D.1

ť

# 8270 DETECTION LIMITS = Detection Limit Factor X Concentration

ACII	COMPOUNDS	mg/kg	BASE	NEUTRAL COMPOUNDS	mg/kg
21A	2,4,6-trichlorophenol	1	41B	4-bromophenvl phenyl ether	<u></u>
22A	p-chloro-m-cresol	1	42B	bis-(2-chloroisopropyl) ether	<u>_</u>
24A	2-chlorophenol	1	43B	bis-(2-chloroethoxy) methane	
31A	2,4-dichlorophenol	1	52B	hexachlorobutadiene	1
34A	2,4-dimethylphenol	1	53B	hexachlorocyclopentadiene	<del>-</del>
<u>57A</u>	2-nitrophenol	1	54B	isophorone	<u>+</u>
58A	4-nitrophenol	1	55B	naphthalene	<u>.</u>
59A	2,4-dinitrophenol	5	56B	nitrobenzene	1
60A	4,6-dinitro-o-cresol	1	61B	N-nitrosodimethylamine	5
64A	pentachlorophenol	1	62B	N-nitrosodiphenylamine	<u></u>
65A	phenol	1	63B	N-nitrosodi-n-propylamine	1
			66B	bis-(2-ethylhexyl) phthalate	9
			67B	butyl benzyl phthalate	
BASE	:/NEUTRAL COMPOUNDS		68B	di-n-butyl phthalate	<del>:</del>
<u>1B</u>	acenaphthene	1	69B	di-n-octyl phthalate	1
<u>5B</u>	benzidine	27	70B	diethyl phthalate	1
<u>8</u> B	1,2,4-trichlorobenzene	1	71B	dimethyl phthalate	8
<u>9B</u>	hexachlorobenzene	1	72B	benzo(a)anthracene	1
12B	hexachloroethane	1	73B	benzo(a)pyrene	<u> </u>
18B	bis(2-chloroethyl)ether	1	74B	3,4-benzofluoranthene	2
20B	2-chloronaphthalene	1	75B	benzo(k) fluoranthene	2
25B	1,2-dichlorobenzene	1	76B	chrysene	2
26B	1,3-dichlorobenzene	1	77B	acenaphthylene	1
<u>27B</u>	1,4-dichlorobenzene		78B	anthracene	1
28B	3,3'-dichlorobenzidine	38	79B	benzo(ghi)perylene	1
35B	2,4-dinitrotoluene	1	80B	fluorene	1
36B	2,6-dinitrotoluene	1	81B	phenanthrene	1
37B	1,2-diphenylhydrazine(azoben	zene) 3	82B	dibenzo(a,h)anthracene	1
<u>39B</u>	fluoranthene	1	83B	indeno(1,2,3-cd)pyrene	1
40B	4-chlorophenyl phenyl ether	1	84B	pyrene	1

Hu Gary Coalley mon

# SURROGATE RECOVERY

#### VOA FRACTION

Date: 04/15/86

Sample I.D.	Benzene-d6	Toluene-d8	Ethyl Benzene-d <sub>10</sub>	Bromofluoro- Benzene
MW-1	113	139	128	146
MW-3	114	145	139	158
MW-4	114	134	123	144
			:	
		-		
	MW-1 MW-3	MW-1 113 MW-3 114	MW-1 113 139 MW-3 114 145	Sample I.D.         Benzene-d6         Toluene-d8         Benzene-d10           MW-1         113         139         128           MW-3         114         145         139           MW-4         114         134         123

Laboratory Supervisor

## MCKESSON ENVIRONMENTAL SERVICES

## SURROGATE RECOVERY

## **VOA FRACTION**

Date: 04-21 - 04-22-86

Lab No.	Sample I.D.	Benzene-d <sub>6</sub> -	Toluene-d <sub>8</sub>	Ethyl Benzene-d <sub>10</sub>	Bromofluoro- Benzene
VBM 4/21/86		97	100	100	100
8603103-01	SB1-S33-5	94	822	80	87
8603103-06	SB1-S37	92	78	78	85
8603103-11	SB2-S35	90	78	77	87
8603103-15	SB3-S36	92	79	76	85
8603103-21	SB1-S25	79	80	80	98
VBM 4/22/86		127	161	180	153
8603123-05	OW2-25'	129	159	176	151

Laboratory Supervisor


Attachment 12

See Attachment 3

Attachment 13

APR 12 '89 12:25 TETRA TECH

PAGE.02



TC-3758-02

#### REDACTED

April 11, 1989

١.

Mr. Dennis Dickerson, Chief Department of Health Services Toxic Substances Control Division 1405 North San Fernando Blvd., Suite 300 Burbank, CA 91504

Attention: Ms. Melissa Boggs

Reference: Site Assessment

Contract No. 84-84543

Task Order No. 3-3-4.0-P07590

Subtask 2

Subject: Review of Documents

McKesson Chemical Company Site

Dear Mr. Dickerson:

Per your notification received by our office on February 3, 1989, we have completed review of documents on the McKesson Chemical Company site.

#### LIST OF DOCUMENTS REVIEWED

The following documents were reviewed:

- 1. Memo of call to DHS: Report of Sulfuric acid spill on January 5, 1982;
- 2. Letter from DHS to Foremost-McKesson Chemical Company with enclosure and dated March 11, 1983;
- Letter from Foremost-McKesson Chemical Company to DHS dated May 24, 1983;
- 4. Letter from DHS to McKesson Chemical Company dated June 8, 1983;
- 5. Letter from McKesson Chemical Company to EPA, with enclosure and dated June 27, 1983;

MCK0018131

- 6. Letter from DHS to McKesson Chemical Company, with enclosure dated October 24, 1983;
- Letter from McKesson Chemical Company to DHS, dated December 22, 1983;
- 8. Letter from McKesson Chemical Company to DHS, with enclosure and dated Februry 13, 1984;
- 9. Letter from DHS to California Newspaper Service Bureau, Inc., with enclosure date February 15, 1984;
- 10. Letter from DHS to McKesson Chemical Company, dated February 29, 1984;
- 11. Preliminary Assessment, March 20, 1984;
- 12. Facility Inspection and Notice of Violation, dated April 13, 1984, and reinspection dated July 3, 1984;
- 13. Letter from McKesson Chemical Company to DHS, with attachment dated April 27, 1984;
- 14. Letter from McKesson Chemical Company to DHS, with enclosure, dated May 3, 1984;
- 15. Letter from McKesson Chemical Company to DHS, dated May 25, 1984;
- 16. Letter from McKesson Chemical Company to DHS, with enclosure, dated July 5, 1984;
- 17. Letter from McKesson Chemical Company to DHS, dated July 17, 1984;
- 18. DHS internal memorandum, with attachments, dated August 15, 1984;
- 19. Letter from DHS requiring submittal of a site characterization work plan dated October 5, 1987;
- 20. Hazardous Waste Facility Permit, issued October 16, 1984;
- 21. Letter from McKesson to DHS transmitting soil sampling results from solvent farm area, dated October 25, 1984;
- 22. DHS internal memorandum regarding cleanup of contaminated soil, dated November 28, 1984;

- 23. Letter from McKesson Chemical Company transmitting additional soil sampling results from solvent farm area to DHS, dated December 6, 1984;
- 24. Sample Analysis Request, Chain-of-Custody and analytical results of soil and liquid samples taken by DHS from the tank farm area, dated January 29, 1985;
- 25. Hazardous waste manifest #84524608 for disposal of contaminated soil containing sulfates, nitrates and chlorides to Casmalia Resources, dated April 11, 1985;
- 26. Facility Inspection Report by DHS, dated May 2, 1985
- 27. Site Inspection Report by EPA Field Investigation Team, dated August 1, 1985;
- 28. Letter from McKesson Chemical Company to DHS dated September 12, 1985;
- 29. Letter from McKesson Chemical Company to DHS dated December 2, 1985;
- 30. Letter from DHS to McKesson Chemical Company dated December 18, 1985;
- 31. Letter from DHS requiring a Solvent Tank Farm Site Investigation Workplan from McKesson Chemical Company, dated January 8, 1986;
- 32. Letter from McKesson Chemical Company in response to December 12, 1986 inspection by DHS, dated January 15, 1986;
- 33. Solvent Tank Farm Site Investigation Workplan, dated February 13, 1986;
- 34. Letter from DHS to McKesson Chemical Company with comments on Solvent Tank Farm Site Investigation Workplan, dated March 5, 1986;
- 35. Letter from McKesson Chemical Company to DHS regarding status of Site Investigation, dated April 9, 1986;
- 36. Results of site Investigation conducted by McKesson Chemical Company, dated May 21, 1986;
- 37. Letter from McKesson Chemical Company to DHS regarding sale of property, dated September 23, 1986;

- 38. Letter from DHS to McKesson Chemical Company, "McKesson Chemical Solvent Tank Farm Site Investigation EPA, #CAD060395753" comments;
- 39. Environmental Information Survey, by McKesson Environmental Services, Inc., dated November 7, 1986;
- 40. Letter from Harding Lawson Associates to DHS with RI/FS Workplan as an attachment, dated February 27, 1987;
- 41. DHS internal memorandum and comments on Site Safety Plan for RI/FS Workplan as attachment, dated March 10, 1987;
- 42. Letter from DHS to McKesson Operations Rescue Group requiring an Interim Remedial Measure (IRM), dated April 7, 1987;
- 43. Letter from McKesson to Disposal Control Services, Inc., directing to start work on IRM, dated April 10, 1987;
- 44. Letter from McKesson Chemical Company to DHS regarding progress of IRM, dated April 20, 1987;
- 45. Letter from McKesson Chemical Company to DHS regarding progress of IRM, dated April 30, 1987;
- Letter from McKesson Chemical Company to DHS regarding progress of IRM, dated May 14, 1987;
- 47. Letter from DHS to McKesson Operations Resource Group with comments on RI/FS Workplan as attachment, dated June 22, 1987;
- 48. Letter from Harding Lawson Associates to DHS, with RI/FS Workplan (revised) dated July 17, 1987;
  - 49. Letter from Harding Lawson Associates to DHS with Site Safety Plan plates, dated July 20, 1987;
  - 50. Hazard Ranking System scores, dated July 24, 1987;
- 51. Memo from DHS to RWQCB requesting transfer of lead agency status to RWQCB, dated September 2, 1987;
- 52. Memo from RWQCB to DHS denying the request, dated October 27, 1987.

APR 12 '89 12:27 TETRA TECH

PAGE.06

Mr. Dennis Dickerson April 11, 1989 Page 5

A summary of the information obtained from the above documents follows. Relevant documents from the above-referenced documents are included for ease of reference.

#### SITE BACKGROUND

#### Location

McKesson Chemical Company (site) is located at 9005 Sorensen Avenue in the City of Santa Fe Springs in Los Angeles County, California.

## History of Operations

MCK0018135

The subject site is a bulk repacking facility, previously operated by McKesson Chemical Company. The facility has closed operations effective November 1, 1986.

The site is located in a highly industrialized area. McKesson Chemical Company began operations in 1976 as a division of McKesson Corporation. The property was leased by McKesson from Harvey Joseph Sorkin, Seymour Moslin and Paul Naslin. The facility received a Part B Hazardous Waste Facility Permit from the California Department of Health Services on October 16; 1984 for storage of process-derived hazardous wastes in drums (EPA ID No. CAD 060395753). Occasionally, the facility also accepted and stored spent solvents in drums from their customers for off-site recycling [Doc. 26]. Plate 1 presents the facility layout [Doc. 48].

Approximately 1,500 gpd of corrosive wastewater were generated on-site as a result of corrosive drum rinsing operations. The wash water was drained to a PVC-lined concrete neutralization pit and was continually monitored for pH prior to discharge to the Los Angeles County Sanitary Sewer. The rinsed drums were subsequently sent to a drum recycler and reconditioner. The drums were then returned to the facility or disposed of if unusable.

Isopropyl alcohol (IPA) was used as a flushing medium to clear residual solvents from solvent discharge lines in between packaging. When IPA became saturated in the process of flushing, it was then considered a hazardous waste and was stored in a designated storage area.

The hazardous waste drum storage area consisted of a covered, bermed, concrete area which measured 26' x 20' x 0.5'. Drums contained in this area were stored on wooden pallets that provided a total storage capacity of 144 drums. A maximum of

APR 12 '89 12:28 TETRA TECH

PAGE.07

Mr. Dennis Dickerson April 11, 1989 Page 6

4,000 gallons/year of flush material was produced at this facility, which was shipped to a local recycler (Oil and Solvent Processing Company) or to Systec's incineration facility located in Lebec, California [Doc 26, p. 4].

The facility also produced storm runoff on an intermittent basis which drained to a 2' x 2' x 4' concrete catch basin. The catch basin was equipped with a locking gate valve that controlled the flow of runoff to an off-site unlined ditch to the north of the property. This ditch is a tributary to Coyote Creek. Prior to discharging any liquids contained in the catch basin, a sample was collected and analyzed at the facility's lab for pH and specific gravity.

Above-ground hazardous material tank storage was segregated at three locations adjacent to the hydrogen peroxide, corrosive and solvent repack areas. The Santa Fe Springs facility had 23 underground tanks; 14 tanks were installed in 1974-1975, and the remainder were installed in 1981 or later. All underground tanks were used to store virgin organic solvents. Table 1 shows the products historically stored in the tanks.

## Chronological History

A chronological history of the McKesson site is presented in Table 2.

# HISTORY OF SPILLS. CHARACTERIZATION AND REMOVAL ACTIONS

## SULFURIC ACID SPILL, 1979

Approximately 10,000 gallons of sulfuric acid was released due to a faulty valve. The spill was contained entirely within the corrosive dike. Approximately 7,000 gallons of acid was recovered by a vacuum truck. The balance was diluted with water, and was pumped to the on-site neutralization chamber. The soil was flooded with a soda-ash slurry in order to neutralize the soil. The spent slurry was pumped to the neutralization chamber. The upper 24 inches of soil was replaced with virgin fill and rock [Doc. 21; see Attachment 1].

#### SULFURIC ACID SPILL, 1982

Approximately 1,500 gallons of acid was reported spilled. The spill was contained within the diked area [Doc. 1; see Attachment 2]. The document indicates that McKesson planned to dispose of the wastes at BKK Landfill. No documentation is available on this removal action.

APR 12 '89 12:29 TETRA TECH

PAGE.08

# TABLE I PRODUCTS HISTORICALLY STORED IN THE STORAGE TANK AREAS McKESSON CHEMICAL COMPANY

#### Underground Storage Tank Area

Acetone

Cellosolve Acetate

Diesel

Heptane

Isopropyl Alcohol

MCK Solvent VM&P (VM&P Naptha)

Methyl Ethyl Ketone (MEK)

PX-3 (hydrocarbon solvent)

Chemical Waste Glycol Ether EG

Hexane

MCK Solvent 140F

Methanol

PX-2 (hydrocarbon solvent)

Toluene Xylene

#### Above-ground Storage Tank Area

Ethylene Glycol Glycol Ether EB Methylene Chloride Perchloroethylene (PCE) Propylene Glycol
1,1,1 Trichloroethane (TCA)
Trichloroethylene (TCE)

#### Corrosive/Oxidizer Tank Area

Acetic acid, glacial Hydrochloric acid Hydrogen Peroxide Hydeoxyacetic acid Lime slurry Nitric acid

Hydrofluoric acid (HF)

Phosphoric acid
Potassium hydroxide
Sodium Hydroxide
Sulfuric acid
Triton

APR 12 '89 12:30 TETRA TECH

PAGE.09

# TABLE 2 CHRONOLOGICAL HISTORY McKESSON CHEMICAL COMPANY SITE

McKesson begins operation at 9005 Sorensen Avenue site. 1976 Spill of 10,000 gallons of sulfuric acid. Spill reported to U.S. 1979 Coast Guard. Spill was contained within the diked area [Doc. 26, p. 6. No documentation in DHS file]. RWQCB cited facility for illegal disposal of wastewater into an December 27, 1977 unlined ditch. Chemical spills in the tank farm area reported during an March 24, 1980 inspection by County of Los Angeles, Department of County Engineer (LACE). pH of a sample obtained from yard's storm run-off catch basin was reported to be I [Doc. 11]. Spill of 1,500 gallons of sulfuric acid reported to DHS. Spill January 6, 1982 contained within diked area [Doc. 1]. LACE cited the facility for seepage of chemicals into the August 26, 1982 unlined ditch. Contaminated soil had been disposed of at BKK landfill. Cleanup of catch basin and unlined ditch ordered [Doc. 11, attachments]. Preliminary Assessment of the site prepared by DHS [Doc. 11]. March 1984 RCRA Facility Investigation conducted by DHS. Several RCRA April 13, 1984 violations were noted [Doc. 12, see Attachment]. contaminated by chemical spills were noted in solvent tank Facility was directed to characterize and storage area. remediate the hazardous wastes. Free-standing liquid in the diked area was directed to be disposed of. RCRA RCRA Facility Reinspection conducted by DHS. July 3, 1984 violations were corrected, but no action had been taken to remediate the contaminated soil [Doc. 12]. Part B Hazardous Waste Facility Permit granted for 5 years September 27: 1984 [Doc. 20]. DHS formally requested McKesson to submit a soil characteri-October 5,71984zation and cleanup plan for the solvent tank storage area [Doc. 191. McKesson reported to DHS that soil samples from depths of 1. October 25, 1984

MCK0018138

McKesson reported to DHS that soil samples from depths of 1, 3 and 6 feet were collected from three borings in the tank farm area. TCE was the sole CAM compound detected, at a level below STLC limits. Free-standing liquid was analyzed and found to contain non-RCRA wastes. The liquid was disposed of; no mitigation measure for the contaminated soil was proposed [Doc. 21].

December 6, 1984	Results of EP Toxicity tests from soil samples from the tank farm area at 6-, 12- and 18-inch depths showed that the soil samples were free of EP Toxic components [Doc. 23].
January 25, 1985	Four liquid samples and one soil sample collected from solvent tank farm area by DHS. Volatile organic contamination detected [Doc. 24].
April 11, 1985	Contaminated soil disposed of at Casmalia Resources, Hazardous Waste Manifest No. 84524608 [Doc. 25].
July 10, 1985	Site Inspection Report prepared by EPA Field Investigation Team [Doc. 27].
March 18, 1986	Solvent tank farm site investigation conducted. Three slant borings and four groundwater monitoring wells constructed. High volatile organic contaminant concentrations detected in groundwater [Doc. 36].
November 1, 1986	Facility operations were closed down. No closure plan found in DHS files.
November 7, 1986	McKesson submitted Environmental Information Survey to DHS [Doc. 39].
March 25, 1987	Site inspection conducted by DHS. Several violations were noted. McKesson was directed to dispose of unlabeled drums containing hazardous wastes and free-standing liquid (pH 12) in the solvent tank farm area [Doc. 42].
July 17, 1987	McKesson submitted a RI/FS Workplan (Revised) [Doc. 48].
July 24, 1987	HRS package prepared by DHS. Scores of $S_{M} = 27.13$ , $S_{FE} = 0.00$ and $S_{DC} = 0.00$ was assigned to the site [Doc. 50].
September 2, 1987	DHS requested transfer of lead agency status to RWQCB due to groundwater contamination from the site [Doc. 51].

October 27, 1987 Request denied by RWQCB [Doc. 52].

APR 12 '89 12:31 TETRA TECH

PAGE.11

Mr. Dennis Dickerson April 11, 1989 Page 7

## ILLEGAL DISCHARGE INTO CREEK

The first record of citation for illegal discharge of waste-water into the creek was in 1977. Subsequently, the facility was cited in 1980 and 1982 for illegal discharge. In 1982, LACE directed the facility to clean up chemical contamination of the creek [Doc. 11; see Attachments 3,4]. Tetra Tech did not find any documentation showing that the creek was remediated.

# SUMMARY OF SITE INVESTIGATIONS AND INTERIM REMEDIAL MEASURES

A summary of investigations conducted at the site and remediation measures adopted follow. The results of these investigations are included as tables and attachments, whichever is appropriate.

## INTERIM REMEDIAL MEASURES, 1982

MCK0018140

Visual signs of chemical contamination had been reported in 1982. LACE directed the facility to mitigate the contamination. McKesson excavated the soil and disposed of the soil in BKK Landfill [Doc. 11].

INTERIM REMEDIAL MEASURES AT THE SOLVENT TANK FARM AREA, 1984

In a facility inspection on April 13, 1984, DHS observed signs of visual contamination in the solvent tank farm area. DHS required the removal of free-standing liquid in the tank farm area and cleanup of contaminated and sub-surface soils [Doc. 12].

In a letter dated April 27, 1984 [Doc. 13], McKesson intimated DHS that the RCRA violations were corrected. A re-inspection conducted on July 3, 1984 revealed that no action had been taken regarding disposal of wastes from the tank farm area [Doc. 12; see Attachment 5]. On October 5, 1984, DHS formally requested McKesson to submit a site characterization and clean up plan for the contaminated area [Doc. 19].

McKesson analyzed a sample collected from the free-standing liquid and determined the liquid to be a mixture of rainwater, glycols and glycol ethers [Doc. 21; see Attachment 6]. These are not listed as RCRA wastes. However, Doc. 21 does not include the results of other analyses that may have been conducted on the sample and also does not include the laboratory certificate of analyses. No QA/QC documentation was found. Doc. 21 mentions that the liquid was disposed of. Specifics of the disposal methods are unknown.

APR 12 '89 12:32 TETRA TECH

Mr. Dennis Dickerson April 11, 1989 Page 8

Soil samples were collected from 1-, 3- and 6-foot depths from sampling locations shown on Attachment 7 [Doc. 21]. The rationale for selection of the sampling locations is unknown. The document indicates that the undisturbed soil samples were collected and handled in accordance with EPA-recommended protocol.

The document reports that trichloroethylene (TCE) was the only CAM-identified compound. The results of the analyses are shown in Attachment 8. The maximum TCE concentration was 33 ppm and was determined to be 14% of the CAM STLC limit.

#### QC/QC

The document does not indicate what analyses were conducted on the samples. No QA/QC documentation is attached.

#### Additional Soil Sampling

McKesson conducted EP Toxicity tests on two soil samples collected from the dike area [Doc. 23]. The sampling loctions or the rationale for choosing the locations are unknown. The samples were collected from depths of 6 inches and 12-18 inches. The results of the analyses are shown in Attachments 9. The test results indicate that the samples were free of EP Toxic compounds. No QA/QC documents were found.

## Liquid Sampling, January 25, 1985

MCK0018141

DHS collected samples of free-standing water in the solvent tank farm and caustic tank farm [Doc. 24]. The samples were analyzed for heavy metals, pH, headspace analysis by GC/MS and flammability. The results of the analyses are presented in Table 3.

Results of the analyses indicate that the free-standing water was contaminated with high concentrations of volatile organics. Heavy metal contamination was minimal. The standing water in the caustic tank farm did not seem to be contaminated.

#### Proposed IRM

In Doc. 21, McKesson argued that since there was no evidence of contamination of soil in the solvent tank farm area, IRM was not warranted. However, the company proposed to excavate the top 12-18 inches of soil and lay a concrete floor. No documentation on DHS comments or further action by McKesson could be found in the files. A Hazardous Waste Manifest for disposal

PAGE.13

#### TABLE 3 ANALYTICAL RESULTS OF SAMPLES COLLECTED FROM TANK FARM McKESSON CHEMICAL COMPANY SITE

Collected by: DHS Date of Collection: Jan. 25, 1985

Sample No	. <u>Matrix</u>	Field Information	Heavy Metals	Volatiles mg/l	Flash Point	На
MC001	Liquid	NE Corner - Plant	Cd=0.8 Cr=1.1 Cu=3.3 Ni=1.8 Pb=5.2 Zn=4.7	-	·	8.2
MC002	Soil	Intake - Solvent tank farm	-	Acetone=100 mg/kg	-	-
MC003	Liquid	Standing pond - Solvent tank farm	-	Acetone=6,800 Isopropyl alc.= 3,100 1,1,1 TCA=370 PCE=14 Butyl cellusolve= 32,000	140	
MC004	Liquid	Standing water in caustic tank farm	Cd=0.9 Cr=2.4 Cu=3.3 Ni=2.6 Pb=6.7 Zn=3.0.	. •	<b>-</b>	8.5
MC005	Liquid	Standing water in caustic tank farm	Cd=1.1 Cr=1.8 Cu=5.0 Ni=3.6 Pb=12 Zn=2.2	· -	<del>-</del>	9.5

MCK0018142

of contaminated soil, dated April 11, 1985 [Doc. 25] was found. This Manifest may have been for disposal of contaminated soil generated during the proposed IRM.

The proposed concrete floor would serve only as a partial barrier to contaminated water due to concrete's porosity. It is not known if any liner material was underlain below the floor. Therefore, if the floor was constructed without any liner, the potential of contamination of the underlying native soil remained.

SOLVENT TANK FARM SITE INVESTIGATION, MARCH 18, 1986

In order to characterize the solvent tank farm area and to determine the extent of contamination, DHS required submittal of a tank farm site investigation plan for its review [Doc. 31] on January 8, 1986.

The Site Investigation Workplan was submitted to DHS on February 13, 1986 [Doc. 33]. The tank farm was proposed to be divided into 12 equal parts. A total of 11 soil boring locations to 10 feet depth were proposed and samples were to be collected at 4-5 foot intervals with California Sampler. The Workplan was modified by DHS to require sampling to a depth where contamination was not detectable by odors or visual determination [Doc 34].

The site investigation was conducted on March 18, 1986, in the presence of the DHS Project Officer.

Doc. 36 presents the data collected during the site investigation. Three slant soil borings underneath the solvent tank farm area and four monitoring wells into an apparent perched water table were constructed. Attachment 10 shows the locations of the borings and the wells. Tetra Tech could not determine the reason for constructing slant soil borings and monitoring wells instead of following the Workplan. Soil samples were collected at 5-foot intervals, and the depths of soil samples analyzed ranged from 25 to 37 feet. Three water samples were also analyzed.

#### Analytical results

MCK0018143

Table 4 presents the results of the analytical program. The samples were analyzed for purgeable volatile organics (EPA 624/8240), Total hydrocarbons (EPA 610/8100), non-halogenated volatiles as methanol (EPA 8015), semi-volatile organics (EPA 8270) and sorbitol (HPLC). Analyses of water samples from 3 wells indicated high concentrations of volatile organic

APR 12 '89 12:34 TETRA TECH

PAGE.15

#### TABLE 4 ANALYTICAL RESULTS OF SOLVENT TANK FARM INVESTIGATION MARCH 1986 McKESSON CHEMICAL COMPANY SITE

Sample No.	Depth (feet)	Purgeable Organics EPA 624/8240 (mg/L/mg/kg)	Total Hydrocarbons EPA 610/8100 ( g/L/mg/kg)	Nonhalogenated Volatiles as Semi-volatiles Methanol EPA 8015 EPA 8270
Water Samp	les			
MW-1		1,1 DCA=2.5 1,1 DCE=32 Methylene Ci=430 PCE=110 Toluene=18 1,1,1 TCA=880 TCE=4.5 Freon 113=0.5 Acetone=430 lsopropanol=130 MEK=210 Butyl cellusolve= 130		
MW-3		I,1 DCE=7.5 Methylene Cl=67 PCE=22 I,1,1 TCA=220 TCE=1.5 Acetone=23	51 THC as diesel= 250	
M₩-4		1,1 DCA=5 1,2 DCA=11 1,1 DCE=34 Meth Cl=730 PCE=96 Toluene=38 1,1,1 TCA=740 TCE=31 Xylenes=3 Acetone Butyl cellusolve= 270	THC=7000 Napthalene=24	

PAGE.16

## Table 4 (cont.)

Sample No	<u>Depth</u> (feet)	Purgeable Organics EPA 624/8240 (mg/L/mg/kg)	Total Hydrocarbons EPA 610/8100 ( g/L/mg/kg)	Nonhalogenated Volatiles as Methanol EPA 80	Semi-volatiles 15 EPA 8270
Soil Sampl	es				
SB1-S25	25'	1,1 DCE=0.93 Ethyl Benzene= 0.63 Meth Cl=0.2 Toluene=3.7 1,1,1 TCA=56 TCE=0.55 Freon 113=0.78 Xylenes=2.7 Acetone=2.3	THC=14	2	
SB1-S30	30*	1,1 DCA=0.2 Meth Cl=4.3 PCE=2.2 Toluene=0.2 1,1,1 TCA=2 TCE=0.1 Acetone=200 MEK=130 Butyl cellusolve=390	THC=37 Napthalene	11	Napthalene=0.2 Propanols=20 Ethanols=93
\$B1-\$37	<b>37'</b>	Meth CI=1.8 PCE=0.13 1,1,1 TCA=0.08 Acetone=60 MEK=51 Butyl cellusoive= 87	ND	5	
SB2-S35	35°	Meth Cl=2.2 PCE=0.05 1,1,1 TCA=0.03 Acetone=2.7 MEK=2	ND	9	
SB3-S36	36'	Meth Cl=3.5 PCE=0.18 1,1,1 TCA=1.1 Acctone=1.4	ND	8	MCK0018145
OW2-25 (MW-2)	25'	PCE=0.05 Acetonc=5.4	ND	ND	

APR 12 '89 12:35 TETRA TECH

PAGE.17

Mr. Dennis Dickerson April 11, 1989 Page 10

contaminants. Soil samples chosen for analyses were from depths at or below the perched water table. Significant concentration of volatile contaminants were also detected in the soil samples. The results seem to indicate that there is an attenuation of migration of contaminants with depth.

#### Quality Control

The laboratory results include duplicate analyses and matrix spike recovery results. The range of variance between the results are within acceptable limits. No chain-of-custody forms were found with the analytical results.

INTERIM REMEDIAL MEASURES, 1987

DHS conducted a site inspection on March 25, 1987 and observed that approximately 36 drums containing unknown hazardous wastes stored on-site. DHS also discovered several cases of chemicals in the laboratory and free standing liquid in the tank farm area. The liquid pH was tested to be 12. DHS ordered a

IRM was undertaken by McKesson [Dos. 44-46]. However, records of waste manifests, analytical results or documentation indicating that the IRM was completed were not found in the files.

cleanup of the area and also required that all underground tanks and lines should be emptied and disposed of [Doc. 42].

#### ENVIRONMENTAL INFORMATION SURVEY

MCK0018146

An Environmental Information Survey (EIS) was prepared by McKesson and submitted to DHS [Doc. 39]. This report is a summary of the information collected to develop a general understanding of the area in the vicinity of the site. The topics that are discussed in this report are as follows:

- o The regional hydrogeology of the Santa Fe Springs area;
- An inventory of water wells within a two-mile radius of the property;
- An inventory of oil wells within a one-mile radius of the property;
- A review of soil and groundwater studies conducted at facilities located in the vicinity of the property;
- An inventory of registered underground storage tanks previously used by the McKesson bulk plant; and

APR 12 '89 12:36 TETRA TECH

PAGE.18

Mr. Dennis Dickerson April 11, 1989 Page 11

MCK0018147

o A reference list of data source used to compile the information contained in this report.

Doc. 39 reports the existence of 21 production wells within a 2-mile radius of the facility [see Attachment 11]. Attachment 12 shows the well locations. Water quality data were reported for some of the listed water wells (6 within 2-mile radius, 1 within 1-mile radius) including analyses for general minerals, volatile organics, metals and pesticides. Attachment 13 shows the results of the analyses.

Approximately 200 oil wells are located within a 1-mile radius of the property. All the oil wells are to the south of the plant (downgradient of the facility).

The document lists 23 underground storage tank at the facility [see Attachment 14]. The document reports that all the tanks were empty when the report was prepared and all of the tanks would be removed in accordance with approved closure plans.

#### SITE HYDROGEOLOGY

The site is located in the Montebello Forebay area of the Central Basin which is located in the Coastal Plan of Los Angeles County. Geologic cross sections and lithological logs from nearby wells indicate the site is underlain in order of increasing depth by the Gaspur, Gardena, Lynwood, Lilverado and Sunnyside aquifers. The Lynwood, Silverado and Sunnyside aquifers produce water of sufficient quality and quantity to be used for domestic consumption throughout the Coastal Plan. The closest drinking water well is located on Dice and Burke Road which is approximately 1/3 mile north of the site. depth of this well is 904 feet, and screened intervals are located from 200-288 feet and 300-900 feet. Depth to water in this well ranges from 57-71 feet below ground surface. Altogether, 21 production wells are located within a two-mile radius of the facility. The well depths range from 70-foot to 1052-foot below ground surface. The average water elevation in these wells ranged from 43-foot to 85-foot below grade (records were available for 4 wells). Three wells are located within 1mile of the facility. The shallowest depth is 70-feet. Water elevation is not known. Groundwater contours derived from water levels in nearby wells tapping the shallow aquifers (i.e., less than 300 feet deep) indicate that local flow direction is slightly east of south.

The geologic logs for the monitoring wells and the slant borings are attached to Doc. 36. The logs indicate that silty

and sandy clays exist up to a depth of 10 feet, followed by sand and gravelly sand up to a depth of 27 feet. Silty clay and clayey silts range from 27 feet to 40 feet below the surface.

A perched water table was found to exist at a depth of 29 feet. The direction of groundwater flow was established to be southwesterly. The depth of an unconfined acquifer is not known.

The geologic logs reported an "odor" in the samples. DHS field notes identifies the odor as solvent odor.

#### SITE INSPECTION REPORT

A Site Inspection Report was prepared by EPA Field Investigation Team (FIT) [Doc. 27]. The Report presents information on process description, waste streams, waste handling and management practices. This information has been summarized in previous sections.

The Report indicates that a RCRA inspection was conducted by DHS on January 13, 1984 and that 6 surface samples were collected from the solvent tank farm area [p. 5]. The samples were analyzed for priority pollutants. Tetra Tech did not find any documents in the files regarding this sampling event. The Report refers to its Appendix D for sampling results. However, Appendix D includes only the reports of the January 25, 1985 DHS sampling event [Doc. 24].

FIT also conducted a visual site inspection on February 26, 1986. The FIT reports that there was a discrepancy in the account of events described in correspondence to DHS [Doc. 21; see Attachment 1] and the description of actions offered by Production Operations Manager (Bill Crumm). FIT was told that the unrecoverable sulfuric acid was sold to San Joaquin Valley farmers as a soil supplement.

During the inspection, FIT was told that during heavy rains, the surface run-off catch basin overflowed and ponding occurred. FIT did not observe visible discoloration or stains of the ditch.

The Report lists the following four areas of concern:

- 10,000-gallon spill of sulfuric acid in 1979;
- Releases within the solvent tank farm berm associated with operating procedures;

MCK0018149

- 3. Waste discharges to the off-site unlined ditch; and
- 4. Twenty [Doc. 39 reports 23] single-walled, unprotected underground tanks containing virgin organic solvents.

#### RI/FS Workplan

McKesson submitted a RI/FS Workplan (prepared by Harding Lawson Associates) to DHS [Doc. 48] in order to identify and characterize the nature and extent of contamination.

The investigation was proposed in two phases. Phase I was proposed to obtain initial soil and groundwater samples in areas where known or suspected releases have occurred. Phase 2 was proposed to obtain data to more completely characterize the subsurface conditions at the site and the nature and extent of any soil/groundwater contamination found.

The RI proposed soil borings in the underground tank areas, solvent tank farm and caustic/oxidizer tank farms. Plate 1 shows the proposed boring locations. The workplan proposed that the borings would extend below any soil contamination (based on field measurements and observations) or until groundwater or a competent clay layer was encountered. Soil samples would be collected from 5-foot intervals to the full depth of the boring. Monitoring wells were proposed to be installed if groundwater was encountered and contamination was suspected.

Soil screening in the underground tanks and solvent tank farm was proposed with a photoionization detector (PID) and/or an organic vapor analyzer (OVA) for volatile organic compounds. Soil samples exhibiting the highest levels of organics (about two per boring) would be analyzed. Water samples would be collected and analyzed from all wells that contain groundwater.

The samples from the underground tank area were proposed to be analyzed for volatile organics (EPA 8240/624) and glycols. Samples from boring next to a diesel tank would be analyzed for total petroleum hydrocarbons (EPA 418.1). Soil samples from the solvent tank farm area would be analyzed for volatile organics, glycol and extractable organics (EPA 8270/625).

The soil samples from corrosive/oxidizer tank area would be screened by measuring the pH of the soil-water extract. The soil samples (about two per boring) exhibiting unusually low or high pH values would be analyzed for pH and for ion speciation (ion chromatography). Water samples would also be analyzed for pH in the field and ion speciation.

#### **REDACTED**

Samples from the neutralization pit area and railroad spur areas, loading platforms, pipe trench surface, truck pits and freon blending area would be screened for PIT/OVA readings and pH. The samples would be analyzed for pH, ion chromatography, volatile organics, glycols and extractable organics.

The workplan also proposed to install three "deep" wells (50-70 feet deep) in areas where on-site contamination in the Perched Aquifer is unlikely (see Plate 1). These wells were proposed to determine the groundwater flow direction in the Lower Aquifer, upgradient background water quality. Soil samples from these wells would be collected at 5-foot intervals and analyzed for volatile organics, glycols and extractable organics.

#### HAZARD RANKING (MITRE MODEL)

A HRS package (Mitre model) was prepared by DHS on July 24, 1987 [Doc. 50]. A score of  $S_{M}=27.13$ ,  $S_{FE}=0.00$  and  $S_{DC}=0.00$  was assigned to the site. The HRS package did not record release of contaminant into a surface water body. However, release into an unlined ditch from the facility has been reported in the PA [Doc. ]. The water use of the ditch is not known. Hence, Tetra Tech cannot determine if this correction will change the  $S_{M}$  score.

#### OFF-SITE RECONNAISSANCE

Tetra Tech conducted an Off-Site Reconnaissance of the site. The site is located in an industrial land-use area. Adjacent and to the west of the site is an agricultural plot. The site consists of a building which used to serve as a warehouse and an office. It also consists of several aboveground storage tanks. The site is fenced and has restricted access. Parallel to the fence on the north side of the site runs a surface water ditch and a railroad (see sketch). Any requirement for Interim Remedial Measures could not be determined from our survey. Our field observations are recorded on an Off-Site Reconnaissance Report Sheet [Appendix A].

#### DISCUSSION

MCK0018150

#### EXTENT OF CONTAMINATION

Chemicals spills and visual signs of contamination in the tank farm areas were reported at the site. McKesson undertook IRMs in an effort to clean up the contaminated soil at the direction of regulatory agencies. However, no soil samples were col-

APR 12 '89 12:39 TETRA TECH

PAGE.22

Mr. Dennis Dickerson April 11, 1989 Page 15

MCK0018151

lected to determine the extent of the contamination and the success of the IRMs.

In a site investigation conducted by McKesson, significant concentrations of contaminants were detected in the perched groundwater. The soil overlying the water table was visually observed to be contaminated. Odors were also detected. However, no soil samples were collected. Soil samples collected from layers underlying the water table were also contaminated. The contamination seemed to be attenuated with depth of the soil layer. It is not known whether the underlying producing water tables are contaminated.

Visual signs of contamination were also detected in the ditch next to the site. The facility was ordered to characterize and remediate the contamination in 1982. It is not known if this remediation was performed, or whether there were further discharges into the creek after 1982.

The DHS regulatory action on the site, as determined from the files, has been concentrated on the above-ground tank farm areas. The extent and nature of contamination from underground tank farms is not known.

## REVIEW OF RI/FS WORKPLAN

The RI/FS Workplan was designed to characterize potential soil and groundwater contamination from the site. The Workplan was submitted to DHS in 1987. DHS should determine if the Workplan has been implemented and review the results of the investigations. Tetra Tech's comments on the Workplan are as follows:

- 1. The proposed locations of the soil borings and the sampling strategy is acceptable for determining the nature of contamination of the perched groundwater table and overlying soil.
  - Soil samples should be collected from layers underlying the perched water table to determine the vertical extent of contamination.
  - Samples should be collected from the ditch to determine contamination due to illegal discharge.
  - 4. A review of the lists of chemicals stored on-site (Table 1) and properties of the chemical solvents (Appendix A, RI) indicate compounds that may not be identified by the proposed analyses (alcohols and hydrocarbons). Therefore, a Total Petroleum Hydrocarbon analysis (EPA 418.1) may be

APR 12 '89 12:40 TETRA TECH

PAGE.23

Mr. Dennis Dickerson April 11, 1989 Page 16

performed on the soil samples to determine the total hydrocarbon contamination.

## QA/QC REVIEW OF DATA

The site investigation reports submitted by McKesson do not include any QA/QC documentation, including sampling methods and preservation, chain-of-custody forms, and test methods used. Therefore, quality of data is unknown and questions exist about specific analysis. In order to establish the validity of the analytical results, all available QA/QC data and test methods applied should be obtained from McKesson Chemical Company.

#### CONCLUSIONS

Tetra Tech's observations from the review of available documents on the McKesson Chemical Company site are summarized as follows:

- There are detectable concentrations of compounds stored on-site in the groundwater, and in the underlying soil strata. Contaminants of soil overlying the water table have been visually confirmed.
- o The adequacy of IRMs is not known. The extent of contamination in the surface channel is unknown.
- o The RI/FS Workplan is generally acceptable.

#### RECOMMENDATIONS

The McKesson site is an inactive site. A remedial investigation should be conducted to determine the nature and extent of the contamination. Based on the data obtained from the RI, an appropriate site closure process should be determined.

This review has been based on the reports, workplans and other documents made available to us by DHS. We have not made any effort to independently verify any information presented in these documents. If you have any questions regarding this letter, please call me or Tesfai Habte at (818) 449-6400.

Very truly yours,

TETRA TECH, INC.

MCK0018152

91:241 ; #24

APR 12 '89 12:40 TETRA TECH One Post Street, San Francisco CA 94104 Tel 415 983-8300 PAGE.24

RECEIVED 127 MASS

M-Kesson

October 25. 1984

OCT 2 9 1984

Mr. Jim Smith California Department of Health Services Toxic Substances Control Division ANGELES Southern California Section 107 S. Broadway, Room 7128 Los Angeles, California 90012

TD-85142

EPA #CAD 060395753

Dear Mr. Smith:

In your letter of October 5, 1984 you requested a number of items from us. These included our immediate clean up of surface and subsurface contamination to the levels specified in the California Assessment Manual (CAM), a site investigation plan, and information on spill incidents and the now removed storage tank.

The standing liquid Ms. Robinson noted in her April 13, 1984 report has been removed. The liquid was a mixture of rainwater, glycols, and glycol ethers, none of which is a CAM identified compound. The results of our analysis of this liquid are summarized in Table I.

When Mr. Landry and I met with Ms. Robinson on October 3, 1984 we advised her that we had already sampled the soil in the solvent dike area but that the results were not yet available. These samples were collected at the 1, 3, and 6 foot depths in each location using a Veihmeyer soil sampler, auger, or pipe as appropriate. All samples were collected, stored, and transported according to EPA-recommended protocol. The location of each soil boring is shown on Figure 1.

The soil samples were analyzed by McKesson Environmental Services, a laboratory certified by DOHS for these analyses. The only CAM identified compound detected was trichloroethylene, and its concentration was only about 14% of the CAM STLC limit. The actual trichloroethylene concentrations are summarized in Table II.

4-12-89; 12:42 FM; AERUA IELEGUFIER 230 ;

APR 12 '89 12:41 TETRA TECH

PAGE.25

MIACHMEN! +

917241 ; #25

(CUNLO)

MR. JIM SMITH OCTOBER 25, 1984 PAGE TWO TD-85142

The results presented in Table II and our knowledge that the other CAM compounds are not handled at this facility indicate to us that further investigation and extensive excavation are unwarranted. However, we do plan to place a concrete floor in this storage area. We propose to remove and properly dispose of the upper 12-18 inches of soil and lay a concrete floor. We trust this plan meets with your approval.

Concerning the spill incidents, there has been only one significant incident since the plant was built 10 years ago. In 1979 we released approximately 10,000 gal of sulfuric acid due to a -faulty value. This acid was entirely contained within the corrosive dike and the release was reported as required to the US Coast Guard. We recovered approximately 7000 gal by vacuum, diluted the balance with water, and pumped the more dilute solution to the on-site neutralization pit where it was neutralized. We then twice flooded the soil with a soda ash slurry and pumped that mixture to the neutralization pit. Finally, we replaced the upper 24 inches of soil with virgin fill and rock.

Ms. Robinson also asked about the circumstances surrounding the removal of one storage tank from the solvent storage diked area. This tank contained 37% formaldehyde. In 1982 we moved this tank into the corrosive diked area merely for reasons of chemical compatibility. The tank was not leaking at that time and indeed, is still in service.

We trust this information is satisfactory. Mr. Landry and I would be happy to meet with you and Ms. Robinson to answer any further questions you may have.

Sincerely.

Douglas L. Eisner Technical Director

DLE:da

cc: L. D. Landry

APR 12 '89 12:42 TETRA TECH ATTACHMENT 4

PAGE.26 Department or realth services Mazardous Materials Management Section

te St California—Health and Welfare Assert	Mazardous Materials Management Section
MEMO	OF CALL FILE: SPILL REPORTS
m: Bill Crum—  m: McKesson Chemical Co.  dross: 9005 Sorens en Ane  Sta. Fr Springs	Date: 1/6/82  Time: 8 29 PM  Person Taking or Making Call: Carme, lify £. Lompin
lephone No.: (213) 698 6201	
bject: H-504 Spill report	
BKK will be pro-	hand clean up wantes to  unly manifested  TSO # only a generator of waste
	MCK0048155

<i>i ₹</i> ∠∪	APR 12 '89 12:42 TETRA TECH	1818 3518126.→	91,241; #2, PAGE.27
Ment Services Iment Section		( '	MI Memore.
lepont!			
		<b></b> -	
	city of Sai	TA FE SpeWGS	•
lomain			
	NOTICE OF	VIOLATION	•
	A:	ID	•
	ORDER TO	COMPLY	
		Ĭ.	
<del></del>		Date	April 7, 1980
	-	File	I-2130-14
	Mª KESSON CHAMICAL		
	M- KESSON CHEMICAL	1 0 7 5	
	cation 2005 S. SARENSEN A	Wey Sanla Fa	SORINGS
	You are hereby directed to core	rect the following	ng violations of City
	South F. SunGrande No. 56	and/or the	conditions and
	mitations of Industrial Waste Dispose	al Fermit No. 37	85 by fail 21
_	£2.		
	1. REPAIR THE KEYS	SWITCH PU	mp so Tite
waste.	HOLDING SUMP.		
	7. ALL LIQUID WASTE	Spills IN	THE TOOK FOR
	AREA MUST BE CL	EAN-UP.	
	3. INDUSTRIES WASTEN	oten Disa	HONGE RECORD
	MUST BE KEPT A	AND ANDILL	14 18 For 1:150 F.J.
	4. YOUD GOTCH BASIS	V MUST E	E FREE OF
	INDUSTRIAL WASTE	at NOT	art 5.
	MOUSTRIAL MIDIE		
	DEPT. OF COUNTY OF LOS AIRGELES	Mo	CK0018156
	DEPT. OF COUNTY ENGINEER-FACILITIES SANITATION DIVISION		<del></del>
		,	17 ( ) ( )
	JERRY WONG INDUSTRIAL WASTL INDINICH INSP.	By Sie	Z Transfran

PAGE.28

# CITY OF SouTH TE Strucks

NOTICE OF VIOLATION
AND
ORDER TO COMPLY

TO ME KESSON CHAMICAL CO. - ATTENTION: WE. DON WETISTEAD

MCK0018157

File I-Z130,-14

LOCATION 9005 5. SORENSEN AVE. , SONTA FE SPRINGS You are hereby directed to correct the following violations of City The Sanute Ordinance No. 562 and/or the conditions and limitations of Industrial Waste Disposal Fermit No.385 by SERETON 1980. PISCHARGING INDUSTRIAL WASTE INTO THE UNLINE DITCH IS AN VIOLATION OF THE ABOVE CITY ORTHANKE YOU ARE HOREBY THREETED TO CARE AND DESIST THE DECHMEN, AND CLEWLD THE UNLINE DICH AT ONCE YOU ARE ALSO DREGED REPORT TO THIS OFFICE BY SEPTEMBER 10,1980, A COMPLETE DETAILS OF THE ACTION TAKES TO COMPLY WITH THE AFFORE YIOLATION. Stories YOU HAVE ANY ME AT SLEG-701 EXTENSION 255 HOURS 8-9 a.M. WEKDAYS. DEPT. OF COUNTY ENGINEER SWITHTION DIVISION 16623 BOUFLOWER BLID.

APR 12 '89 12:44 TETRA TECH

PAGE.29

STATE OF CALIFORNIA NEALTH AND WILITARE AGENCE	George Daukrejian, com
DEPARTMENT OF HEALTH SERVICES	
197 SOUTH BROADWAY, ROOM 7128 LOS ANGELES, CA 90012	
(213) 620-2380	
FACILITY INSPECTION	Reinspection 1-3-80 Date of Inspection: 4/13/89
A I.D. 1 CADO60395753	inspector's Name: Maron Robinson
Halling Address Hailing Address	Ownership
Mc Kesson Chem Divion Mc Kesson Chemics	al Division SAME
· 9005 Sorrusen Auc. I Post Street	Dioperty lease Horsey Sorkin
SANTA FE SPRINGSCA Som Froms 1500 Co	Sama Moslin Moyl Wasting For So
90670 9410	<u> </u>
unty Los Angeles Type of business:	Persons present
paract Person Bill Wastro	Bill R. CRUMM
10Et 1 (13) 946-8555	
mples taken: Yes (receipt attached) No	Avg. Gen. Rate (monthly:
lan of Correction necessary: Yes (Due date:	
Sauche Soil in dikensulphuric acid tent for Sauche Soil in dikensulphuric acid tent for how wood attermination. No free Standing on the tent four own upless actively provided the tent four waste material should be obtained in the people was a har orders was a light to be of the left.	im submit analysis to Dept.
Soughe Soil in dikensulp No free Standing	Landers voir water
on hay waste atternitation of lakes actively po	unging to the tack tan areas
in the tank four water makerial should be	to of Carbo treatment 13
follow. No harrestus de a har around we	semit Section is required.
Should notification to moder	t drunstowne. Within is
le salile spore is require	ted + to written from to The
on how was deposited on the sould be well by the tent for ones when a should be should be should be should be should be should be disposed as a har orders was should be disposed as a required for phodus dequate alide space is required for phodus these issued defined on the NOU stall be considered to be stall be considered.	o of Enforcement Section
bellier operating under ISD? Tes / No	
4 - 414	d under outhority of Section 25185.
In this date an inspection of your facility was conducted the safety Code and Section 66328, California Health & Safety Code and California Health & Safety Cod	formis Administrative Code. The collect
samples or other evidence, including the target	- wieletions of one or more Sections of
Section 66328, California Administrative Code. Special California	Administrative Code, Title ZZ; or Code
California Health & Safety Code, plyished to distinct the detected of the attached of the detected of the attached of the detected of the detection, and/or distinct the detection of the detecti	
bazardous waste.	
uthorized Representative of Firm*	Authorized State Agent
.ane	Rine Mrgan L. Robinson

APR 12 '89 12:45 TETRA TECH

PAGE.30 ATTACHMENT 6

## TABLE I. ANALYSIS OF STANDING LIQUID

CHEMICAL COMPOUND	COMMON NAME	CONCENTRATION,  ppm
2-Butoxy Ethanol	Butyl Cellosolve	2,700
2-Methyl-2.4-pentanediol	Hexylene Glycol	1,100
Oxybis Ethanol	Diethylene Glycol	11,000
Butoxyethoxy Ethanol	Butyl Carbitol	9,400
2-Phenoxy Ethanol	None	2,300
<pre>CEthanediyl bis(oxy)]bis-ethanol</pre>	None	23,000
Methoxyethoxy Ethanol Acetate	Methyl Carbitol Acetate	110
Phenoxyethoxy Ethanol	None	1,500
		•

Unknowns were detected at scan numbers of 338, 360 and 461 with a total concentration estimated to be 2,400 ppm.

APR 12 '89 12:45 TETRA TECH

PAGE. 31
ATTACHMENT 7



TANK AREA

8-2 ©

B-3 ©

OFFICE

OFFICE

B-4 ©

FILL SHELTER

LEGEND

O BORING

NOT TO SCALE

MCK0018160

Ragmand. McKesson Chemical Company Site Plan

APR 12 '89 12:46

TETRA TECH

917241 ; #32

PAGE.32

ALTACIMENT 8

## TABLE II. TRICHLOROETHYLENE CONCENTRATIONS

## TRICHLOROETHYLENE CONCENTRATION, ppm

BORING 2 BORING 3 BORING 4 BORING 5  $\frac{1 \text{ ft}}{\text{nd}} \quad \frac{3 \text{ ft}}{4.0} \quad \frac{6 \text{ ft}}{0.03} \quad \frac{1 \text{ ft}}{\text{nd}} \quad \frac{3 \text{ ft}}{0.07} \quad \frac{6 \text{ ft}}{\text{nd}} \quad \frac{3 \text{ ft}}{33.0} \quad \frac{6 \text{ ft}}{\text{nd}} \quad \frac{3 \text{ ft}}{0.008}$ "nd" means not detected above a detection limit of 0.100 - 1.00ppm

PAGE.33

ATTACHMENT 9

APR 12 '89 12:46 TETRA TECH

532 Curk evenus e stilute participation in the 115 egy et la Gustine Contomia 501 721 1316

## Analytical Results McKesson Technical Services

Mikesson 7164-QD

Pate Received: 10/11/84 hate Reported: 10/29/84

					······	<del></del>
Lab No.:	17143	17144	17145	17146	17147	DETECTION
Fample I.D.:	1A	1B -	2A	2B	3A	LIMITS -

Compound	Concentration in ug/L							
-внс	ND	ND	ND	ND	ND	0.26		
Lndrin	ND	ND	ND	ИD	ND	0.26		
oxaphene	ND	ND	ND	ND	ND	12		

ND = Not Detected

Laboratory Manager

MCK0018162

ΙÉ

١.

CERTIFICATION OF REPRESENTATIVE SAUPLE OR SAMPLE INTEGRITY IS NOT MADE BY MCKESSON ENVIRONMENTAL SERVICES (MES) FOR SAMPLES NOT TAKEN Y MES.

MCK0018163

SCALE (FEET)


LEGEND

SLANT SOIL BORING AT 25" ANGLE AND ASSOCIATED SAMPLING POINTS

BROUNDWATER MONETORING SWELL

SLANT MONETORING WELL AT 45" ANGLE AND SAMPLING POINTS

LOCATION MAP OF BORINGS AND WELLS AT McKESSON CHEMICAL COMPANY'S SANTA FE SPRING FACILITY



ATTACHMENT 11


TABLE 3.1. INVENTORY OF WATER WELLS

Well Owner	Well No.	State Well No.	Well Depth (ft)	Average Water Elevation (ft)	Ground Surface Elevation (ft)
La Habra Heights	1	2S/11W-19M01	400		La land Wall
County Water	2	25/11W-19F03	728	192	168
District	. 3	25/11W-19F03 25/11W-19M04	637	NR	NR
0,000,100	4	25/11W-19F01	347	NR	NR
	7	59\11W-1AEA1	650	NR	NR
LGG Family Trust	5 *	2S/11W-29EØ5	70	112	44 156
Little Lake Cemetary	6	3S/11W-06N01	650	NR	128
Mutual Water Owners Association of Los Nietos	7 *	2S/11W-30Q05	NÄ	NA	NA
City of Pico Rivera	8	25/12W-25MØ1	514	NR	\ <b>D</b>
-	9	25/12W-25E13	500	NR	NR
	10	2S/12W-25G01	52Ø	192	NR 155
	11	2S/12W-25GØ2	468	NR	
	12	25/12W-36MØ6	630	NR NR	NR NR
Pico Water District	13	2S/12W-24EØ6	41.4		
· ·	14	25/12W-25E1g	414	NR	166
	7.4	73\ 174-535TA	380	NR .	NR
City of Santa Fe	15 *.	,	984	68	95 153
Springs	16	25/1 <i>2</i> W-25Q05	518	NR .	147
	17	35/11W-06D03	789	NR	NR
	18	3s/12W-01F08	1052	NR	NR
Southern California Water Company	19	3S/12W-02R01	391	NR	118
Whittier Union	20	2S/11W-32JØ4	NA	. NA	212
High School	21	35/11W-03C01	836	NA NR	NA 154
		30/ TTII-6300T	o o o	DIK	154


<sup>\* =</sup> Wells located within one-mile radius of McKesson's property

NR = No Record

NA - Not Available







ATTACHHENT 13

TABLE 3.2. RESULTS OF ORGANIC CHEMICAL ANALYSES CENTRAL BASIN WATER ASSOCIATION

Owner	Well No.	Sample Date	Constituent	Concentration (ug/1)
	·			1 6
La Habra Heights Co.	25/11W-19M01	9/85/85	Tetrachloroethene	1.5
Water District		9/05/85	Trichloroethene	Ø.6
•		9/05/85	Atrazine	1.2
		19/29/85	Dibromochloromethane *	1.0
•		10/29/85	Tetrachloroethene *	1.7
•		19/29/85	Trichloroethene *	Ø.5
		19/29/85	Atrazine *	<b>8.9</b>
La Habra Heights Co.	2S/11W-19F03	9/05/85	Atrazine	1.2
Water District		10/29/85	Atrazine *	1.0
MGCBL DISCISC		10/29/85	Simazine *	0.6
City of Pico Rivera	25/12W-25G01	9/26/85	Atrazine	1.6
CIC, OF TIOO MITTEE		9/26/85	Simazine	1.0
		19/29/85	Atrazine *	1.5
		19/29/85	Simazine *	1.0
City of Pico Rivera	25/12W-36MØ6	9/26/85	Tetrachloroethene	1.2
city of fice kivera	40/ 42:: • • • •	9/26/85	Trichloroethene	1.7
		19/29/85	Tetrachloroethene *	<b>0.8</b>
•		10/29/85	Atrazine *	9.7
City of Santa Fe	25/11W-30R03	9/10/85	Trichloroethene	1.1
Springs		19/29/85	Trichloroethene *	1.0

<sup>\* =</sup> Retest of original sample. Required if initial analyses indicated some detectable quantity of an organic constituent.





TABLE 6.1. SUMMARY OF UNDERGROUND STORAGE TANK INVENTORY

Tank	Product	Capacity (gallons)	Construction	Year Installed
D205 A	MEK	29,148	Steel:	1976
D202 B	IPA ·	29,148	Steel	1976
D203 C	Methanol	29,148	Steel	1976
D294 D	IPA/MEK	20,148	Steel	1976
D201 E	Acetone	20,148	Steel	1976
D212 F	Heptane	9,942	Steel	1976
D211 G	MCK SOLV VM & P	9,942	Steel	1976
D210 H	Toluene	9,942	Steel	1976
D299 I	Xylene	9,942	Steel	1976
D208 J	MCK SOLV 140F	9,942	Steel	1976
D206 K	Glycol Ether EB	9,942	Steel	1976
D401 L	(Empty)	9,942	Steel	1976
D402 M	(Empty)	9,942	Steel	1976
D403 N	(Empty)	9,942	Steel	1981
D404 O	(Empty)	9,942	Steel	1981
D494 P	(Empty)	9,942	Steel	. 1981
D404 Q	(Empty)	9,942	Steel	1981
D402 R	Acetone	9,942	Steel	1981
D402 S	(Empty)	9,942	Steel	1981
D216 T	Diesel	7,999	Steel	Unknown
D215 O	Chemical Waste	1,000	Steel	1981
D213	Stoddard Solvent	10,000	Steel	Unknown
D214	Methanol Hexane	10,000	Steel	Unknown
73				

PAGE.39

APR 12 '89 12:51 TETRA TECH



Attachment 14

#### **Harding Lawson Associates**

December 4, 1990

17333,149.11



McKesson Corporation One Post Street - 28th Floor San Francisco, California 94104

Attention: Ms. Jean Mescher

#### Ladies and Gentlemen:

Summary of Results and Proposed Additional Work Remedial Investigation/Feasibility Study McKesson Corporation Facility Santa Fe Springs, California

#### INTRODUCTION

This letter provides a summary of the results of Harding Lawson Associates' (HLA) subsurface investigation at the McKesson Corporation facility in Santa Fe Springs, California, and our recommendations for additional work. This letter was written in response to the California Department of Health Services' request during a meeting on November 9, 1990.

#### SUBSURFACE INVESTIGATION

#### Scope of Work

The original scope of work for the remedial investigation subsurface exploration consisted of three lower aquifer, continuously cored, monitoring wells that were to be cased off from a perched-water zone identified during investigative work conducted by McKesson Environmental Services. Additionally, 31 shallow borings, of which an estimated 15 were to be converted to perched-zone monitoring wells, were to be drilled to assess soil and ground-water conditions in eight areas of concern at the site.

#### Work Performed

The subsurface investigation began on June 12, 1990, with continuous coring of lower aquifer monitoring Wells MW-1 through MW-3 at the locations illustrated on Plate 1. Perched water was not encountered during continuous coring, bucket-auger enlargement of the borehole, or installation of the conductor casing at these locations.

Subsequently, 28 borings were drilled with total depths of 40 to 65 feet at the locations illustrated on Plate 1. Eight of these borings were converted to lower aquifer monitoring wells because perched water was not encountered at those locations. Perched water was

encountered only in the northeast corner of the site; Monitoring Well SB-32 was installed there, to a total depth of approximately 40 feet, to assess the perched-water conditions.

#### ANALYTICAL TESTING

Soil and ground-water samples were submitted to Analytical Technologies, Inc. (ATI, San Diego, California), under chain-of-custody protocol. Soil samples collected from the neutralization pit area, runoff control sump area, railroad spurs, loading areas, pipe trench sump, and truck pit areas were submitted for the following analyses: (1) volatile organic compounds (VOC) by EPA Method 8240, (2) semivolatile organics by EPA Method 8270, (3) selected glycols by EPA Method 8015, (4) total petroleum hydrocarbons (TPH) by EPA Method 418.1, (5) pH by EPA Method 9045, and (6) selected ions by EPA Method 300/6010. All ground-water samples were submitted for the above suite of analyses.

Soil samples collected from the underground storage tank area, aboveground solvent storage area, and Freon blending area were submitted for analysis of VOCs and semivolatile organics by EPA Methods 8240 and 8270, respectively. Soil samples collected from the corrosive and hydrogen peroxide storage areas were submitted for analysis of selected ions and pH.

#### RESULTS TO DATE

#### Regional Geology and Hydrogeology

The site is situated on fine-grained exposures of the late Pleistocene Lakewood Formation. The Gage Aquifer underlies these fine-grained deposits and comprises the basal subunit of the Lakewood Formation. An unconformity separates the Lakewood from the underlying San Pedro Formation (of early Pleistocene age). The San Pedro Formation consists of a number of aquitards and aquifers. In downward succession, the aquifers are named the Hollydale, Jefferson, Lynwood, Silverado, and Sunnyside. Regional ground-water flow is generally to the south-southwest.

# Site Geology and Hydrogeology

Shallow, near-surface material underlying the site consists predominantly of silty sand, with minor amounts of silt and clay. Poorly sorted, fine- to coarse-grained sand (locally with gravel) underlies these fine-grained surficial deposits from depths between 15 and 25 to 30 feet below grade. These sand deposits (informally named the upper sand zone) appear to form a northwest-southeast trending channel feature that bisects the site. This upper sand zone is interpreted to be the Gage Aquifer, which was dry during our investigation (except in the northeast property corner).

Below the upper sand zone are silt, clay, and silty sand to depths of approximately 45 feet. Interpretive geologic cross sections are presented on Plates 2 through 5. Cross-section lines are depicted on the site plan (Plate 1). Between depths of 45 and 70 feet (maximum depth explored), a fine- to medium-grained sand is present. Ground water was encountered at depths between 48 and 50 feet below ground surface during drilling. The water-bearing lower aquifer sand appears to be the Hollydale Aquifer (uppermost aquifer of the San Pedro Formation). Ground-water flow direction was to the southwest at a gradient of 0.005 foot per foot during August 1990.

### Soil Analytical Results

Soil assessment within the corrosive and hydrogen peroxide storage areas revealed that elevated sodium levels were detected in Boring SB-18 (at 1.5 feet below grade), which is located near the sodium hydroxide storage tank, and low pH values were detected in Boring SB-16 at 6 feet and SB-17 at 1.5 feet. Field screening of soil pH indicated that pH values returned to normal by 15 feet and 5 feet in depth for Borings SB-16 and SB-17, respectively. Therefore, any impact to soil quality by releases within the corrosive storage area appears to be shallow and localized in the area of our investigation. Ponded water and aboveground storage tanks restricted our investigation in the southern portion of this containment area; additional work will be necessary to evaluate the northern portions.

Selected glycols (propylene, ethylene, hexylene, and diethylene) were not detected in the soil at the locations of our investigation. Soil impacted by TPH was detected locally in the vicinity of Borings SB-24 and SB-30.

The semivolatile organics 2-methyl naphthalene, naphthalene, and/or benzyl alcohol were detected at low levels in Borings SB-24 and SB-30. Semivolatile organics were not detected in any other borings during this investigation.

Soil isoconcentration maps depicting the VOC constituents 1,1,1-trichloroethane (TCA), tetrachloroethene (PCE), trichloroethene (TCE), and methylene chloride are illustrated on Plates 6 through 9. The data shown are for two depth intervals (20 to 25 feet and 40 to 45 feet).

In summary, soils impacted from previous site usage appear to be localized in the area near the aboveground solvent storage area.

# Ground-Water Analytical Results

Ground-water isoconcentration maps depicting the distribution of TCA, PCE, TCE, and methylene chloride are illustrated on Plates 10 through 13. In summary, the upgradient and

downgradient extent of ground water containing these constituents cannot be assessed with the existing data; therefore, additional work is proposed.

#### PROPOSED WORK

Based on the results of this subsurface investigative phase, the following work is proposed at the locations illustrated on Plate 14:

- Three shallow, approximately 15-foot-deep, soil borings (SB-33 through SB-35) will be drilled within the northern portions of the corrosive storage area after the aboveground storage tanks have been removed to allow access.
- Three, approximately 50-foot-deep, soil borings (SB-36 through SB-38) will be drilled to assess the lateral and/or vertical distribution of VOCs proximal to the aboveground solvents storage area. The boring drilled along the northern property perimeter (SB-36) will be converted to a 65-foot-deep ground-water monitoring well to help evaluate the upgradient extent of VOCs in ground water.
- Cluster wells will be installed at two locations. The cluster wells (SB-17A, SB-17B, SB-23A, and SB-23B) will be teamed with existing Wells SB-17 and SB-23, and will be used to evaluate the potential for stratification of VOCs within the lower aquifer. The deep well at each location will be continuously cored to the base of the aquifer. The boreholes will be converted to monitoring wells. Depending on the depth to the base of the aquifer, an intermediate-depth well will be installed to monitor ground-water quality near the middle of the aquifer.
- All newly installed wells will be developed and sampled, and samples will be analyzed for VOCs by EPA Method 8240. Samples from selected wells will also be analyzed for general mineral character using EPA Method 300/6010.
- Backhoe trenching will be conducted along distribution lines that connect the northern rail spur with the aboveground solvent storage area to evaluate the potential for additional solvent source locations.
- Cone penetrometer test (CPT) equipment will be used off site, to the southwest, to help evaluate the downgradient extent of VOCs in the lower aquifer and to provide lithologic information to assess depth to the base of the aquifer. Ground-water sampling by a hydropunch in each CPT probe hole will be conducted at depths similar to depths of screened intervals in the above-referenced cluster wells to provide correlation of hydropunch and monitoring well ground-water analytical results. CPT locations will be determined after the results of the additional on-site investigation.

This scope of work will be performed to assess the above-stated objectives. The need for any additional work required to complete the remedial investigation will be determined after the results of presently planned work are reviewed.

# **CLOSURE**

We trust that this is the information you require at this time. Please call either of the undersigned if you have any questions or comments.

Very truly yours,

HARDING LAWSON ASSOCIATES

Burton Chadwick

Project Geologist


Ted A. Koelsch, RG 4741


Associate Geologist


BC/TAK/DWQ/da


[90MKC037.RPT]


Attachments: Plates 1 through 14






































Attachment 15



#### Enseco - Air Toxics Laboratory

18501 East Gale Avenue, Suite 130 City of Industry, CA 91748-1321 S18) 965-1006 • FAX (818) 965-1003

August 28, 1993

D 3 0 3 0 1993

GEOMATRIA CUMSULIANTS, INC. SOCAL

GEOMATRIX CONSULTANTS
20201 S.W. Birch St., Ste. 150
Santa Ana Heights, CA 92707
ATTN: MR. MARK RIPPBERGER

ANALYSIS NO.: 101920-0001/0003-SA ANALYSES: Volatile Organics by GCMS - EPA TO14 DATE SAMPLED: 08/05/93 DATE SAMPLE REC'D: 08/06/83

PROJECT NO.: 2782

Enclosed with this letter is the report on the chemical and physical analyses on the samples from ANALYSIS NO: 101920-0001/0003-SA as shown above.

The samples were received by Enseco Air Toxics Laboratory, intact and with the chain-of-custody record attached.

Please note that ND means not detected at the reporting limits expressed.

The preliminary results were faxed to Mr. Mark Rippberger at 4:59 p.m. on August 17, 1993.

REVIEWED

APPROVED



# SAMPLE DESCRIPTION INFORMATION for Geomatrix Consultants

			Sampl	ed	Received
Lab ID	Client ID	Matrix	Date	Time	Date
101920-0001-sa	E-1-1	AIR	05 AUG 93	12:14	06 AUG 93
101920-0002-SA	E-1-2	AIR	05 AUG 93	13:25	06 AUG 93
101920-0003-SA	V-1	AIR	05 AUG 93	15:30	06 AUG 93



Client Name: Geomatrix Consultants

Client ID: E-1-1

Lab ID: 101920-0001-SA Matrix: AIR Sampled: 05 AUG 93 Received: 06 AUG 93 Authorized: 06 AUG 93 Prepared: NA Analyzed: 08 AUG 93

Parameter	Result	Units	Reporting Limit
Dichlorodifluoromethane	ND	ppb (v/v)	200000
Chloromethane	ND	ppb (v/v)	
1,2-Dichlorotetra-		•• , , ,	
fluoroethane	ND	ppb (v/v)	200000
Vinvl chloride	ND	ppb (v/v)	200000
Bromomethane	ND	ppb (v/v)	
Chloroethane	ND	ppb (v/v)	
Trichlorofluoromethane	ND	ppb (v/v)	
1,1-Dichloroethene	1300000	ppb (v/v)	
Carpon disulfide	ND	ppb (v/v)	
1,1,2-Trichloro-1,2,2-			
trifluoroethane	420000	ppb (v/v)	200000
Acetone	2100000	ppb (v/v)	
Methylene chloride	6700000	ppb (v/v)	
trans-1,2-Dichloroethene	ND	ppb (v/v)	
1,1-Dichloroethane	420000	ppb (v/v)	
Vinyl acetate	ND	ppb (v/v)	
cis-1,2-Dichloroethene	ND	ppb (v/v)	
2-Butanone	ND	ppb (v/v)	
Chloroform	ND	ppb (v/v)	
1,1,1-Trichloroethane	25000000	ppb (v/v)	200000
Carbon tetrachloride	ND	ppb (v/v)	200000
Benzene	ND	ppb (v/v)	200000
1,2-Dichloroethane	ND	ppb (v/v)	200000
Trichloroethene	820000	ppb (v/v)	200000
1,2-Dichloropropane	ИD	ppb (v/v)	200000
Bromodichloromethane	ND	ppb (v/v)	200000
cis-1,3-Dichloropropene	ND	ppb (v/v)	200000
4-Methyl-2-pentanone	ND	ppb (v/v)	400000
Toluene	1900000	ppb (v/v)	200000
trans-1,3-Dichloropropene	ND	ppb (v/v)	200000
1,1,2-Trichloroethane	ND	ppb (v/v)	200000
Tetrachloroethene	2500000	ppb (v/v)	200000
2-Hexanone	ND	ppb (v/v)	400000
Dibromochloromethane	ND	ppb (v/v)	200000
1,2-Dibromoethane (EDB)	ND	ppb (v/v)	200000
Chlorobenzene	MD.	ppb (v/v)	200000
Ethylbenzene	ИD	ppb (v/v)	200000
Xylenes (total)	ND	ppb (v/v)	200000
Styrene	ND	ppb (v/v)	
Bromoform	ND	ppb (v/v)	200000

(continued on following page)

ND = Not detected

MA = Not applicable

Reported By: Lina Wong



# Volatile Organics by GCMS - EPA TO14 (CONT.)

Client Name: Geomatrix Consultants

Client ID: E-1-1

Lab ID: 101920-0001-SA Matrix: AIR Sampled: 05 AUG 93 Received: 06 AUG 93 Authorized: 06 AUG 93 Prepared: NA Analyzed: 08 AUG 93

		Reporting
Result	Units	Limit
ND	ppb (v/v)	200000
ND	ppb (v/~)	200 <b>000</b>
ND	ppb (v/v)	400000
ND	ppb (v/v)	400000
	ND ND ND ND ND ND ND	Result         Units           ND         ppb (v/v)           ND         ppb (v/v)

ND = Not detected NA = Not applicable

Reported By: Lina Wong



Client Name: Geomatrix Consultants

Client ID: E-1-2
Lab ID: 101920-0002-SA
Matrix: AIR Matrix: AIR Sampled: 05 AU Authorized: 06 AUG 93 Prepared: NA Sampled: 05 AUG 93 Received: 06 AUG 93 Analyzed: 08 AUG 93

			Reporting
Parameter	Result	Units	Limit
Dichlorodifluoromethane	מא	ppb (v/v)	200000
Chloromethane	ND	ppb (v/v)	400000
1,2-Dichlorotetra-			
fluoroethane	ND	ppb (v/v)	200000
Vinyl chloride	ИD	ppb (v/v)	200000
Bromomethane	ND	ppb (v/v)	
Chloroetnane	אח -	_ ppb (v/v)	
Trichlorofluorcmethane	מא	ppb (v/v)	
1,1-Dichloroethene	1200000	ppb (v/v)	
Carbon disulfide	ND	ppb (v/v)	1000000
1,1,2-Trichloro-1,2,2-			
trifluoroethane	380000	ppb (v/v)	
Acetone	1900000	ppb (v/v)	
Methylene chloride	6200000	ppb (v/v)	
trans-1,2-Dichloroethene	ND	ppb (v/v)	
1,1-Dichloroethane	370000	bbp (a/a)	
Vinyl acetate	ND	ppb (v/v)	
cis-1,2-Dichloroethene	ND	bbp (a/a)	
2-Butanone	ND	ppb (v/v)	
Chloroform	ND	ppb (v/v)	
1,1,1-Trichloroethane	24000000	ppb (v/v)	
Carbon tetrachloride	ND	ppb (v/v)	
Benzene	ИD	ppb (v/v)	
1,2-Dichloroethane	ND	ppb (v/v)	
Trichlorcethene	710000	bbp (a/a)	
1,2-Dichloropropane	ND	bbp (a/a)	_
Bromodichloromethane	ND	ppb (v/v)	
cis-1,3-Dichloropropene	ND	ppb (v/v)	
4-Methyl-2-pentanone	ND	bbp (a/a)	
Toluene	1700000	ppb (v/v)	
trans-1,3-Dichloropropene	ND	ppb (v/v)	
1,1,2-Trichloroethane	ND	ppb (v/v)	
Tetrachloroethene	2200000	ppb (v/v)	
2-Hexanone	ND	ppb (v/v)	
Dibromochloromethane	ND	ppb (v/v)	
1,2-Dibromoethane (EDB)	מא	bbp (A/A)	
Chlorobenzene	ND	ppb (v/v)	
Ethylbenzene	ИD	ppb (v/v)	
Xylenes (total)	ИD	ppb (v/v)	
Styrene	ИD	bbp (A/A)	
Bromoform	ND	ppb (v/v)	200000

(continued on following page)

ND = Not detected MA = Not applicable

Reported By: Lina Wong



# Volatile Organics by GCMS - EPA TO14 (CONT.)

Client Name: Geomatrix Consultants

Client ID: E-1-2

Lab ID: 101920-0002-SA Matrix: AIR Authorized: 06 AUG 93 Sampled: 05 AUG 93 Received: 06 AUG 93 Prepared: NA Analyzed: 08 AUG 93

Parameter	Result	Units	Reporting Limit
1,1,2,2-Tetrachloroethane	ND	ppb (v/v)	200000
Benzyl chloride	ИD	ppb (v/v)	200000
4-Ethyl toluene	מא	ppb (v/v)	200000
1,3,5-Trimethylbenzene	ND	ppb (v/v)	200000
1,2,4-Trimethylbenzene	ИD	ppb (v/v)	200000
1,3-Dichlorobenzene	ND	ppb (v/v)	200000
1,4-Dichlorobenzene	ND	ppb (v/v)	200000
1,2-Dichlorobenzene	מא	ppb (v/v)	200000
1,2,4-Trichlorobenzene	ND	ppb (v/v)	400000
Hexachlorobutadiene	ND	ppb (v/v)	400000

:ID = Not detected NA = Not applicable

Reported By: Lina Wong



Client Name: Geomatrix Consultants

Client ID: E-1-1

Lab ID: 101920-0001-SA Matrix: AIR Sampled: 05 AUG 93 Received: 06 AUG 93 Authorized: 06 AUG 93 Prepared: NA Analyzed: 08 AUG 93

			Reporting
Parameter	Result	Units	Limit
Dichlorodifluoromethane	ND	ug/L	990
Chloromethane	ND	ug/L	820
1,2-Dichlorotetra-		-9/-	
fluoroethane	ИD	ug/L	1400
Vinvl chloride	ND	ug/L	510
Bromomethane	ND	ug/L	780
Chloroethane	ND	ug/L	1100
Trichlorofluoromethane	ND	ug/L	1100
1,1-Dichloroethene	5200	ug/L	810
Carbon disulfide	ND	ug/L	3100
1,1,2-Trichloro-1,2,2-		-37 -	
trifluoroethane	3200	ug/L	1500
Acetone	4900	ug/L	2400
Methylene chloride	23000	ug/L	690
trans-1,2-Dichloroethene	ND	ug/L	810
1,1-Dichloroethane	1700	ug/L	820
Vinyl acetate	ND	ug/L	3500
cis-1,2-Dichloroethene	ND	ug/L	810
2-Butanone	ND	ug/L	2600
Chloroform	ND	ug/L	970
1,1,1-Trichloroethane	140000	ug/L	1100
Carbon tetrachloride	ND	ug/L	1200
Benzene	ND	ug/L	640
1,2-Dichloroethane	ND	ug/L	820
Trichloroethene	4400	ug/L	1100
1,2-Dichloropropane	ND	ug/L	910
Bromodichloromethane	ND	ug/L	1300
cis-1,3-Dichloropropene	ND	ug/L	910
4-Methyl-2-pentanone	ND	ug/L	1400
Toluene	7200	ug/L	750
trans-1,3-Dichloropropene	מא	ug/L	910
1,1,2-Trichloroethane	ND	ug/L	1100
Tetrachloroethene	16000	ug/L	1300
2-Hexanone	מא	ug/L	1600
Dibromochloromethane	ИD	ug/L	1700
1,2-Dibromoethane (EDB)	ND	ug/L	1500
Chlorobenzene	ND	ug/L	920
Ethylbenzene	ממ	ug/L	870
Xylenes (total)	ИD	ug/L	1700
Styrene	ИD	ug/L	850
Bromoform	ND	ug/L	2100

(continued on following page)

ND = Not detected NA = Not applicable

Reported By: Lina Wong



# Volatile Organics by GCMS - EPA TO14 (CONT.)

Client Name: Geomatrix Consultants

Client ID: E-1-1

Lab ID: 101920-0001-SA Matrix: AIR Sampled: 05 AUG 93 Received: 06 AUG 93 Authorized: 06 AUG 93 Prepared: NA Analyzed: 08 AUG 93

Parameter	Result	Units	Reporting Limit
1,1,2,2-Tetrachloroethane	ND	ug/L	1400
Benzyl chloride	ND	ug/L	1000
4-Ethyl toluene	ND	ug/L	990
1,3,5-Trimethylbenzene	ND	ug/L	980
1,2,4-Trimethylbenzene	ND	ug/L	980
1,3-Dichlorobenzene	ND	ug/L	1200
1,4-Dichlorobenzene	ND	ug/L	
1,2-Dichlorobenzene	ND	ug/L	1200
1,2,4-Trichlorobenzene	ND	ug/L	3000
Hexachlorobutadiene	ND	ug/L	4200

ND = Not detected NA = Not applicable

Reported By: Lina Wong



Client Name: Geomatrix Consultants

Client ID: E-1-2

Lab ID: 101920-0002-SA Matrix: AIR Sampled: 05 AUG 93 Received: 06 AUG 93 Authorized: 06 AUG 93 Prepared: NA Analyzed: 08 AUG 93

Parameter			Reporting
rarameter	Result	Units	Limit
Dichlorodifluoromethane	ND	ug/L	990
Chloromethane	ND	ug/L	820
1,2-Dichlorotetra-		-9/-	020
fluoroethane	ND	ug/L	1400
Vinyl chloride	ND	ug/L	510
Bromomethano	ND	ug/L	780
Chloroethane		-:3·ug/L	1100
Trichlorofluoromethane	ND	ug/L	1100
1,1-Dichloroethene	4800	ug/L	810
Carbon disulfide	ND	ug/L	3100
1,1,2-Trichloro-1,2,2-		-9/-	3100
trifluoroethane	2900	ug/L	1500
Acetone	4600	ug/L	2400
Methylene chloride	22000	ug/L	690
trans-1,2-Dichloroethene	ND	ug/L	810
1,1-Dichloroethane	1500	ug/L	820
Vinyl acetate	ND	ug/L	3500
cis-1,2-Dichloroethene	ND	ug/L	810
2-Butanone	ND	ug/L	2600
Chloroform	ND	ug/L	970
1,1,1-Trichloroethane	130000	ug/L	1100
Carbon tetrachloride	ND	ug/L	1200
Benzene	ND	ug/L	640
1,2-Dichloroethane	ND	ug/L	820
Trichloroethene	3800	ug/L	1100
1,2-Dichloropropane	ND	ug/L	910
Bromodichloromethane	ND	ug/L	1300
cis-1,3-Dichloropropene	ND	ug/L	910
4-Methyl-2-pentanone	ND	ug/L	1400
Toluene	6400	ug/L	750
trans-1,3-Dichloropropene	ND	ug/L	910
1,1,2-Trichloroethane	ND	ug/L	1100
Tetrachloroethene	14000	ug/L	1300
2-Hexanone	ND	ug/L	1600
Dibromochloromethane	ND	ug/L	1700
1,2-Dibromoethane (EDB)	ND	ug/L	1500
Chlorobenzene	ND	ug/L	920
Ethylbenzene	ND	ug/L	870
Xylenes (total)	ND	ug/L	870
Styrene	ND	ug/L	850
Bromoform	ND	ug/L	2100

(continued on following page)

ND = Not detected NA = Not applicable

Reported By: Lina Wong



# Volatile Organics by GCMS - EPA TO14 (CONT.)

Client Name: Geomatrix Consultants

Client ID: E-1-2
Lab ID: 101920-0002-SA
Matrix: AIR Sampled: 05 AUG 93 Received: 06 AUG 93 Authorized: 06 AUG 93 Prepared: NA Analyzed: 08 AUG 93

Parameter	Result	Units	Reporting Limit
1,1,2,2-Tetrachloroethane	ממ	ug/L	1400
Benzyl chloride	ND	ug/L	1000
4-Ethyl toluene	ND	ug/L	9 <b>90</b>
1,3,5-Trimethylbenzene	ND	ug/L	980
1,2,4-Trimethylbenzene	מא	ug/L	980
1,3-Dichlorobenzene	ND	ug/L	1200
_,4-Dichloropenzene	ND	ug/L	1200
1,2-Dichlorobenzene	ND	ug/L	1200
1.2.4-Trichloropenzene	ND	ug/L	3000
Hexachlorobutadiene	ND	ug/L	4200

ND = Not detected NA = Not applicable

Reported By: Lina Wong



# Volatile Organics by GCMS - EPA TO14

Client Name: Geomatrix Consultants

Client ID: 7-1

Lab ID: 101920-0003-SA Matrix: AIR Sampled: C5 AUG 93 Received: 06 AUG 93 Matrix: AIR Sampled: C5 Nauthorized: C6 AUG 93 Prepared: NA Analyzed: 08 AUG 93

Parameter	Result	- Units	leporting Limit
Dichlorodifluoromethane	מא	ppb (v/v)	20000
Chloromethane	ND	ppb (v/v)	40000
1,2-Dichlorctetra-			
fluoroethane	ИD	ppb (v/v)	20000
Vinyl chloride	31000	ppb (v/v)	20000
Bromomethane	ИD	ppb (v/v)	20000
Chlorcethane	সমূ	ppb (v/v)	46000
Trichlorofluoromethane	25000	ppb (v/v)	20000
1,1-Dichlorcethene	1000000	ppb (v/v)	20000
Carbon disulfide	ИD	ppb (v/v)	100000
1,1,2-Trichloro-1,2,2-			
trifluoroethane	180000	ppb (v/v)	20000
Acetone	ND	ppb (v/v)	100000
Methylene chloride	110000	ppb (v/v)	20000
trans-1,2-Dichlorcethene	ND	ppb (v/v)	20000
1,1-Dichloroethane	1500CJ	ppb (v/v)	20000
Vinyl acetate	ND	ppb (v/v)	100000
cis-1,2-Dichlorcethene	9 <b>9000</b>	ppb (v/v)	20000
2-Butanone	ND	ppb (v/v)	100000
Chloroform	מא	ppb (v/v)	20000
1,1,1-Trichloroethane	1300000	ppb (v/v)	20000
Carbon tetrachloride	ND	ppb (v/v)	20000
Benzene	ND	ppb (v/v)	20000
1,2-Dichloroethane	ND.	ppb (v/v)	20000
Trichlorcethene	120000	ppb (v/v)	20000
1,2-Dichloropropane	ND	ppb (v/v)	20000
Bromodichloromethane	ND	ppb (v/v)	20000
cis-1,3-Dichloropropene	ND.	ppb (v/v)	20000
4-Methyl-2-pentanone	ND	ppb (v/v)	40000
Toluene	56000	ppb (v/v)	20000
trans-1,3-Dichloropropene	מא	ppb (v/v)	20000
1,1,2-Trichlorcethane	;tD	ppb (v/v)	20000
Tetrachloroethene	400000	ppb (v/v)	20000
2-Hexanone	:10	ppb (v/v)	40000
Dibromochloromethane	ND	bbp (a/a)	20000
1,2-Dibromoethane (EDB)	מונ	ppb (v/v)	20000
Chloropenzene	:TD	ppb (v/v)	20000
Ethylbenzene	370	ppb (v/v)	20000
Mylenes (total)	310	ppb (v/v)	20000
Styrene	:ID	bbp (a/a)	20000
3romoform -	ИD	ppb (v/v)	20000

(continued on following page)

ND = Not detected MA = Not applicable

Reported By: Lina Wong



# Volatile Organics by GCMS - EPA TO14 (CONT.)

Client Name: Geomatrix Consultants

Client ID: V-1

Lab ID: 101920-0003-SA Matrix: AIR Sampled: 05 AUG 93 Received: 06 AUG 93 Authorized: 06 AUG 93 Prepared: NA Analyzed: 08 AUG 93

Parameter	Result	Units	Reporting Limit
1,1,2,2-Tetrachloroethane	ND	ppb (v/v)	20000
Benzyl chloride	ND	ppb (v/v)	20000
4-Ethyl toluene	ND	ppb (v/v)	20000
1,3,5-Trimethylbenzene	ND	ppb (v/v)	20000
1,2,4-Trimethylbenzene	ND	ppb (v/v)	20000
1,3-Dichlorobenzene	ND	ppb (v/v)	20000
1,4-Dichlorobenzene	ND	ppb (v/v)	20000
1.2-Dichlorobenzene	ND	ppb (v/v)	20063
1,2,4-Trichlorobenzene	ND	ppb (v/v)	40000
Hexachlorobutadiene	ND	ppb (v/v)	40000

ND = Not detected NA = Not applicable

Reported By: Lina Wong



# Volatile Organics by GCMS - EPA TO14

Client Name: Geomatrix Consultants

Client ID: V-1

Lab ID: 101920-0003-SA

Matrix: AIR Sampled: 05 AUG 93 Received: 06 AUG 93 Analyzed: 08 AUG 93

Parameter	Result	**	Reporting
rarameter	Kesuit	Units	Limit
Dichlorodifluoromethane	ND	ug/L	99
Chloromethane	ND	ug/L	82
1,2-Dichlorotetra-		37	
fluoroethane	ND	ug/L	140
Vinyl chloride	210	ug/L	51
Bromomethane	ND	ug/L	78
Chloroelmane	N.	ug/L	110
Trichlorofluoromethane	140	ug/L	116
1,1-Dichloroethene	4100	ug/L	81
Carbon disulfide	ND	ug/L	310
1,1,2-Trichloro-1,2,2-			
trifluoroethane	1400	ug/L	150
Acetone	ND	ug/L	240
Methylene chloride	400	ug/L	69
trans-1,2-Dichloroethene	ND	ug/L	81
1,1-Dichloroethane	630	ug/L	82
Vinyl acetate	ND	ug/L	350
cis-1,2-Dichloroethene	400	ug/L	81
2-Butanone	ND	ug/L	260
Chloroform	ND	ug/L	97
1,1,1-Trichloroethane	7100	ug/L	110
Carbon tetrachloride	ND	ug/L	120
Benzene	ND	ug/L	64
1,2-Dichloroethane	ND	ug/L	82
Trichloroethene	620	ug/L	110
1,2-Dichloropropane	ND	ug/L	91
Bromodichloromethane	ND	ug/L	130
cis-1,3-Dichloropropene	ND	ug/L	91
4-Methyl-2-pentanone	ND	ug/L	140
Toluene	250	ug/L	75
trans-1,3-Dichloropropene	ND	ug/L	91
1,1,2-Trichloroethane	ND	ug/L	110
Tetrachloroethene	2500	ug/L	130
2-Hexanone	מא	ug/L	160
Dibromochloromethane	ND	ug/L	170
1,2-Dibromoethane (EDB)	ND	ug/L	150
Chlorobenzene	ИD	ug/L	92
Ethylbenzene	ND	ug/L	87
Xylenes (total)	ND	ug/L	170
Styrene	ИD	ug/L	85
Bromoform	ИD	ug/L	210

(continued on following page)

ND = Not detected NA = Not applicable

Reported By: Lina Wong Approved By: Bob Sundberg



# Volatile Organics by GCMS - EPA TO14 (CONT.)

Client Name: Geomatrix Consultants

Client ID: V-1

Lab ID: 101920-0003-SA

Sampled: 05 AUG 93 Received: 06 AUG 93 Matrix: AIR Analyzed: 08 AUG 93 Prepared: NA Authorized: 06 AUG 93

Parameter	Result	Units	Reporting Limit
1,1,2,2-Tetrachloroethane	ИD	ug/L	140
Benzyl chloride	ND	ug/L	100
4-Ethyl toluene	ND	ug/L	99
1,3,5-Trimethylbenzene	ND	ug/L	98
1,2,4-Trimethylbenzene	ND	ug/L	98
1,3-Dichlorobenzene	ND	ug/L	120
1.4-Dichlorobenzene	ND	ug/L	120
1,2-Dichlorobenzene	ND	ug/L	120
1,2,4-Trichlorobenzene	ND	ug/L	300
Hexachlorobutadiene	מא	ug/L	420

ND = Not detected NA = Not applicable

Reported By: Lina Wong



# QC LOT ASSIGNMENT REPORT - MS QC Air Toxics

Laboratory Sample Number	QC Matrix	QC Category	QC Lot Number (DCS)	QC Run Number MS QC Run Number (SCS/BLANK/LCS) (SA,MS,SD,DU)
101920-0001-SA	AIR	TO-14	08 AUG 93-B1	08 AUG 93-B1
101920-0002-SA	AIR	TO-14	08 AUG 93-B1	08 AUG 93-B1
101920-0003-SA	AIR	TO-14	08 AUG 93-B1	08 AUG 93-B1



DUPLICATE CONTROL SAMPLE REPORT

Air Toxics Project: 101920

Category: TO-14 Method TO-14 - Volatile Organics

Matrix: AIR

QC Lot: 08 AUG 93-B1

Concentration Units: ppb (v/v)

	Cond	centration			Acc	uracy	Prec	isior
Analyte	Spiked		Measured		Ave	rage(%)	( F	RPD)
		DCS1	DCS2	AVG	DCS	Limits	DCS	Limit
Methylene chloride	48.4	53.4	53.8	53.6	111	86-116	0.75	10
1,1-Dichloroethene	48.4	53.5	53.5	53.5	111	90-115	0.0	10
Trichlorcethene	36.7	38.7	37.9	38.3	104	85-114	2.1	10
Toluene	48.4	50.4	50.9	50.6	105	92-114	0.99	10
1,1,2,2-Tetrachloroethane	55.5	58.0	56.9	57.4	204	10-124	1.9	10

Calculations are performed before rounding to avoid round-off errors in calculated results.



Air Toxics

Project: 101920

Volatile Organics by GCMS - EPA TO-14

Test: TO-14-G Matrix: AIR QC Run: 08 AUG 93-B1

QC Ruit: 08 RUG 93-81			Reporting
Analyte	Result	Units	Limit
Dichlorodifluoromethane	ND	ppb (v/v)	2.0
Chloromethane	ND	ppb (v/v)	4.0
1,2-Dichlorotetra-fluoroethane	ND	ppb (v/v)	2.0
Vinyl chloride	ND	ppb (v/v)	2.0
Bromomethane	ND	ppb (v/v)	2.0
Chloroethane	ND	ppb (v/v)	4.0
Trichlorofluoromethane	ND	oweppb (v/v)	2.0
1,1-Dichloroethene	ND	ppb (v/v)	۷. ن
Carbon disulfide	ND	ppb (v/v)	10
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	ppb (v/v)	2.0
Acetone	ND	ppb (v/v)	10
Methylene chloride	ND	ppb (v/v)	2.0
trans-1,2-Dichloroethene	ND	ppb (v/v)	2.0
1,1-Dichloroethane	ND	ppb (v/v)	2.0
Vinyl acetate	ND	ppb (v/v)	10
cis-1,2-Dichloroethene	ND	bbp (A/A)	2.0
2-Butanone	ND	ppb (v/v)	10
Chloroform	ND	ppb (v/v)	2.0
1,1,1-Trichloroethane	ND	bbp (A/A)	2.0
Carbon tetrachloride	ND	ppb (v/v)	2.0
Benzene	ND	ppb (v/v)	2.0
1,2-Dichloroethane	ND	ppb (v/v)	2.0
Trichloroethene	ND	ppb (v/v)	2.0
1,2-Dichloropropane	ND	ppb (v/v)	2.0
Bromodichloromethane	ND	ppb (v/v)	2.0
	ND	ppb (v/v)	2.0
cis-1,3-Dichloropropene	ND	ppb (v/v)	4.0
4-Methyl-2-pentanone	ND	ppp (∧/∧)	
Toluene	ND	ppb (v/v)	2.0
trans-1,3-Dichloropropene	מא מא	ppb (v/v)	2.0
1,1,2-Trichloroethane	ND	<del>-</del> -	2.0
Tetrachloroethene	ND	bbp (a\a) bbp (a\a)	4.0
2-Hexanone	ND	bbp (A/A)	2.0
Dibromochloromethane	ND	bbp (A/A)	2.0
1,2-Dibromoethane (EDB)	ND	ppb (v/v)	2.0
Chlorobenzene	ND	• • • • • • • • • • • • • • • • • • • •	2.0
Ethylbenzene	ND ND	ppb (v/v)	2.0
Xylenes (total)			2.0
Styrene	ND	ppb (v/v)	2.0
Bromoform	ND	ppb (v/v)	2.0
1,1,2,2-Tetrachloroethane	ND	ppb (v/v)	2.0
Benzyl chloride	ND	ppb (v/v)	2.0
4-Ethyl toluene	ND	ppb (v/v)	2.0
1,3,5-Trimethylbenzene	ND	ppb (v/v)	2.0
1,2,4-Trimethylbenzene	ND	ppb (v/v)	2.0
1,3-Dichlorobenzene	ND	ppb (v/v)	2.0

ND = Not Detected



Air Toxics

Project: 101920

(cont.)

Test: TO-14-G Matrix: AIR

Volatile Organics by GCMS - EPA TO-14

QC Run: 08 AUG 93-B1

Analyte	Result	Units	Reporting Limit
1,4-Dichlorobenzene	ND	ppb (v/v)	2.0
1.2-Dichlorobenzene	ND	ppb (v/v)	2.0
1,2,4-Trichlorobenzene	ND	ppb (v/v)	4.0
Hexachlorobutadiene	ND	ppb (v/v)	4.0



Air Toxics

Project: 101920

(cont.)

Test: TO-14-UGL-G
Matrix: AIR
QC Run: 08 AUG 93-B1 Volatile Organics by GCMS - EPA TO-14

QC Run: 08 Aug 93-51			Reporting
Analyte	Result	Units	Limit
Dichlorodifluoromethane	ND	ug/L	0.010
Chloromethane	ND	ug/L	0.0050
1,2-Dichlorotetra-fluoroethane	ND	ug/L	0.014
Vinyl chloride	ND	ug/L	0.0060
Bromomethane	ND	ug/L	0.011
Chloroethane	ND	ug/L	0.013
Trichlorofluoromethane	רוזא	ug/L	0.0050
1,1-Dichloroethene	ND	ug/L	0.0080
Carbon disulfide	ND	ug/L	0.030
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	ug/L	0.015
Acetone	ND	ug/L	0.023
Methylene chloride	ND	ug/L	0.014
trans-1,2-Dichloroethene	ND	ug/L	0.016
1.1-Dichloroethane	ND	ug/L	0.010
Vinvl acetate	ND	ug/L	0.0090
cis-1,2-Dichloroethene	ND	ug/L	0.0080
2-Butanone	ND	ug/L	0.0070
Chloroform	ND	ug/L	0.0090
1,1,1-Trichloroethane	ND	ug/L	0.011
Carbon tetrachloride	ND	ug/L	0.012
Benzene	ND	ug/L	0.0090
1,2-Dichloroethane	ND	ug/L	0.0080
Trichloroethene	ND	ug/L	0.013
1,2-Dichloropropane	ND	ug/L	0.035
Bromodichloromethane	ND	ug/L	0.013
cis-1,3-Dichloropropene	ND	ug/L	0.013
4-Methyl-2-pentanone	ND	ug/L	0.010
Toluene	ND	ug/L	0.011
trans-1,3-Dichloropropene	ND	ug/L	0.013
1,1,2-Trichloroethane	ND	ug/L	0.016
Tetrachloroethene	ND	ug/L	0.019
2-Hexanone	ND	ug/L	0.020
Dibromochloromethane	ND	ug/L	0.025
1,2-Dibromoethane (EDB)	ND	ug/L	0.015
Chlorobenzene	ND	ug/L	0.011
	ND	ug/L	0.011
Ethylbenzene	ND	ug/L	0.022
Xylenes (total)	ND	ug/L	0.030
Styrene Bromoform	ND	ug/L	0.020
	ИD	ug/L	0.027
1,1,2,2-Tetrachloroethane	ND	ug/L	0.010
Benzyl chloride	ND	ug/L	0.020
4-Ethyl toluene	ИD	ug/L	0.012
1,3,5-Trimethylbenzene	ИD	ug/L	0.015
1,2,4-Trimethylbenzene	, ND	ug/L	0.013

ND = Not Detected



Air Toxics

Project: 101920

(cont.)

Test: TO-14-UGL-G

Matrix: AIR

QC Run: 08 AUG 93-B1

-			Reporting
Analyte	Result	Units	Limit
1,3-Dichlorobenzene	ND	ug/L	0.018
1,4-Dichlorobenzene	ND	ug/L	0.024
1,2-Dichlorobenzene	ND	ug/L	0.030
1,2,4-Trichlorobenzene	ND	ug/L	0.050
Hexachlorobutadiene	МD	ug/L	0.050

Volatile Organics by GCMS - EPA TO-14

Chai	y R	900	5		H	Š	1 1		1001					Date		100	0-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Propert No 0 12 2 1		}					¥	ANALYSES	ွှ									REMARKS
	O108 bonisM A93	EPA Method 8240	EPA Method 8270	aniossg as H9T	lezeib as H9T	X3T8 25 H9T	71-01								Cooled	Soil (S) or water (W)	Acidilied Number of containers	Additional comments
7.57	-						X									X		
8-5 1245 1-2							X									×		
K-5 334 V-1							X									7		
										_				-				
														1				i
				Ī			1											
		<u> </u>	-		i	1				-						1	1	
		-	+			+	-		+	+			+	+-				
	Turna	Turnaround time	d time	\ \{\ \{\ \}	] a	1	<del> </del>	Results to	9		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 -4	Total No containers	S IE	8 8	stainer	C/	1.00
Permousing by O Collection	Date	Relin	Relinquished by	ρ	<b></b>		1	2 0	Date:	Relinquish	487					Date	<u>₹</u>	Method of shipment
	84	No.	1	1	123	\		<u> </u>	200	Signature	in in						Lab	Laboratory comments and Log No
Pilled name:		Printed	De 3							Printe	Printed name							
Company:		Company	EL.	7						Company	any:							
٨	Time	<u>8</u>	Received by	1	8	10		- 8	19 A	Recei	Time: Received by:				<del>                                     </del>	- T	T	
Signal Signal	23-72	S	Signature:	6			Signature 19 Signature	2	9	Signa	lure							
Prietted name: K		E .	Printed name.	) a		<b>★</b>	7	<u> </u>	4	Printe	Printed name				T		7	Geomatrix Consultants
		S	Company		1	}		Γ		Company	any							Sente Ane Heighte, Celifornia 92707 [714]474:9181
								1							1		-	